

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Saline</u>		<u>SW 1/4 NE 1/4 SE 1/4</u>	<u>36</u>	T <u>14 S</u>	R <u>3 E</u>
Distance and direction from nearest town or city street address of well if located within city? <u>2830 Bret Ave.</u>					
2 WATER WELL OWNER:		Board of Agriculture, Division of Water Resources			
RR#, St. Address, Box # :		Application Number:			
City, State, ZIP Code :		<u>Salina, Kansas 67401</u>			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>56</u> ft. ELEVATION: <u>1240</u>			
		Depth(s) Groundwater Encountered 1. <u>19</u> ft. 2. <u>19</u> ft. 3. <u>19</u> ft.			
		WELL'S STATIC WATER LEVEL <u>19</u> ft. below land surface measured on mo/day/yr <u>4-28-96</u>			
		Pump test data: Well water was <u>19</u> ft. after <u>12</u> hours pumping <u>15</u> gpm			
		Est. Yield <u>50</u> gpm; Well water was <u>19</u> ft. after <u>12</u> hours pumping <u>15</u> gpm			
		Bore Hole Diameter <u>8 1/2</u> in. to <u>25</u> ft., and <u>5 1/2</u> in. to <u>56</u> ft.			
		WELL WATER TO BE USED AS:			
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes <u>No</u> X; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes <u>X</u> No			
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued <u>X</u> Clamped			
1 Steel 3 RMP (SR) 2 PVC 4 ABS 5 Wrought iron 6 Asbestos-Cement 7 Fiberglass 8 Concrete tile 9 Other (specify below)		Welded Threaded			
Blank casing diameter <u>5</u> in. to <u>46</u> ft., Dia		in. to <u>46</u> ft., Dia			
Casing height above land surface <u>16</u> in., weight <u>160 LB</u>		lbs./ft. Wall thickness or gauge No. <u>SDR26</u>			
TYPE OF SCREEN OR PERFORATION MATERIAL:		1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 10 Asbestos-cement 11 Other (specify) 12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:		1 Continuous slot 2 Mill slot 3 Gauzed wrapped 4 Wire wrapped 5 Saw cut 6 None (open hole) 7 Louvered shutter 8 Key punched 9 Torch cut 10 Other (specify)			
SCREEN-PERFORATED INTERVALS:		From <u>46</u> ft. to <u>56</u> ft., From <u>46</u> ft. to <u>56</u> ft., From <u>46</u> ft. to <u>56</u> ft., From <u>46</u> ft. to <u>56</u> ft.			
GRAVEL PACK INTERVALS:		From <u>20</u> ft. to <u>56</u> ft., From <u>20</u> ft. to <u>56</u> ft., From <u>20</u> ft. to <u>56</u> ft., From <u>20</u> ft. to <u>56</u> ft.			
6 GROUT MATERIAL:		1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From <u>0</u> ft. to <u>20</u> ft., From <u>20</u> ft. to <u>56</u> ft., From <u>56</u> ft. to <u>56</u> ft.			
What is the nearest source of possible contamination:		1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage			
Direction from well? <u>East</u>		How many feet? <u>50</u>			
FROM		TO		LITHOLOGIC LOG	
0'		2'		Compacted dirt + silt	
2'		23'		Brown clay	
23'		25'		Quick sand	
25'		30'		Medium sand	
30'		32'		clay (Grey)	
32'		39'		Medium + Coarse Sand	
39'		41'		clay (Brown)	
41'		56'		coarse sand + gravel	
56'				Brown clay	
FROM		TO		PLUGGING INTERVALS	
0'		2'			
2'		23'			
23'		25'			
25'		30'			
30'		32'			
32'		39'			
39'		41'			
41'		56'			
56'					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>(1)</u> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>4-28-96</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>523</u> This Water Well Record was completed on (mo/day/yr) <u>4-30-96</u> under the business name of <u>Mr & Mrs Well Service</u> by (signature) <u>Matthew Senk</u>					