

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>SALINE</u>		<u>SW 1/4 NE 1/4 SE 1/4</u>	<u>36</u>	<u>T 14 S</u>	<u>R 2 E</u>
Distance and direction from nearest town or city street address of well if located within city? <u>2822 Bret Ave</u>					
2 WATER WELL OWNER: <u>Rodney Meier</u>					
RR#, St. Address, Box # : <u>2822 Bret</u>			Board of Agriculture, Division of Water Resources		
City, State, ZIP Code : <u>Salina, KS 67401</u>			Application Number: <u>5-29-96</u>		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>54 1/2</u> ft. ELEVATION: <u>1240</u>			
		Depth(s) Groundwater Encountered 1. <u>19</u> ft. 2. <u>19 1/2</u> ft. 3. <u>5-29-96</u> ft.			
		WELL'S STATIC WATER LEVEL <u>19</u> ft. below land surface measured on mo/day/yr <u>5-29-96</u>			
		Pump test data: Well water was <u>19 1/2</u> ft. after <u>1</u> hours pumping <u>15</u> gpm			
		Est. Yield <u>50</u> gpm; Well water was <u>19 1/2</u> ft. after <u>1</u> hours pumping <u>15</u> gpm			
		Bore Hole Diameter: <u>8 1/2</u> in. to <u>25</u> ft., and <u>5 1/2</u> in. to <u>54 1/2</u> ft.			
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well			
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
		2 Irrigation 4 Industrial <u>7</u> Lawn and garden only 10 Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes <u>X</u> No <u>X</u> ; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes <u>X</u> No <u>X</u>			
5 TYPE OF BLANK CASING USED:					
1 Steel		3 RMP (SR)		5 Wrought iron	
<u>2</u> PVC		4 ABS		6 Asbestos-Cement	
				7 Fiberglass	
Blank casing diameter <u>5</u> in. to <u>4 1/2</u> ft. Dia				8 Concrete tile	
Casing height above land surface <u>20</u> in., weight <u>160 LB</u>				9 Other (specify below)	
TYPE OF SCREEN OR PERFORATION MATERIAL:				CASING JOINTS: Glued <u>X</u> Clamped	
1 Steel		3 Stainless steel		Welded	
2 Brass		4 Galvanized steel		Threaded	
3 Fiberglass		5 RMP (SR)			
4 Concrete tile		6 ABS		10 Asbestos-cement	
5 Gauzed wrapped		6 Saw cut		11 Other (specify)	
6 Wire wrapped		7 Drilled holes		12 None used (open hole)	
7 Torch cut		8 Other (specify)			
SCREEN OR PERFORATION OPENINGS ARE:		1 Continuous slot		2 Mill slot	
2 Louvered shutter		3 Key punched		4 None (open hole)	
SCREEN-PERFORATED INTERVALS:		From <u>4 1/2</u> ft. to <u>54 1/2</u> ft.		From <u>54 1/2</u> ft. to <u>54 1/2</u> ft.	
GRAVEL PACK INTERVALS:		From <u>21</u> ft. to <u>54 1/2</u> ft.		From <u>54 1/2</u> ft. to <u>54 1/2</u> ft.	
6 GROUT MATERIAL:					
1 Neat cement		2 Cement grout		3 Bentonite	
4 Other					
Grout Intervals: From <u>0</u> ft. to <u>21</u> ft.		From <u>54 1/2</u> ft. to <u>54 1/2</u> ft.		From <u>54 1/2</u> ft. to <u>54 1/2</u> ft.	
What is the nearest source of possible contamination:					
1 Septic tank		4 Lateral lines		7 Pit privy	
2 Sewer lines		5 Cess pool		8 Sewage lagoon	
<u>3</u> Watertight sewer lines		6 Sewage pit		9 Feedyard	
10 Livestock pens		14 Abandoned water well		15 Oil well/Gas well	
11 Fuel storage		12 Fertilizer storage		16 Other (specify below)	
13 Insecticide storage					
Direction from well? <u>NE</u>		How many feet? <u>60</u>			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>0</u>	<u>3'</u>	<u>Compacted fill dirt AND silt</u>			
<u>3'</u>	<u>22'</u>	<u>Brown clay</u>			
<u>22'</u>	<u>27'</u>	<u>Brown clay AND fine sand mixed</u>			
<u>27'</u>	<u>54 1/2'</u>	<u>Coarse sand AND Gravel</u>			
<u>54 1/2'</u>		<u>Dark Brown clay</u>			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>1</u> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>5-29-96</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>523</u> This Water Well Record was completed on (mo/day/yr) <u>5-31-96</u> under the business name of <u>M &amp; D Well Service</u> by (signature) <u>Matthew Jankup</u>					