

1 LOCATION OF WATER WELL: County: <u>SALINE</u>	Fraction <u>NE 1/4 NE 1/4 NE 1/4</u>	Section Number <u>11</u>	Township Number T <u>14</u> S	Range Number R <u>3</u> EW
--	---	-----------------------------	----------------------------------	-------------------------------


Distance and direction from nearest town or city street address of well if located within city?

818 N. BROADWAY, SALINA, KS

2 WATER WELL OWNER: <u>TOWN & COUNTRY MARKETS</u> RR#, St. Address, Box #: <u>P.O. BOX 17087</u> City, State, ZIP Code: <u>WICHITA, KANSAS 67217</u>	Board of Agriculture, Division of Water Resources Application Number:
--	--

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>30'</u> ft. ELEVATION: <u>18</u> ft.
--	--

1 Mile



WELL'S STATIC WATER LEVEL: 18 ft. below land surface measured on mo/day/yr

Pump test data: Well water was 30' ft. after 0 1/4 hours pumping 30 gpm

Est. Yield 30 gpm: Well water was 30' ft. after 0 1/4 hours pumping 30 gpm

Bore Hole Diameter: 8 1/4 in. to 30 ft., and 30 in. to 30 ft.

WELL WATER TO BE USED AS:

1 Domestic	3 Feedlot	6 Oil field water supply	8 Air conditioning	11 Injection well
2 Irrigation	4 Industrial	7 Lawn and garden only	9 Dewatering	12 Other (Specify below)

Was a chemical/bacteriological sample submitted to Department? Yes ✓ No ✓ If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes ✓ No ✓

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <u>✓</u> Clamped <u>✓</u>
------------------------------	----------------	-----------------	--

1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded ✓

2 PVC 4 ABS 7 Fiberglass Threaded ✓

Blank casing diameter 2 in. to 20 ft., Dia 20 in. to 20 ft., Dia 20 in. to 20 ft.

Casing height above land surface 0 in., weight 0 lbs./ft. Wall thickness or gauge No. 0

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	11 Other (specify)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	
		7 Torch cut	10 Other (specify)	<u>0.0</u>

SCREEN-PERFORATED INTERVALS: From 30 ft. to 20' ft., From 20' ft. to 20' ft.

GRAVEL PACK INTERVALS: From 30 ft. to 18 ft., From 18 ft. to 18 ft.

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
-------------------	---------------	----------------	-------------	---------

Grout Intervals: 3 From 18 ft. to 16 ft., 2 From 16 ft. to 2 ft., From 2 ft. to 2 ft.

What is the nearest source of possible contamination:

1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	

Direction from well? NORTH How many feet? 250

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>0</u>	<u>10</u>	<u>BRN clay</u>			
<u>10</u>	<u>30</u>	<u>BRN + yel brn Clayey Sand</u>			
		<u>SILT</u>			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>(1)</u> constructed, <u>(2)</u> reconstructed, or <u>(3)</u> plugged under my jurisdiction and was completed on (mo/day/year) <u>7-17-96</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>568</u> This Water Well Record was completed on (mo/day/yr) <u>7-17-96</u> under the business name of <u>Max's Enterprises</u> by (signature) <u>David Humpal</u>
--