

LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>Saline</u>	<u>NW 1/4 SW 1/4 NE 1/4</u>	<u>13</u>	<u>T 14 S</u>	<u>R 3 E</u>

Distance and direction from nearest town or city street address of well if located within city?

30 W OAKDALE AVE, N. side of Park Pl - Saline

WATER WELL OWNER: City of Saline

St. Address, Box #: 300 W. ASH


City, State, ZIP Code: SALINA, KS 67401

Board of Agriculture, Division of Water Resources

Application Number:

LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

DEPTH OF COMPLETED WELL: 6.0 ft. ELEVATION:



Depth(s) Groundwater Encountered 1. NA ft. 2. NA ft. 3. NA ft.

WELL'S STATIC WATER LEVEL NA ft. below land surface measured on mo/day/yr

Pump test data: Well water was NA ft. after NA hours pumping NA gpm

Est. Yield NA gpm; Well water was NA ft. after NA hours pumping NA gpm

Bore Hole Diameter 2 1/2 in. to NA ft., and NA in. to NA ft.

WELL WATER TO BE USED AS:

1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)

2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes NA No X; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes NA No X

TYPE OF BLANK CASING USED:

1 Steel 3 RMP (SR)

2 PVC 4 ABS

5 Wrought iron

6 Asbestos-Cement

7 Fiberglass

8 Concrete tile

9 Other (specify below)

CASING JOINTS: Glued NA Clamped NA

Welded NA

Threaded X

Blank casing diameter 3/4 in. to 50 ft., Dia. NA in. to NA ft., Dia. NA in. to NA ft.

Casing height above land surface 0 in., weight NA lbs./ft. Wall thickness or gauge No. SCH 80

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel 3 Stainless steel

2 Brass 4 Galvanized steel

5 Fiberglass

6 Concrete tile

8 RMP (SR)

9 ABS

10 Asbestos-cement

11 Other (specify)

12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot 2 Mill slot

2 Louvered shutter 4 Key punched

5 Gauzed wrapped

6 Wire wrapped

7 Torch cut

8 Saw cut

9 Drilled holes

10 Other (specify)

SCREEN-PERFORATED INTERVALS: From 50 ft. to 60 ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

GRAVEL PACK INTERVALS: From 27 ft. to 60 ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

GROUT MATERIAL:

1 Neat cement

2 Cement grout

3 Bentonite

4 Other

Grout intervals: From 5 ft. to 27 ft., From NA ft. to NA ft.

What is the nearest source of possible contamination:

1 Septic tank

2 Sewer lines

3 Watertight sewer lines

4 Lateral lines

5 Cess pool

6 Seepage pit

7 Pit privy

8 Sewage lagoon

9 Feedyard

10 Livestock pens

11 Fuel storage

12 Fertilizer storage

13 Insecticide storage

How many feet? 100

14 Abandoned water well

15 Oil well/Gas well

16 Other (specify below)

Section from well? West

FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS

0 3 Clay, DARK Brown

3 12 CLAY, Brown

12 15 SAND, Brown

15 17 Silt, Brown

7 20 SAND, LT Brown

20 60 Unknown - Direct Push

Completion by Driller
license # 527

MMW 16

CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 6-11-96 and this record is true to the best of my knowledge and belief. Kansas

Water Well Contractor's License No. 604 This Water Well Record was completed on (mo/day/yr) 8-11-96

Under the business name of Environmental Priority Service, Inc. by (signature) Day

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY

T

R

EW

SEC.

1/4

1/4

1/4