

1 LOCATION OF WATER WELL: County: <u>Saline</u>	Fraction: <u>SW</u> <u>SE</u> <u>NE</u> <u>NW</u> <u>1/4</u> <u>1/4</u> <u>1/4</u> <u>1/4</u>	Section Number <u>25</u>	Township Number T <u>14</u> <u>S</u>	Range Number R <u>3</u> <u>E</u>
--	--	-----------------------------	---	-------------------------------------

Distance and direction from nearest town or city street address of well if located within city?

2 WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code : <u>2059 Marc</u> <u>Salina, KS</u> <u>67401</u>	Board of Agriculture, Division of Water Resources Application Number:
---	--

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>50</u> ft. ELEVATION: <u>1235</u>
--	---

	Depth(s) Groundwater Encountered 1. <u>16</u> ft. 2. <u>18</u> ft. 3. <u>15</u> ft.
	WELL'S STATIC WATER LEVEL <u>16</u> ft. below land surface measured on mo/day/yr <u>8-10-96</u>
	Pump test data: Well water was <u>18</u> ft. after <u>1</u> hours pumping <u>15</u> gpm
	Est. Yield <u>35</u> gpm Well water was <u>18</u> ft. after <u>1</u> hours pumping <u>15</u> gpm
Bore Hole Diameter <u>8 1/2</u> in. to <u>32</u> ft., and <u>5 1/2</u> in. to <u>50</u> ft.	
WELL WATER TO BE USED AS:	
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)	
2 Irrigation 4 Industrial <u>7</u> Lawn and garden only 10 Monitoring well	
Was a chemical/bacteriological sample submitted to Department? Yes <u>X</u> No <u>X</u> If yes, mo/day/yr sample was submitted	
Water Well Disinfected? Yes <u>X</u> No	

5 TYPE OF BLANK CASING USED:	5 Wrought iron 8 Concrete tile CASING JOINTS: Glued <u>X</u> Clamped
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded	
<u>2</u> PVC 4 ABS 7 Fiberglass Threaded	
Blank casing diameter <u>5</u> in. to <u>40</u> ft., Dia. <u>16</u> in. to <u>160 LB</u> lbs./ft. Wall thickness or gauge No. <u>SDR26</u>	
Casing height above land surface <u>16</u> in., weight <u>160 LB</u>	
TYPE OF SCREEN OR PERFORATION MATERIAL:	
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement	
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)	
12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:	
1 Continuous slot <u>3</u> Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)	
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes	
7 Torch cut 10 Other (specify)	
SCREEN-PERFORATED INTERVALS: From <u>40</u> ft. to <u>50</u> ft., From <u>50</u> ft. to <u>50</u> ft., From <u>50</u> ft. to <u>50</u> ft., From <u>50</u> ft. to <u>50</u> ft.	
GRAVEL PACK INTERVALS: From <u>21</u> ft. to <u>50</u> ft., From <u>50</u> ft. to <u>50</u> ft., From <u>50</u> ft. to <u>50</u> ft., From <u>50</u> ft. to <u>50</u> ft.	

6 GROUT MATERIAL: <u>1</u> Neat cement 2 Cement grout 3 Bentonite 4 Other
Grout Intervals: From <u>0</u> ft. to <u>21</u> ft., From <u>21</u> ft. to <u>50</u> ft., From <u>50</u> ft. to <u>50</u> ft., From <u>50</u> ft. to <u>50</u> ft.
What is the nearest source of possible contamination:
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
<u>3</u> Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
13 Insecticide storage
Direction from well? <u>EAST</u> How many feet? <u>15'</u>

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0'	2'	Fill dirt			
2'	4'	Top Soil			
4'	28'	Brown clay			
28'	32'	Grey clay			
32'	37'	Grey clay + sand mixed			
37'	50'	medium to coarse sand + gravel			
50'		shale			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>1</u> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>8-12-96</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>523</u> This Water Well Record was completed on (mo/day/yr) <u>8-12-96</u> under the business name of <u>M & D Well Service</u> by (signature) <u>Matthew Soukup</u>
