

1 LOCATION OF WATER WELL: SALINE		Fraction NE 1/4 NE 1/4 SW 1/4		Section Number 36		Township Number T 14 S		Range Number R 3 EW	
Distance and direction from nearest town or city street address of well if located within city? 2625 CAROLINA									
2 WATER WELL OWNER: LEE HAWORTH RR#, St. Address, Box #: 1006 BUR OAK LN. City, State, ZIP Code: SALINA, KS. 67401 Board of Agriculture, Division of Water Resources Application Number:									
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:			4 DEPTH OF COMPLETED WELL: 57.4 ft. ELEVATION: 1241						
			Depth(s) Groundwater Encountered 1. 18.4 ft. 2. ft. 3. ft.						
			WELL'S STATIC WATER LEVEL 18.4 ft. below land surface measured on mo/day/yr 1-2-97						
			Pump test data: Well water was 20 ft. after 2 hours pumping 12 gpm						
			Est. Yield 75+ gpm: Well water was ft. after hours pumping gpm						
			Bore Hole Diameter 9 in. to 59 ft. and in. to ft.						
			WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well						
			1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)						
			2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well						
			Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted						
			Water Well Disinfected? Yes X No						
5 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped									
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded									
2 PVC 4 ABS 7 Fiberglass Threaded									
Blank casing diameter 5 in. to 47.4 ft. Dia in. to ft. Dia in. to ft.									
Casing height above land surface 16 in. weight 160 lbs./ft. Wall thickness or gauge No. SDR 26									
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement									
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)									
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)									
1 Continuous slot 3 Mill slot .035 6 Wire wrapped 9 Drilled holes									
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From 47.4 ft. to 57.4 ft. From ft. to ft.									
GRAVEL PACK INTERVALS: From 40 ft. to 57.4 ft. From ft. to ft.									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout Intervals: From 0 ft. to 21 ft. From ft. to ft. From ft. to ft.									
What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well									
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well									
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)									
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage									
Direction from well? WEST How many feet? 40									
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS									
0 7 FILL DIRT									
7 18 CLAY SILTY TAN									
18 59 SAND TAN FINE TO COARSE									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 1-2-97 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 388 This Water Well Record was completed on (mo/day/yr) 1-2-97 under the business name of PESTINGER PUMP SERVICE by (signature) [Signature]									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.									