LOCATION OF WA			WELL RECORD F	orm WWC-5	KSA 82a				
County: Salin		Fraction 5W 1/4	5W 1/4 5N		ion Number 33	Township Nur	nber S	Range I	Number
	from nearest town	or city street add	dress of well if located Schilling	within city?	Salir	na KS			Year of the second
WATER WELL O			Burns & MCD						
RR#, St. Address, B	W # : 9100	Ward P	Lewis 7 PT D	PAINTON		Board of Ad	riculture D	vision of Wa	ter Resources
City, State, ZIP Code			HO 64114			Application		WISION OF THE	100000000
LOCATE WELL'S	LOCATION WITH 4		MPLETED WELL	14.7	. ft. ELEVA				
AN "X" IN SECTION	N De		vater Encountered 1.						
†			test data: Well water						
NW	NE								
			gpm: Well water						
E M pacaritimatical and a second	material and the second		er 8 in. to .						
∑				Public water	, , ,	8 Air conditioning		njection well	
SW	SE	1 Domestic	3 Feedlot 6	Oil field wat	er supply	9 Dewatering	12 (itner (Specify	below)
		2 Irrigation				Monitoring well			
	AND REAL PROPERTY OF THE PROPE	/as a chemical/ba itted	acteriological sample su	bmitted to De		esNoNoNo		mo/day/yr sai (No)	mpie was sub
TYPE OF BLANK	CASING USED:		5 Wrought iron	8 Concre	te tile	CASING JOIN	TS: Glued	Clan	nped
1 Steel	3 RMP (SR)		6 Asbestos-Cement		specify below			d	
(2)PVC	4 ARS		7 Fiberglass				Threa	dedX	
Blank casing diameter	r in.	to 9.3	ft., Dia	in. to		ft Dia	i	n. to	ft.
			in., weight						
TYPE OF SCREEN			,	(7)PV			stos-cemer		
1 Steel	3 Stainless s		5 Fiberglass	San and San an	P (SR)				
2 Brass	4 Galvanized		6 Concrete tile	9 ABS			used (ope		
SCREEN OR PERFO				wrapped	_	8 Saw cut	٠,	11 None (or	en hole)
1 Continuous s			6 Wire w			9 Drilled holes		, , , , , , , , , , , , , , , , , , ,	,
2 Louvered shu	A CONTRACTOR OF THE PARTY OF TH	nunched	7 Torch	nit		10 Other (specify)			
SCREEN-PERFORA		From9	3 ft. to	14.3	ft Ero	m	ft to		ft
SUNEEN-FENFUNA	IED INTERVALS.	From	ft. to		tt Fro	m	ft to		ft
CDAVEL D	ACK INTERVALS:	From	, Z ft. to	16		m	ft to		ft.
GHAVEL F	AON INTERVALS.	From	ft. to		ft., Fro				ft.
		LIOIII				[1]	11. (
CL COOLIT MATERIA	VI: 1 Noat oor	mont (2 Bonto		Other			
6 GROUT MATERIA	AL: 1 Neat cer	ment 2	2 Cement grout	3 Bento	nite 4	Other			
Grout Intervals: Fr	om 6 . 2 ft.	. to . 3		3Bento	nite 4	ft., From		. ft. to	
Grout Intervals: Fr What is the nearest	om. 6.2 ft. source of possible co	to	2 Cement grout ft., From	3 Bento	nite 4 to	ft., From	14 Ab	. ft. to andoned wa	
Grout Intervals: Fr What is the nearest 1 Septic tank	om 6 . 2 ft. source of possible co 4 Lateral	to	2 Cement grout ft., From 7 Pit privy	ft.	nite 4 to 10 Lives 11 Fuel	ft., From tock pens storage	14 Ab	. ft. to eandoned wa I well/Gas we	
Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines	om	to	2 Cement grout ft., From 7 Pit privy 8 Sewage lago	ft.	nite 4 to	ft., From tock pens storage izer storage	14 Ab	. ft. to eandoned wa I well/Gas we	
Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se	om 6 . 2 ft. source of possible co 4 Lateral	to	2 Cement grout ft., From 7 Pit privy	ft.	nite 4 to	tt., From stock pens storage izer storage sticide storage	14 Ab	. ft. to andoned wa	
Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight so Direction from well?	om	to 3 ontamination: lines ool ge pit	2 Cement grout ft., From 7 Pit privy 8 Sewage lago	on	nite 4 to	tock pens storage izer storage sticide storage ny feet?	14 Ab 15 Oi	ft. to wandoned was well/Gas we her (specify)	
Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO	om. 6.2 ft. source of possible co 4 Lateral 5 Cess possible co	to 3 ontamination: lines ool ge pit	2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	on FROM	nite 4 to	tock pens storage izer storage sticide storage ny feet?	14 Ab 15 Oi	. ft. to eandoned wa I well/Gas we	
Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO	om. 6.2 ft. source of possible co 4 Lateral 5 Cess possible co	to 3 ontamination: lines ool ge pit	2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	on FROM	nite 4 to	tock pens storage izer storage sticide storage ny feet?	14 Ab 15 Oi	ft. to wandoned was well/Gas we her (specify)	
Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 10	om. 6.2 ft. source of possible co 4 Lateral 5 Cess possible co	to 3 ontamination: lines ool ge pit	2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	on FROM	nite 4 to	tock pens storage izer storage sticide storage ny feet?	14 Ab 15 Oi	ft. to wandoned was well/Gas we her (specify)	
Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO	om. 6.2 ft. source of possible co 4 Lateral 5 Cess possible co	to 3 ontamination: lines ool ge pit	2 Cement grout ft., From 7 Pit privy 8 Sewage lago	on FROM	nite 4 to	tock pens storage izer storage sticide storage ny feet?	14 Ab 15 Oi	ft. to wandoned was well/Gas we her (specify)	
Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 10	om. 6.2 ft. source of possible co 4 Lateral 5 Cess possible co	to 3 ontamination: lines ool ge pit	2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	on FROM	nite 4 to	tock pens storage izer storage sticide storage ny feet?	14 Ab 15 Oi	ft. to wandoned was well/Gas we her (specify)	
Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 10	om. 6.2 ft. source of possible co 4 Lateral 5 Cess possible co	to 3 ontamination: lines ool ge pit	2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	on FROM	nite 4 to	tock pens storage izer storage sticide storage ny feet?	14 Ab 15 Oi	ft. to wandoned was well/Gas we her (specify)	
Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 10	om. 6.2 ft. source of possible co 4 Lateral 5 Cess possible co	to 3 ontamination: lines ool ge pit	2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	on FROM	nite 4 to	tock pens storage izer storage sticide storage ny feet?	14 Ab 15 Oi	ft. to wandoned was well/Gas we her (specify)	
Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 10	om. 6.2 ft. source of possible co 4 Lateral 5 Cess possible co	to 3 ontamination: lines ool ge pit	2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	on FROM	nite 4 to	tock pens storage izer storage sticide storage ny feet?	14 Ab 15 Oi	ft. to wandoned was well/Gas we her (specify)	
Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 10	om. 6.2 ft. source of possible co 4 Lateral 5 Cess possible co	to 3 ontamination: lines ool ge pit	2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	on FROM	nite 4 to	tock pens storage izer storage sticide storage ny feet?	14 Ab 15 Oi	ft. to wandoned was well/Gas we her (specify)	
Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 10	om. 6.2 ft. source of possible co 4 Lateral 5 Cess possible co	to 3 ontamination: lines ool ge pit	2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	on FROM	nite 4 to	tock pens storage izer storage sticide storage ny feet?	14 Ab 15 Oi	ft. to wandoned was well/Gas we her (specify)	
Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 10	om. 6.2 ft. source of possible co 4 Lateral 5 Cess possible co	to 3 ontamination: lines ool ge pit	2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	on FROM	nite 4 to	tock pens storage izer storage sticide storage ny feet?	14 Ab 15 Oi	ft. to wandoned was well/Gas we her (specify)	
Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 10	om. 6.2 ft. source of possible co 4 Lateral 5 Cess possible co	to 3 ontamination: lines ool ge pit	2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	on FROM	nite 4 to	tock pens storage izer storage sticide storage ny feet?	14 Ab 15 Oi	ft. to wandoned was well/Gas we her (specify)	
Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 10	om. 6.2 ft. source of possible co 4 Lateral 5 Cess possible co	to 3 ontamination: lines ool ge pit	2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	on FROM	nite 4 to	tock pens storage izer storage sticide storage ny feet?	14 Ab 15 Oi	ft. to wandoned was well/Gas we her (specify)	
Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 10	om. 6.2 ft. source of possible co 4 Lateral 5 Cess possible co	to 3 ontamination: lines ool ge pit	2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	on FROM	nite 4 to	tock pens storage izer storage sticide storage ny feet?	14 Ab 15 Oi	ft. to wandoned was well/Gas we her (specify)	
Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 10	om. 6.2 ft. source of possible co 4 Lateral 5 Cess possible co	to 3 ontamination: lines ool ge pit	2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	on FROM	nite 4 to	tock pens storage izer storage sticide storage ny feet?	14 Ab 15 Oi	ft. to wandoned was well/Gas we her (specify)	
Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 10 10 12 12 16	om. 6.2. ft. source of possible co. 4 Lateral 5 Cess power lines 6 Seepag DL brn 5 Lt. yell b Lt. gray	to 3 contamination: lines cool ge pit LITHOLOGIC L Silty cla rn Silty highly wi	2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard LOG 4 Lay eathered Shale	FROM	nite 4 to 10 Lives 11 Fuel 12 Fertil 13 Insec How ma	tock pens storage izer storage sticide storage ny feet? PLI	14 At 15 Oi (B) OI	ft. to	ter well ell obelow)
Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 10 10 12 12 16	om. 6.2. ft. source of possible co. 4 Lateral 5 Cess power lines 6 Seepag DL brn 5 Lt. yell b Lt. gray	to 3 contamination: lines cool ge pit LITHOLOGIC L Silty cla rn Silty highly wi	2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard LOG 4 Lay eathered Shale	FROM	nite 4 to 10 Lives 11 Fuel 12 Fertil 13 Insec How ma	tock pens storage izer storage sticide storage ny feet? PLI	14 At 15 Oi (B) OI	ft. to	ter well
Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 10 12 12 16 7 CONTRACTOR'S	om. 6.2. ft. source of possible co 4 Lateral 5 Cess power lines 6 Seepag DL brn Lt. yell b Lt. gray	to 3 contamination: lines cool ge pit LITHOLOGIC L SILTY Cla rn Silty cla rh Silty W	2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard OG Clay eathered Shale	FROM ss(1)constru	nite 4 to 10 Lives 11 Fuel 12 Fertii 13 Insec How ma TO	tock pens storage izer storage sticide storage ny feet? PLI	JGGING IN	ft. to handoned wa I well/Gas we her (specify TMET AT) ITERVALS	ter well below)
Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO O 10 10 12 12 12 16 7 CONTRACTOR'S completed on (mo/di	om. 6.2ft. source of possible co 4 Lateral 5 Cess power lines 6 Seepag DL brn Ct. yell b Ct. gray	to 3 ontamination: lines ool ge pit LITHOLOGIC I SILTY CLA TO SILTY highly We	2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard OG Clay Clay Cathered Shale ON: This water well wa	FROM s(1)constru	nite 4 to 10 Lives 11 Fuel 12 Fertii 13 Insec How ma TO cted, (2) rec and this rece	onstructed, or (3) pord is true to the best	JGGING IN	ft. to handoned wa livell/Gas we her (specify CMCC A) ITERVALS	ter well ell below)
Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 10 10 12 12 16 7 CONTRACTOR'S completed on (mo/d) Water Well Contract	om. 6.2. ft. source of possible con 4 Lateral 5 Cess power lines 6 Seepage DL brn 5 Lt. gell b Lt. gray	s CERTIFICATIONS	2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard OG 11 Cog 21 Cog 22 Cog 22 Cog 22 Cog 22 Cog 22 Cog 23 Cog 24 Cog 24 Cog 25 Cog 26 Cog 26 Cog 27	FROM s(1)constru	nite 4 to 10 Lives 11 Fuel 12 Fertil 13 Insec How ma TO cted, (2) rec and this recus completed	onstructed, or (3) pord is true to the best on (mp/day/yr)	ugged und	ft. to handoned wa livell/Gas we her (specify CMCC A) ITERVALS	ter well ell below)
Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO C 10 10 12 12 16 7 CONTRACTOR'S completed on (mo/d Water Well Contract under the business	source of possible construction of AQC on the source of possible construction of AQC on the source of possible construction of AQC on the source of the sour	s certification	2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard OG 11 Cog 21 Cog 22 Cog 22 Cog 22 Cog 22 Cog 22 Cog 23 Cog 24 Cog 24 Cog 25 Cog 26 Cog 26 Cog 27	FROM s(1) constru	nite 4 to	onstructed, or (3) pord is true to the beson (mo/day/yr).	ugged und	er my jurisdi	ction and wa