

1 LOCATION OF WATER WELL: County: <u>Saline</u>		Fraction <u>SW</u> $\frac{1}{4}$ <u>NW</u> $\frac{1}{4}$ <u>NE</u> $\frac{1}{4}$		Section Number <u>34</u>	Township Number T <u>14</u> S	Range Number R <u>3</u> <u>W</u>
Distance and direction from nearest town or city street address of well if located within city? <u>Well # 99M21 at former Schilling AFB, Salina KS</u>						
2 WATER WELL OWNER: <u>USACE % Burns & McDonnell</u> RR#, St. Address, Box #: <u>9400 Ward Plkwy</u> City, State, ZIP Code: <u>Kansas City MO 64114</u> Board of Agriculture, Division of Water Resources Application Number:						
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>23.8</u> ft. ELEVATION:				
		Depth(s) Groundwater Encountered 1. .ft. 2. .ft. 3. .ft. WELL'S STATIC WATER LEVEL <u>7.4</u> ft. below land surface measured on mo/day/yr <u>1/6/97</u> Pump test data: Well water was .ft. after . hours pumping . gpm Est. Yield . gpm: Well water was .ft. after . hours pumping . gpm Bore Hole Diameter <u>8</u> in. to <u>25</u> ft., and . in. to . ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only <u>10</u> Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes. . No. <u>X</u> .; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <u>No</u>				
		5 TYPE OF BLANK CASING USED:				
		1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued . Clamped . <u>2</u> PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded . Blank casing diameter <u>2</u> in. to <u>13.4</u> ft., Dia . in. to . ft., Dia . in. to . ft. Casing height above land surface <u>0*</u> in., weight . lbs./ft. Wall thickness or gauge No. <u>Sch 40</u> TYPE OF SCREEN OR PERFORATION MATERIAL: <u>7</u> PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) . 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 1 Continuous slot <u>3</u> Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) . SCREEN-PERFORATED INTERVALS: From <u>13.4</u> ft. to <u>23.4</u> ft., From . ft. to . ft. From . ft. to . ft., From . ft. to . ft. GRAVEL PACK INTERVALS: From <u>9</u> ft. to <u>25</u> ft., From . ft. to . ft. From . ft. to . ft., From . ft. to . ft.				
		6 GROUT MATERIAL: 1 Neat cement 2 <u>Cement grout</u> 3 Bentonite 4 Other . Grout Intervals: From <u>9</u> ft. to <u>6</u> ft., From <u>6</u> ft. to <u>3</u> ft., From . ft. to . ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage <u>16</u> Other (specify below) <u>Former AFB</u> Direction from well? How many feet?				
FROM	TO	LITHOLOGIC LOG		FROM	TO	PLUGGING INTERVALS
0	25	Silty clays, Sandy clays				
<p>* Flush mount well cover variance granted by KDHE letter dated 10/2/96</p>						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>(1)</u> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>12/4/96</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>570</u> This Water Well Record was completed on (mo/day/yr) <u>1/23/97</u> under the business name of <u>AQUADRILL, INC.</u> by (signature) <u>Jeff Johnson</u>						