	TONICETA	TED WEIT:	I Fraction	TER WELL RECO	POIN V		M 8Za-		umchi- k	Lucob o a		ones M	mbc-
1 -1		ATER WELL:	1	1/ 010 1/	OT 1/	Section No	niibel		wnship N			ange Nu	_
County:			SE		SE ¼	15		Т	14	S	R	3	
4			-	et address of well	ir located within	City?							
,		vd. Salina, K											
2 WAT	ER WELL O	WNER Triples	tt. Inc.										
	Address, Bo	•						Board	d of Agric	uiture, Divi	sion of V	Mater Ra	esources
	e, ZIP Code		Kansas 674	102-0647					ation Nu		3,3,,		
	TE WELL'S			COMPLETED WE	37		EL 🗆 🗥				^		
PWIT	AN "X" IN SI	ECTION BOX:	[]										
	l	V		undwater Encounte									
Ĭ I				TIC WATER LEVE									
			Pu	ımp test data: We	ell water was .	NA	. ft. afte	er		hours pur	mping.		apm
	. NW	. NE		NAgpm: We									
b			Bore Hole Dia	ımeter	in to		ft a	nd		in	. . .		4.
Mile A		Ε		R TO BE USED A					onditionin		. to Injectio		
-										•	•		
	sw	SE	1 Domesi			water suppl	_	_	•			Specify t	
	0,,	\ <u>\</u>	2 Irrigation			nd garden o							
		X I	1	cal/bacteriological	sample submit	ed to Depar					mo/day		
T L			submitted				Wate	er Well I	Disinfect	ed? Yes		No 🗸	/
5 TYPE	OF BLANK	CASING USED:	·*	5 Wrought iro	n 8 C	oncrete tile	·	CA	SING JO	NTS: Glue	1	. Clamp	ed
1 s		3 RMP (S		6 Asbestos-Ce		ther (specif	v below						
2		4 ABS	- 1	7 Fiberglass			•	,		Threa			
			: A	ft., Dia					-				
	•												
Casing he	eight above la	and surface	0	in., weight			. lbs./ft.						
TYPE OF	SCREEN O	R PERFORATIO	N MATERIAL			PVC			*10 Ast	estos-cem	ent		
1 S	iteel	3 Stainles	s steel	5 Fiberglass	8	RMP (SR)			11 Oth	er (specify) <i>.</i> .		
2 B	rass	4 Galvaniz	zed steel	6 Concrete tile	9	ABS			12 Nor	ne used (op	en hole)	
		RATION OPENIN			Gauzed wrapp	ed -		8 Saw		(0)		, ne (oper	(alori r
	Continuous sl	_	Viill slot		Wire wrapped				d holes		11 140	ille (opei	THUR)
	ouvered shu		Key punched		Torch cut	_				')			
SCREEN	PERFORATI	ED INTERVALS	: From	37 ft	. to 1'	7 fi	t, Fron	n		ft.	to		ft
			From	ft	. to	<i></i> ff	t, Fron	n		ft.	to		ft
(GRAVEL PA	CK INTERVALS	: From	ft	. to	. <i></i> ff	t, Fron	n		ft.	to		ft
			From	ft.	. to	ft	t, Fron	n		ft.	to		ft
al CBOLI	T MATERIAL	. 1 Nost	cement	2 Cement grout	35	entonite	1.0	Yhor					
6 GROO	INAIGNAL	1 NGAL	Centent f	D ft., From		enonie	4 (ли I С Г	-		· · · · · ·		
										_			
What is the	ne nearest so	ource of possible	e contamination			10	Livesto	ck pen	s	(14) A	bandone	ed water	well
1 Sep	tic tank	4 Late	ral lines	7 Pit pri	vy	11	Fuel st	orage		75 0	il well/G	as well	
2 Sev	er lines	5 Cess	s pool	8 Sewa	ge lagoon	12	Fertiliz	er stora	ige	16 O	ther (sp	ecify bel	ow)
3 Wat	tertiaht sewe	rlines 6 Seep	page pit				13 Insecticide storage						
	from well?		F-3- F	- · · •				feet?					
FROM	10111110111		LITHOLOGI	CLOG	FRO		1		•	UGGING IN	ILEK/V	18	
					37			m 0= 4/		ite Grout			
					3/	U	Ce	menu	Benton	ite Grout			
	<u> </u>			<u></u>									
	 									· · · · · · · · · · · · · · · · · · ·			
	 												
					L								
	 												
							_						
								V2.1, T					
							Pro	oject Na	me: Mid	way Conoc			
										HE # U5 0			
7 000	ACTORIO O	DIANDOME	DIS CERTIFICA	TION: This water	upil upo (4) c=	notrupho - 10						المراجع والمراجع	
				6/10/9.7									
Kansas W	/ater Well Co	ontractor's Licen	ise No	527	. This Water	Nell Record	was co	ompiete	d og (mo	/day/yr), .		5/2:0/97.	
under the	business na	me of	GeoC	ore Services, In	ıc.	by (signatu	re)	Lali	Kell			
			<u>_</u>										
INICTO	HCTIONS: 11	tunamitar or hall so	int pen DIEACE	PRESS FIRMLY and P eka, Kansas 66620-00	RINT clearly Disc	ge fill in blanks	undedin	. احدث من من	the com-	t aneumin ^	and to- 1L	nee eec!	to Konner