

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>Saline</u>	<u>NW 1/4 NW 1/4 SE 1/4</u>	<u>24</u>	T <u>14</u> S	R <u>3</u> E

Distance and direction from nearest town or city street address of well if located within city?

425 E MINNEAPOLIS

2 WATER WELL OWNER:	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # :	
City, State, ZIP Code :	Application Number:
<u>Doug Linenberger</u>	<u>67401</u>
<u>425 E. Minneapolis</u>	
<u>Salina KS</u>	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>53</u> ft. ELEVATION: <u>1231</u>
	Depth(s) Groundwater Encountered 1. <u>30</u> ft. 2. <u>30</u> ft. 3. <u>30</u> ft.
	WELL'S STATIC WATER LEVEL <u>28</u> ft. below land surface measured on mo/day/yr <u>11-16-98</u>
	Pump test data: Well water was <u>29</u> ft. after <u>1</u> hours pumping <u>15</u> gpm
	Est. Yield <u>30</u> gpm; Well water was <u>29</u> ft. after <u>5 1/2</u> hours pumping <u>30</u> gpm
Bore Hole Diameter <u>8 1/2</u> in. to <u>30</u> ft., and <u>5 1/2</u> in. to <u>53</u> ft.	
WELL WATER TO BE USED AS:	
1 Domestic	5 Public water supply
2 Irrigation	6 Oil field water supply
3 Feedlot	7 Air conditioning
4 Industrial	8 Air conditioning
5 Lawn and garden only	9 Dewatering
6 Monitoring well	10 Monitoring well
7 Other (Specify below)	11 Injection well
8 Other (Specify below)	12 Other (Specify below)
9 Other (Specify below)	
10 Other (Specify below)	
11 Other (Specify below)	
12 Other (Specify below)	
Was a chemical/bacteriological sample submitted to Department? Yes <u>X</u> No <u>X</u>	
Water Well Disinfected? Yes <u>X</u> No <u>X</u>	

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <u>X</u> Clamped <u>X</u>
1 Steel	6 Asbestos-Cement	9 Other (specify below)	Welded <u>X</u>
2 PVC	7 Fiberglass		Threaded <u>X</u>
3 RMP (SR)			
4 ABS			
Blank casing diameter <u>5</u> in. to <u>43</u> ft. Dia. <u>160</u> lbs./ft. Wall thickness or gauge No. <u>SDR26</u>			
Casing height above land surface <u>15</u> in. weight <u>160</u> lbs./ft.			
TYPE OF SCREEN OR PERFORATION MATERIAL:			
1 Steel	5 Fiberglass	8 RMP (SR)	10 Asbestos-cement
2 Brass	6 Concrete tile	9 ABS	11 Other (specify)
3 Stainless steel			12 None used (open hole)
4 Galvanized steel			
SCREEN OR PERFORATION OPENINGS ARE:			
1 Continuous slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Mill slot	6 Wire wrapped	9 Drilled holes	
3 Louvered shutter	7 Torch cut	10 Other (specify)	
4 Key punched			
SCREEN-PERFORATED INTERVALS:			
From <u>43</u> ft. to <u>53</u> ft.			
GRAVEL PACK INTERVALS:			
From <u>22</u> ft. to <u>53</u> ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
GROUT INTERVALS:	From <u>0</u> ft. to <u>22</u> ft.	From <u>22</u> ft. to <u>53</u> ft.	From <u>53</u> ft. to <u>53</u> ft.	From <u>53</u> ft. to <u>53</u> ft.
What is the nearest source of possible contamination:				
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
Direction from well? <u>West & North</u>			13 Insecticide storage	
			How many feet? <u>45-24</u>	

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0'	2'	Top soil			
2'	30'	Light Brown Clay			
30'	39'	Grey clay + SAND mixed			
39'	53'	medium to coarse SAND + gravel			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>11-17-98</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>523</u> This Water Well Record was completed on (mo/day/yr) <u>11-17-98</u> under the business name of <u>M+P well Service</u> by (signature) <u>Matthew Soukup</u>
--