		WA	TER WELL RECO	ORD Form WWC-5	KSA 82	a-1212 ID N	lo			
LOCATION	ON OF W	ATER WELL:	Fraction			on Number	Township Num	ber	Range Number	
⊐ County: Ş	SALTNE		NE 14	NE ¼ SW	1/4	36	т 14	s	R 3 EW	
Distance a	nd directio	n from nearest to	own or city street a	address of well if locate	d within city	?				
		2616	TARA LANE							
WATER	WELL OV	VNER: BOB E								
RR#, St. Address, Box # : 2616 TARA LANE City, State, ZIP Code : SAT.TNA KS 67401						Board of Agriculture, Division of Water Resources Application Number:				
LOCATE	WELL'S L	OCATION WITH	4 DEPTH OF C	OMPLETED WELL	60	ft. ELEVA	ΓΙΟΝ: 1241			
	N SECTIO		Depth(s) Grounds	water Encountered 1 NATER LEVEL		<b>'</b> .6'' ft. 2	2	ft. 3. <sub>9</sub> .	_:1'0'_:0'0' · · · · · · ft.	
T		<del>  </del>	WELL'S STATIC	WATER LEVEL	ft. belov	v land surface	measured on mo/da	y/yr	25	
1	-	1 1							mping 2.5 gpm	
	- NW	NE	Est. Yield 1.2.	gpm: Well water	was	ft. af	ter	hours pu	mping gpm	
	-								. to ft.	
₹ W -	X			O BE USED AS: 5 Pu	iblic water s	upply 8	Air conditioning Dewatering	11 Inje	ection well	
	1	<u> </u>	1 Domestic 2 Irrigation	3 Feedlot 6 Oi	meetic (lawn	Supply 9	Monitoring well	12 00		
	- SW	SE	•							
<u> </u>	i	i	Was a chemical/ba	acteriological sample subi	nitted to Dep	artment? Yes. Water	Well Disinfected? Y	es X	day/yrs sample was sub-	
5 TYPE O	F BLANK	CASING USED:		Wrought iron	8 Concre				🗶 Clamped	
1 Stee		3 RMP (SI	R) 6	S Asbestos-Cement		specify below			d	
2 PVC		4 ABS	50	7 Fiberglass					ded	
Blank cas	ing diamet	ter5	in. to 24.		in.	to		• • • • • •	in. to <u></u>	
Casing he	ight above	e land surface	.10 in	, weight		lbs./f	ft. Wall thickness or o	gauge No		
			TION MATERIAL:		7 PVC		10 Asbes			
				Fiberglass			11 Other (specify)			
2 Brass 4 Galvanized steel 6 Concrete tile  SCREEN OR PERFORATION OPENINGS ARE: 5 1 Continuous slot 3 Mill slot 025 6					auzed wrapped		• • • • • • • • • • • • • • • • • • • •		11 None (open hole)	
1 Conf	tinuous slo	ot 3.M	ill slot .025		6 Wire wrapped		9 Drilled holes		TT None (open note)	
2 Louv	ered shut	tter 4 K	ey punched	7 Torch	cut					
SCREEN-	PERFOR	ATED INTERVA	LS: From <i>5</i> ?	ft. to	60	ft., From		ft. to.		
			From 2	ft. to		ft., From		ft. to.	ft.	
	GRAVEL	PACK INTERVAL	LS: From	ft. to		ft., From		tt. to.	π. ft.	
0 000117	MATERI	A1				•				
6 GROUT		AL: 1 Neat c	ement 28	Cement grout	3 Bentoni	<u>te</u> 40			.ft. to	
			11. 10		π.		ock pens			
What is the nearest sour		•		7 Pit privy		11 Fuel s				
•			4 Lateral lines 5 Cess pool		racon		ū			
2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit			•	8 Sewage lagoon 9 Feedyard		12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage				
	from well?	-	CHEAST	o i coayara		How man	- /-			
FROM	ТО		LITHOLOGIC LO	3	FROM	ТО		GING INT	ERVALS	
0	3	FILL D								
3	19		AN SILTY							
19	61			BROWN TO TAN						
-100:	A OTOFIC	00.144100:111:	DIO OFFICIALE	ON. This water well	(1)	oted (0) ====	postruoted or (3) slui	ngod und	ar my juriediation and was	
		0.4	R'S CERTIFICATION OF THE CONTROL OF						er my jurisdiction and was	
completed	•	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		This 14/-4 18/-1		na mis record	a is true to the best o	8-14	Medge and belief. Kansas	
		or's Licence No		This Water Well	necord was		nature)	1 Ky		
			NGER PUMP S				1600	NV.	arino	
INSTRUCT	FIONS: Use ty	pewriter or ball point pe	n. <u>PLEASE PRESS FIRM</u>	<u>ILY</u> and <u>PRINT</u> clearly. Please fil 85-296-5524. Send one to WATE	l in blanks, under	tine or circle the co	orrect answers. Send to three	e copies to h	Cansas Department of Health and tructed well.	
Environme	rit, bureau of \	rvater, Topeka, Kansas	pouzu-vuut. Telepnone /	UJ-290-3324. Seriu one tu WATE	***********************************		. , 55 555. 55 55 6/40.001	20.10		