0	-32-5	WATER	Form WWC	orm WWC-5 KSA 82a-1212			1300				
	ON OF WATER WELL:	Fraction 1/4			ection Number		p Number		Range R 3	Numb	er Fai
County: Distance a	SAINE and direction from nearest town	or city street add	Iress of well if located			<u> </u>	1 3		7	_	
504 E.KINW IN.											
□			TINKS								
			KITWIN		1.7110	Board	of Agricultu		on of Wa	ater R	esources
	, ZIP Code : 'A-/ E WELL'S LOCATION WITH 4	ina ,	KANSAS	Цо	6740	Applica	ation Numb				
AN "X"			ater Encountered 1.								
₇		VELL'S STATIC V	VATER LEVEL . 2	.7 ft.	below land su	rface measured	d on mo/da	y/yr .3	-25	5- (5.1
	NOW NE NIE NIE	Pump t	test data: Well wate	rwas 🕽	2.7 ft. a	after <mark>.</mark>	hour	s pumpin	ng / .	5	gpm
	Est. Yield O. gpm;, Well water was ft. after hours pumping gp										gpm
l≝ w L	Bore Hole Diameter. 8.12. in. to										ft.
2	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Inje 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Oth										
-	- SW SE	2 Irrigation			d garden only						
	 	•	cteriological sample s								
I		nitted				ater Well Disinf	•			<u>'</u>	
5 TYPE C	OF BLANK CASING USED:		5 Wrought iron				JOINTS: 0	•			
1 Ste	. ,		6 Asbestos-Cement	•	er (specify belo	•		Welded			
Blank casi	/C 4 ABS	.,, 39	7 Fiberglass	in.		ft Dia		Threaded.	 ~		
Blank casing diameter 5. in. to 39. ft., Dia in. to ft., Dia in. to ft. Casing height above land surface 15. in., weight 160.48. lbs./ft. Wall thickness or gauge No. 50.26.											
_	SCREEN OR PERFORATION				PVC		Asbestos-	_		•	
1 Ste	eel 3 Stainless s	steel !	5 Fiberglass		RMP (SR)	11	Other (spe	ecify)			
2 Bra			6 Concrete tile		ABS		None used		•		
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot			5 Gauzed wrapped 6 Wire wrapped			8 Saw cut 9 Drilled holes			11 None (open hole)		
2 Louvered shutter 4 Key punched 3 9 7 Torch cut 49 10 Other (specify)											ft.
From ft. to ft., From ft. to ft.											
G	GRAVEL PACK INTERVALS:			•		•			4.7		ft.
el GPOLIT	MATERIAL: 1 Deat cer	From 2	ft. to Cement grout	3 Rer							
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other											
What is the	e nearest source of possible co	ontamination:			10 Lives	stock pens	1	4 Aband	ioned wa	ıter we	ااد
1 Septic tank 4 Lateral			7 Pit privy			el storage		15 Oil well/Gas well			
2 Sewer lines 5 Cess po			8 Sewage lago	oon	12 Fertil	1	16 Other (specify below)				
Direction for	•	"West	9 Feedyard			cticide storage inv feet?	12	5005	 ≯ ∵		
FROM	TO ,	LITHOLOGIC LO		FROM	TO	iny leet:	PLUGGIN	NG INTER	RVALS		
0	2 511	dint,									
2/	4', 01d	70 pso1	<u></u>								
44	91 Brown	v cla	Y	<u> </u>	•						
9.	14 131 Clo	y fine	SAND M	hea	+	 					
141	26' Brown	is colar									
								-,			
26	89' Medic	m 700	coarse								
	5 AND	461	ravel								
	-			_							
7 CONTE	RACTOR'S OR LANDOWNER'S	S CERTIFICATION	N: This water well wa	as (1) const	ructed, (2) reco	onstructed, or (3) plugged	l under m	ny jurisdi	ction a	and was
completed on (mo/day/year) 3 2.5 0.1											
Water Well Contractor's License No 5.23 This Water Well Record was completed on (mo/day/yr) 32.5-0.1											
under the business name of / Land Sulf Sulf Sulf Sulf Sulf Sulf Sulf Sulf											
INSTRUC	CTIONS: Use typewriter or ball point per th and Environment, Bureau of Water, To	n. <u>PLEASE PRESS FIRM</u> opeka, Kansas 66620-0	<u>MLY</u> and <u>PRINT</u> clearly. Plea 1001. Telephone: 913-296-5	ase till in blank: 545. Send one	s, underline or circle to WATER WELL O	e the correct answe WNER and retain o	ers. Send top t ine for your re	rnree copies cords.	; to Kansas	Departr	nent