					A 00- 10-	,		14046		
OCATION OF WATER WELL:	WATER	R WELL RECOR	D Form W	WC-5 KS. Section N	A 82a-1212 umber	Township N	umber	Rar	ige Number	
CALINE		SW ½	SE 1/4	15		т 14	S	R	<u>        3                            </u>	W
nty: SALINE Ince and direction from nearest to	wn or city street add	Iress of well if lo	cated within	city?						
		2140 W	EST CRA	WFORD						$\dashv$
VATER WELL OWNER: SALIN	NA WEST TRA	VEL PLAZ	y _						Later Deserving	
St Address Box# : PO B	OX 707							vision of W	/ater Resource	S
State, ZIP Code : SALIN	NA, KS 67402					Application N	umber:			-
OCATE WELL'S LOCATON WITH	4 DEPTH OF C		<b></b>	25	+ ELEVA	TION:				
N "X" IN SECTION BOX:	Depth(s) Ground	OMPLETED WI	ELL	20 '	6 '	)	ft	3		-t.
	Depth(s) Ground	water Encounte	red 1	20			on molda	vivr	8/8/01	-t.
N	WELL'S STATIC	WATER LEVEL	9.90	π. belov	w land sur	race measured	Un morua	y/y <sup>1</sup>	Gni	
	Pump	test data: We	ell water was		Ft.	anter	nours	pumping	- Cpi	m   . m
NW NE	Est. Yield	Gpm: W	ell water was		<sup>Ft.</sup>	atter	Hour	s pumping		
	Bore Hole Diame	ter <b>8.625</b>	In. to	25	<sup>#1</sup>	and 8 Air conditi	onina	11 Injection	on well	Ft.
w	E WELL WATER T	O BE USED AS	5: 5 Public 6 Oil fiel	water supply d water supp	lv	9 Dewaterin	g	12 Other	(Specify below	) .
	1 Domestic	4 Industrial	7 Lawn	and darden (	domestic)	10 Monitorii	na well		MW-1	
sw se	2 irrigation	4 industrial	/ Lawii	and garden (	rtmant2 V	os No	X If ye	s mo/day	/vr sample was	;
	Was a chemical/	bacteriological s	sample subm	itted to Depa	Mate Mark	r Well Disinfec	tod2 Vas	,	No X	1
	Submitted			0 1-4					Clamped	
TYPE OF BLANK CASING USED		5 Wrought I		Concrete ti				elded	_ Old inpod	
1 Steel 3 RMF	P (SR)	6 Asbestos	-Cement S	Otner (spe	city below	, <u> </u>			Y	
2 PVC 4 ABS	3	7 Fiberglas	s				<u>I N</u>	readed	X	
		Ft.,		In to		ft Dia		in. to		ft.
nk casing diameter 2	in. to 3	Dia	H)2		lbe/ft	Mall thickness	or gauge l	No.		İ
nk casing diameter	FLUSH	in., weight		7 PV	CDS./III.	10 As	hestos-cei	ment		
PE OF SCREEN OR PERFORAT				, <u>L. v.</u>	P (SR)					- 1
, 0.00	niess steel	5 Fiberglas	S tile	9 AB		12 No	ne used (	open hole)		
2 Brass 4 Gai REEN OR PERFORATION OPEN	vanized steel		Gauzed v						ne (open hole)	.
	3 Mill slot		Wire wrat			9 Drilled hole	es			
	4 Kov nunched	-	Torch cut			10 Other (sp	ecify)			
REEN-PERFORATED INTERVAL	S. From	<b>.5</b> ft.	to	25	ft. Fr	om		ft. to		ft.
REEN-PERFORATED INTERVAL	F	ft	to		ft. Fr	om		tt. to		rt.
CAND DACK INTERVALS:	From	<b>4</b> ft.	to	25	ft. Fi	om		ft. to		Ft.
SAND PACK INTERVALS:	From		to		ft. Fi	om		ft. to		Ft.
	T	2 Cement grout		3 Benton	ite	4 Other				
GROUT MATERIAL: 1 Ne		E+		Ft.						- 1
out Intervals From3 4	ft. to 2	From2	2			ft. From	۱ . <del></del> -	ft. to	0	π.
hat is the nearest source of possib	le contamination:					•			d water well	
1 Septic tank	4 Lateral lines	, 7	Pit privy		11 Fuels	-		Oil well/ G		
2 Sewer lines	5 Cess pool	8	Sewage lag	oon	12 Fertili:	zer storage			ecify below)	
3 Watertight sewer lines	6 Seepage pit	t 9	Feedyard			icide storage	,	Contam	inated Site	;
rection from well?					low many		DI LICCIN	G INTERV	AI S	
FROM TO CODE	LITHO	LOGIC LOG		FROM	TO		LUGGIIN	SINILINA	ALO	
V '	CONCRETE &	FILL SANL								
	SILTY CLAY	EUOLE								
25 TD	END OF BORE	EHULL								
			-							
	<u> </u>									
					-					—
CONTRACTOR'S OR LANDOV	A IEDIO OEDTIEIO	TION: This	tor well was	(x) constructe	ed. (2) reco	onstructed, or (	3) pluage	under my	jurisdiction an	d w
	VNER'S CERTIFICA	ATION: TRIS WA <b>Icin</b> 1	ICI WEII WAS	And this	record is	true to the best	of my kno	wledge an	d belief. Kans	as
completed on (mo/day/yr)		/6/01 585		Thie \A/a	ter Well P	ecord was com	pleted on	(mo/dav/vi	8/14/0	1
	0	202		iilis vva	TOL AAGILL	Has			·	
later Well Contractor's License N		- 4 - at Casadina		inc	T	Ou (cianatura)	Dann i	Z Dunca	3[]	
/ater Well Contractor's License Nonder the business name of INSTRUCTIONS: Please fill in Kansas 66620-0001: Telephone	Associ	ated Enviro	onmental	, Inc.	Denartme	By (signature) of Health and	Dann i	Z Dunca	3[]	ì,