

LOCATION OF WATER WELL: County: Saline Fraction: SW 1/4 SW 1/4 SW 1/4 Section Number: 4 Township Number: T 14 S Range Number: R 3 EAW

Distance and direction from nearest town or city street address of well if located within city? 112 N. Halstead Rd. Saline, KS 67401 (west of city 1 mile) PZ-1

WATER WELL OWNER: Bunge North America / Freedom Family, LLC RR#, St. Address, Box #: 11720 Borman Drive City, State, ZIP Code: St. Louis, MO 63146-1000 Board of Agriculture, Division of Water Resources Application Number:

LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

DEPTH OF COMPLETED WELL: 19 ft. ELEVATION: 11.4 ft.

WELL'S STATIC WATER LEVEL: 11.4 ft. below land surface measured on mo/day/yr

Pump test data: Well water was MA ft. after MA hours pumping gpm

Est. Yield gpm: Well water was MA ft. after MA hours pumping gpm

Bore Hole Diameter: 2 1/8 in. to 20 ft., and MA in. to ft.

WELL WATER TO BE USED AS:

1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)

2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes No X

TYPE OF BLANK CASING USED:

1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped

2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded

Blank casing diameter: 3/4 in. to 14 ft., Dia. in. to ft., Dia. in. to ft.

Casing height above land surface: flush in., weight lbs./ft. Wall thickness or gauge No. sch. 80

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement

2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)

2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 10 Other (specify)

SCREEN-PERFORATED INTERVALS:

From 14 ft. to 19 ft., From ft. to ft.

GRAVEL PACK INTERVALS:

From 12 ft. to 19 ft., From ft. to ft.

From ft. to ft., From ft. to ft.

GROUT MATERIAL:

1 Neat cement 2 Cement grout 3 Bentonite 4 Other

Grout intervals: From 0 ft. to 12 ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well

2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well

3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)

Direction from well? storm water runoff

How many feet?

FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS

0' 8' yellowish brown clayey silt

8' 15' stiff clay

15' 19' sand & silty clay

19' 20' shale

CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9/28/01 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 604 This Water Well Record was completed on (mo/day/yr) 10/10/01 under the business name of Environmental Priority Service, Inc. by (signature) [Signature]

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.