1 LOCATION OF W	ATER WELL:	Fraction	TER WELL RECORD Form WWC-5 Fraction			O No er Tov	Township Number			Range Number		
County: $Salin$			NE & S	W X	36	Т		s	R	3	EW)	
Distance and direction	on from nearest	town or city stre	et address of well if	located with					1			
		Salina										
2 WATER WELL ON		n Peak										
RR#, St. Address, B		Laura				Boa	ard of Agri	culture, [Division	of Water	Resource	
City, State, ZIP Code	: Sa.	lina, Ks	67401	6 7 401 Application Number:								
3 LOCATE WELL'S L	OCATION WITH	4 DEPTH OF	COMPLETED WEL	33,	ft. ELE							
AN "X" IN SECTION	ом вох:	Depth(s) Grou	ndwater Encountered	1 14.4	2						ft.	
<u> </u>	' 		CWATER LEVEL 2									
1	<u>i</u>		mp test data: Well									
NW	NE	Est. Yield	Est. Yield 30 gpm: Well water was ft. after hours pumping gpm. Bore Hole Diameter 9 in. to 30 ft., and 8 in. to 40 ft.									
w i	E	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well										
- W	!	1 Domestic			vater supply		•		•	well pecify be	elow)	
sw	SE	2 Irrigation		_	(lawn & garden)		-				•	
1 1	!	Man a shamlar	/bacteriological sample	o submitted to	Deportment? V	h	10 1/	ili waa a				
<u>V</u>		mitted	vbacteriological sampli	e submilled (C		ter Well Dis		-		•	ie was sub lo	
5 TYPE OF BLANK	CASING USED:		5 Wrought iron	8 Cc	ncrete tile						ed	
1 Steel	3 RMP (S	R)	6 Asbestos-Ceme	nt 9 Ot	her (specify bel					-		
APVC) 4 ABS			7 Fiberglass									
Blank casing diamet												
Casing height above	and surface :	<i>1.5</i>	in., weight		lb	s./ft. Wall th	ickness or	gauge N	lo. 5.4	4. 4 .0	·	
TYPE OF SCREEN OR PERFORATION MATERIAL:					PVC)		10 Asbe					
1 Steel 3 Stainless steel 2 Brass 4 Galvanized steel			5 Fiberglass 6 Concrete tile	5 Fiberglass 8 RMP (SR 6 Concrete tile 9 ABS			11 Other 12 None					
SCREEN OR PERF				auzed wrapi		8 Saw		4000 (0)		, ne (open	hole)	
1 Continuous sk		ill slo		ire wrapped			d holes			no (open	1110107	
2 Louvered shut		ey punched		orch cut	2						ft.	
SCREEN-PERFOR	ATED INTERVA	LS: From			. ft., Fro							
GRAVEL	PACK INTERVAL	From	ft. to	20		m		π. κ	D D			
GIIA CE	, rioit iii Eiii ii		ft. lo									
6 GROUT MATERIA	AL: 1 Neat c	ement	2 Cement grout	(3 Ве	ntonite 4	Other						
Grout Intervals: Fr	om7.	ft. to <i>O</i>	ft., From		.ft. to	ft., I	From		ft. to.		ft.	
What is the nearest source of possible contamination					10 Livestock pens			14 Abandoned water well				
1 Septic tank 4 Lateral lines			7 Pit pr		11 Fuel storage			il well/G				
2 Sewer lines 5 Cess pool			8 Sewage lagoon			12 Fertilizer storage		16 Other (specify below)			iow)	
3 Watertight sew		age pit	9 Feed	yard		cticide store						
PROM TO	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	LITHOLOGIC LO	<u> </u>	FROM		any feet?	20	GING IN	TEDVA			
	 			- PROM	10		FLOG	GING IN	ILNVA			
30 35	Clay-	Brown,	silty									
35 38	Sand -	clayey										
38 395	Clay-	anu										
39.5 60	Sand +	Gravel										
	1			.								
	 											
CONTRACTOR'S	DE LANDOWNE	B'S CERTIEICAT	ION: This water well	was (1) 201	estructed (2) re-	constructed	or (3) plus	gged und	er my i	ırisdiction	and was	
completed on (mo/day	UNICE POR LANGUMINE	20/02			. and this reco							
completed on (mo/da) Water Well Contracto	y/year)	527							92	and Delic		
under the business na	_					ignature)	11	6	1			
**************************************	········ / / · · · ·	dore a	nc		Dy (S	.9.12.10.0)	Leve	Kob				