	W	ATER WELL RE	CORD	Form WV	VC-5	KSA 82a-	1212	ID No					
1 LOCATION OF WATER WELL: Fraction							ction Numb	ber -	Township No	Range Number			
County: Salin	e	SE	1/4 SW	14 NF	1/4		25		14	s	R	3	¥ /W
Distance and directio	n from nearest to			of well if lo	cated wi	thin city?						-5	Λ
1801	Quincy :	Salina											
2 WATER WELL O		Holzmeis	ter										
 RR#, St. Address, Bo		Quincy	cci						Board of Ag	riculture Di	ivision of V	Vater F	Resources
City, State, ZIP Code		ina, Ks.	67401						Application				
3 LOCATE WELL'S L		4 DEPTH OF	COMPLE	TED WELL	47		ft. ELI	EVATION:					
AN "X" IN SECTION		Depth(s) Gro	undwater	Encountere	ed 1			ft. 2		ft. 3			ft.
N	·	WELL'S STA	TIC WATE	R LEVEL	36	ft. beld	ow land su	urface meas	ured on mo.	/day/yr			
		np test data: Well water was											
NW											gpm		
ı		TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 9 Dewatering 12 Other (Specify below)											
w !													
	<u> </u>							- '					
SW SE Was a chemical/bacteriological sample submitted to Department? Yes No .X; If yes, mo/day/yrs sample was sub-													was sub-
1	1	mitted	our buotor	lological ca	inpic ou	birintica to i	Боранто		Il Disinfecte			No	
	1										••		
E TYPE OF PLANK	CACINO LICED		5 \A/==			0.0	-4 - 41 -		ASING JOI	NTO: Ohio	X c		
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR)				5 Wrought iron 6 Asbestos-Cement			8 Concrete tile 9 Other (specify below)				i . ∪ ed	-	
XPVC 4 ABS				7 Fiberglass					,		ded		1
Blank casing diamete	r 5	in. to	37	ft., [Dia		in. to		ft., Dia		in.	to	ft.
Casing height above													
TYPE OF SCREEN (¥ ⁄ PV				estos-Ceme			
1 Steel 3 Stainless Steel				5 Fiberglass 8			THMP (SR) 11 O			ther (Specify)			
2 Brass	4 Galvania	zed Steel	6 Cor	crete tile		9 AB	S		12 Non	e used (ope	en hole)		
SCREEN OR PERFO		NGS ARE: fill slot				l wrapped			aw cut		11 None	(open l	hole)
1 Continuous slo		6 Wire wrapped				9 Drilled holes 10 Other (specify)ft.							
2 Louvered shut	ter 4 K	ey punched			Torch c								
SCREEN-PERFORA	TED INTERVALS	: From	37	ft. t	to 4 .7	7	ft., F	rom		ft. to			ft.
GRAVEL P	20	ft. to			ft., Fi	rom		ft. to		•••••			
GHAVEE	ACK INTERVALS	From			to 4 .,		ft F	rom		ft. to			ft.
GROUT MATER		t cement		ement grou		X Bent							
Grout Intervals: Fro				ft., From		ft. t	ю	ft.,	From		ft. to		ft.
What is the nearest s			:					ivestock per			oandoned t		weil
1 Septic tank 4 Lateral lines				7 Pit privy			11 Fu	uel storage	15 O	15 Oil well/Gas well			
2 Sewer lines 5 Cess pool				8 Sewage lagoon			12 Fe	ertilizer stor	age	16 O	ther (speci	fy belo	w)
★ Watertight sewer lines 6 Seepage pit				9 Fee	edyard			secticide st	•				
Direction from well?	East						How	many feet?	75 ft.				
FROM TO		LITHOLOG	IC LOG			FROM	ТО		PLU	GGING INT	ΓERVALS		
0 3	Topsoil												
3 18	Clay, gr	ay											
18 30	Clay, t	an											
30 48		ine to me	edium										
48 50	Clay, c												
CONTRACTOR'S	OR LANDOWNE	B'S CERTIFIC	ATION: T	his water w	vell was	(1) constru	ucted (2)	reconstruct	ed. or (3) nl	ugged und	er mv iuris	diction	and was
completed on (mo/day													
Water Well Contractor	's Licence No	138		This \	Water W	ell Record	was comp	oleted on (m	o/day/yr),	5/14	/04		
under the business na								by (signatu		100			