CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

	County: <u>Saline</u>
Location listed as:	Location changed to :
Section-Township-Range:	14-145-3W
Fraction (1/4 1/4 1/4):	14-145-3W SE SW SE
Other changes: Initial statements: 680 S. Philli	p.s
	1
Changed to: 680 S. Phillips,	Salina, KS
	,
Comments:	
verification method: Written & legal descripti	ons, and
Salina 1:24,000 topo. map	j
, , , , , , , , , , , , , , , , , , ,	initials: ARL date: 10/19/2004
	* /

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

WA	m WWC-5	KSA 82a-1212 ID No. 00325716								
1 LOCATION OF WATER WELL: County: Saline	Fraction	SW 1/4			ion Numbe		nship Num	ber S	Range Nu	ımber E
Distance and direction from nearest tow		address of we	Il if located wi	ithin city?	,					
	airbank	cs Ave							<i>U−5</i> Division of Water	Resources
City, State, ZIP Code : Man 3 LOCATE WELL'S LOCATION WITH	Sas CLY	///S	Lelaro	le	# = =	App (ATION)	lication Nu	imber:		
AN "X" IN SECTION BOX:									2/10/04	ft.
	Pu	mp test data:	Well water v	was	f	t. after		hours p	umping	gpm
NW NE	WELL WATER 1 Domestic 2 Irrigation	TO BE USED 3 Feedl	0 AS: 5 Pu ot 6 Oi	ıblic water sı I field water :	upply supply	8 Air cond 9 Dewate	ditioning ring	11 lr 12 C	umping njection well Other (Specify bel	low)
SW SE	Was a chemic						V		no/day/yrs sample	
	mitted	ai/bacteriologii	cai sampie su	omitted to D		Water Well Di			'	e was sub- lo
5 TYPE OF BLANK CASING USED:		5 Wrought		8 Concret			NG JOINT		d Clampe	
Steel 3 RMP (SF 2 VC 4 ABS Blank casing diameter	•	6 Asbestos	s					Thre	ledaded	
Casing height above land surface										
TYPE OF SCREEN OR PERFORATION	N MATERIAL:	,		(7 PyX	;		10 Asbes			
1 Steel 3 Stainless 2 Brass 4 Galvaniz		5 Fiberglas6 Concrete		8 RMF 9 ABS			11 Other 12 None	` ') en hole)	
SCREEN OR PERFORATION OPENIN 1 Continuous slot 3	IGS ARE:		6 Wire wi			8 Saw o	holes		11 None (open	,
2 Louvered shutter 4 Ke	ey punched	15	7 Torch c	~ ~						
SCREEN-PERFORATED INTERVALS:		<i>i</i>	ft. to	,, <u> </u>	ft., Fro	m		ft. to		ft.
GRAVEL PACK INTERVALS:										
6 GROUT MATERIAL: 1 Neat	cement	2 Cemer	nt grout	3 Bento	nite	4 Other				
Grout Intervals: From		ft., Fr	om			ft., Fro	m		ft. to	ft.
What is the nearest source of possible	contamination:					estock pens		14 A	bandoned water	well
1 Septic tank 4 Later			7 Pit privy			l storage		15 C	Dil well/Gas well	
2 Sewer lines 5 Cess	•		8 Sewage lag	goon		tilizer storage		16 (Other (specify bel	ow)
3 Watertight sewer lines 6 Seep Direction from well?	age pit		9 Feedyard			ecticide stora	1004	_ I F	5.7	••••••
Direction from well?	LITHOLOGI	CLOG		FROM	TO	any feet?		GING IN	ITERVALS	
018 28 Silty	Clay	o Lod		THOW	10		TEOG	anva n	ITERVALO	
28 33 Clayer	1514									
10	9 3116									****
33 40 SILY S	and								****	***
									- 1	
									Pen l	
						Torte:				w
7										
riangle CONTRACTOR'S OR LANDOWNE					-1					
completed on (mo/day/year)	R'S CERTIFICA	ATION: This w								
completed on (mo/day/year)2/5. Water Well Contractor's Licence No under the business name of	r's CERTIFICA 104 614 AXIM				and this as comple	record is true	to the best		der my jurisdictio pwledge and beli	