LOCATION OF WATER	WATER WELL RECORD FOR		12 ID No. 00333102	
LOCATION OF WATER WELL:		Section Number		Range Number
nty: Saline	SE ½ SE ½ SE town or city street address of well if located w	½ 23	т 14 s	R 03 W
1700 S. 9 th Street	tomi or only street address of well it located w	and only :		
NATER WELL OWNER:	Moo To You, Inc.			
, St. Address, Box # :	PO Box 4119		Board of Agriculture, Div	ision of Water Resources
State, ZIP Code Wichita, KS 67204-4119			Application Number:	
OCATE WELL'S LOCATON WI	DEPTH OF COMPLETED WELL	45 # ELEVA	TION: 1	234.26
N	Depth(s) Groundwater Encountered 1	33 #	O A	
	WELL'S STATIC WATER LEVEL 3	2 27 ft below land su	face measured on molday	10-13-04
				y TO-10-04
NW NE	Pump test data: Well water			
w	Est. Yield gpm: Well water	45 f	t and ir	ounipinggpin
	Bore Hole Diameter 8.5 in. to WELL WATER TO BE USED AS: 5 Pu 1 Domestic 3 Feed lot 6 Oil	blic water supply	8 Air conditioning 1	n. to ft.
SW SE	1 Domestic 3 Feed lot 6 Oi	I field water supply	9 Dewatering 1:	2 Other (Specify below)
L L x	2 Irrigation 4 Industrial 7 La			
S	Was a chemical/bacteriological sample su	ubmitted to Department? Y	es No X If yes	, mo/day/yr sample was
.	submitted		r Well Disinfected? Yes	~
YPE OF BLANK CASING USE	D: 5 Wrought Iron	8 Concrete tile	CASING JOINTS: Glue	d Clamped
1 Steel 3 RM	MP (SR) 6 Asbestos-Cement	9 Other (specify below		
2 PVC 4 AB	3S 7 Fiberglass		Threa	ded Flush
	in. to 43 ft., Dia			
ng height above land surface	Flushmount in., weight 0	.703 lbs/ft V	Vall thickness or gauge No	Sch. 40
E OF SCREEN OR PERFORAT			10 Asbestos-ceme	
	alvanized steel 6 Concrete tile	9 ABS	12 None used (ope	en hole)
EEN OR PERFORATION OPE	NINGS ARE: 5 Gauze			11 None (open hole)
1 Continuous slot	3 Mill slot 6 Wire w	rapped	9 Drilled holes	
2 Louvered shutter	4 Key punched 7 Torch	cut	10 Other (specify)	
REEN-PERFORATED INTERVA	LS: From 43 ft. to	45 ft. Fro	omft. t	o ft.
	From ft. to	ft. Fro	omft. t	toft.
GRAVEL PACK INTERVAL	S: From 41 ft. to	45 ft. Fro	omft. t	o ft.
	From ft. to	ft. Fro	om ft. t	o ft.
ROUT MATERIAL: 1 Ne	eat cement 2 Cement grout		Other Bentonite Gr	out
ut Intervals From 0.5	ft. to 40 ft. From 40	ft. to 41	ft. From	ft. to ft.
t is the nearest source of possib	ole contamination:	10 Livesto	ck pens 14 Ab	andoned water well
1 Septic tank	4 Lateral lines 7 Pit privy			well/ Gas well
2 Sewer lines	5 Cess pool 8 Sewage I	agoon 12 Fertilize	er storage 16 Oth	ner (specify below)
3 Watertight sewer lines	6 Seepage pit 9 Feedyard		cide storage	
ction from well?	LITHOLOGIC LOC	How many fe		JTEDVALC
0 0.5 CODE	LITHOLOGIC LOG Concrete	FROM TO	PLUGGING IN	VIERVALS
	Fill	† · · ·		
	Clay, silty, mod to high			
3 20	plasticity, stiff, brown			
	Sand			
	Clayey Silt, low plasticity, soft,			
	gray Sand, grading to gravel with			
	occasional clay stringer			
		1		
CONTRACTOR'S OR LANDOW	NER'S CERTIFICATION: This water well was		^	· · · //
pleted on (mo/day/yr)	11-22-04	and this record is try	e to the best of my knewled	
er Well Contractor's License No		This Water Well Rec	rd was completed on (mg	/day(yr) 11-23-04
er the business name of	Geotechnical Services, Inc.	by (signature)	Muson H	t. mi
	lanks and circle the correct answers. Send three correct 66612 1367. Telephone: 913 206 5545. Se		of Health and Environment, B	ureau of Water, 1000 S W