	WATER WELL RECO	ORD Form WWC-5	KSA 82a-	1212 ID N	0	
1 LOCATION OF WATER WELL		011 01	Sec	ction Number	Township Number	
County: Saline Distance and direction from poores	SW 1/4	ddraes of well if lesstee	1/4		T 19 S	$S \mid R $
Distance and direction from neares) M. N. in	th St S	Salin	a		
2 WATER WELL OWNER: Rev	mold Propert	ies, Inc.	<u> </u>			
RR#, St. Address, Box # : P.D	n: Bill Reim 1802 1302	7 0101				re, Division of Water Resources
City, State, ZIP Code : <	lina. KK 10-	7402	777		Application Numb	
3 LOCATE WELL'S LOCATION W AN "X" IN SECTION BOX:	ITH 4 DEPTH OF CO	OMPLETED WELL	37 0	?···· ft. ELEVA	TION:	ž
AN "X" IN SECTION BOX:	Depth(s) Ground WELL'S STATIC	dwater Encountered	1	ow land surfac	:. 2 ce measured on mo/dav/v	^{#. 3} 01131105
	Purr	np test data: Well wate	er was	ft. a	after hoı	urs pumping gpm
NW NE			er was Public water			urs pumping gpm 11 Injection well
1 1	1 Domestic		Oil field water			12 Other (Specify below)
W 1	E 2 Irrigation	4 Industrial 7	Domestic (lav	wn & garden) <	10 Monitoring well>	
					\checkmark	
SW SE		l/bacteriological sample	submitted to		Yes; If yoater Well Disinfected? Ye	es, mo/day/yrs sample was sub-
X	mitted			VV	ater well distillected? Te	5 (100)
5 TYPE OF BLANK CASING US	YED:	5 Wrought iron	8 Concr	oto tilo	CASING IOINTS:	Glued Clamped
	P (SR)	6 Asbestos-Cement		ere me (specify below		Welded
2 PVC 4 ABS	<u>`</u>	7 Fiberglass				ThreadedX
Blank casing diameter						
Casing height above land surface	J (.	in., weight			lbs./ft. Wall thickness or	
TYPE OF SCREEN OR PERFORATION 1 Steel 3 Stail	ATION MATERIAL: inless Steel	5 Fiberglass	8 BM	MP (SR)	10 Asbestos- 11 Other (Sp	·Cement ecify)
1 01001	vanized Steel	6 Concrete tile	9 AE		12 None use	• •
SCREEN OR PERFORATION OP	ENINGS ARE:	5 Gua	zed wrapped		8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot		wrapped		9 Drilled holes	4.
2 Louvered shutter	4 Key punched	7 Torc				ft.
SCREEN-PERFORATED INTERV		ft. to		ft., From		ft. toft.
GRAVEL PACK INTERV	'ALS: From	1	40	ft., From		ft. toft. ft. toft.
						ft. toft.
6 GROUT MATERIAL: 1	Neat cement	→ 2 Cement grout	3 Ben	tonite	4 Other	
Grout Intervals: From	1	_ ·				ft. toft.
What is the nearest source of pos	sible contamination:			10 Lives	tock pens	14 Abandoned water well
1 Septic tank 4	Lateral lines	7 Pit privy		11 Fuels	- /	15 Oil well/Gas well
2 Sewer lines 5 Cess pool		8 Sewage lagoon		12 Fertilizer storage		16 Other (specify below)
3 Watertight sewer lines 6	Seepage pit	9 Feedyar	ď		ticide storage	Lust Site
Direction from well? FROM TO	LITHOLOGIC	1.06	FROM	How mar	<u>, </u>	IG INTERVALS
		LOG	PHOIVI	10	reddin	d INTERVALS
0.5 Conce	erc					
12 20 Silt	isami dru ve	y finograined, high	Mar			
20 34 Cay	dry, high or	pr	,			
34 40 Sand, 6	inetomodium	grainedhighodo	1			1000
		7 1 1			* A : (* A	
					NW19	
					· · · · · · · · · · · · · · · · · · ·	4.000
					Antonio Marie Vereza Antonio -	
		· · · · · · · · · · · · · · · · · · ·				According to the second
	V2000 CC 0					
CONTRACTOR'S OR LANDO	NNER'S CERTIFICAT	TION: This water well w	/as (1) constr	ucted, (2) reco	onstructed, or (3) plugged	d under my jurisdiction and was
completed on (mo/day/year) 2.1.1.	12/05			and this re	cord is true to the best of r	ny knowledge and belief. Kansas
Water Well Contractor's Licence No) J44 V	This Wate	r Well Record		ed on (mo/day(yr) 5.1.3	2102 9/110
under the business name of	scarco (21	eat Ilains	, Lnc		(signature)	m Cyrllin
INSTRUCTIONS: Use typewriter or ball po and Environment, Bureau of Water, Geolo						
records. Fee of \$5.00 for each constructed						