

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Saline		SW 1/4 SW 1/4 SW 1/4	1	T 14 S	R 3 E
Distance and direction from nearest town or city street address of well if located within city?					
900 N. Ninth St., Salina					
2 WATER WELL OWNER: Reimold Properties, Inc.					
RR#, St. Address, Box # : Attn: Bill Reimold					
City, State, ZIP Code : P.O. Box 1302 Salina, KS 67402					
Board of Agriculture, Division of Water Resources					
Application Number:					
3 LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL 34 ft. ELEVATION: 1220.07					
AN "X" IN SECTION BOX:					
Depth(s) Groundwater Encountered 1 ~28 ft. 2 ft. 3 ft.					
WELL'S STATIC WATER LEVEL NM ft. below land surface measured on mo/day/yr NM					
Pump test data: Well water was ft. after hours pumping gpm					
Est. Yield gpm: Well water was ft. after hours pumping gpm					
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well					
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)					
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well Soil Vapor Extraction					
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted					
Water Well Disinfected? Yes No					
5 TYPE OF BLANK CASING USED:					
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped					
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded					
7 Fiberglass Threaded X					
Blank casing diameter 34 in. to 34 ft., Dia in. to ft., Dia in. to ft.					
Casing height above land surface 3.96 in., weight lbs./ft. Wall thickness or gauge No. Sch 40 PVC					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-Cement					
2 Brass 4 Galvanized Steel 6 Concrete tile 9 ABS 11 Other (Specify) 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot 3 Mill slot 5 Guazed wrapped 8 Saw cut 11 None (open hole)					
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 10 Other (specify) ft.					
7 Torch cut 10 Other (specify) ft.					
SCREEN-PERFORATED INTERVALS: From 19 ft. to 34 ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From 17 ft. to 34 ft., From ft. to ft.					
From ft. to ft., From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout Bentonite 4 Other					
Grout Intervals: From 1 ft. to 17 ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)					
13 Insecticide storage Rust Site					
Direction from well? How many feet?					
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS					
0 0.5 concrete					
0.5 10 Clay, low odor, moist					
10 26 Silty sand, dry, very fine grained, high odor					
26 34 Clay, moist, high odor					
SVE 1					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 01/11/05 and this record is true to the best of my knowledge and belief. Kansas					
Water Well Contractor's Licence No. 594 This Water Well Record was completed on (mo/day/yr) 3/31/05					
under the business name of Coranec Great Plains, Inc. by (signature) Meghan E. Green					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send two copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.					