

1	LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: Saline		NE$\frac{1}{4}$ SE$\frac{1}{4}$ SW$\frac{1}{4}$	1	14	3 EW

Distance and direction from nearest town or city street address of well if located within city?
1006 N. 3rd, Salina

2	WATER WELL OWNER: Kansas Dept of Transportation	
RR #, St. Address, Box #: 1006 N. Third		Board of Agriculture, Division of Water Resources
City, State, ZIP Code: Salina, KS 67401		Application Number:

3	MARK WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4	DEPTH OF WELL 69 ft. WELL'S STATIC WATER LEVEL 28.8 ft. WELL WAS USED AS: <div style="display: flex; justify-content: space-between;"> <div> 1 Domestic 2 Irrigation 3 Feedlot 4 Industrial </div> <div> 5 Public Water Supply 6 Oil Field Water Supply 7 Domestic (Lawn & Garden) 8 Air Conditioning </div> <div> 9 Dewatering 10 Monitoring Well 11 Injection Well 12 Other </div> </div>
---	--	---	--

N

NW	NE
SW	SE
	X

S

Was a chemical / bacteriological sample submitted to Department? Yes No **X**.....

If yes, mo/day/yr sample was submitted

Water Well Disinfected: Yes **X**..... No

5	TYPE OF BLANK CASING USED:	
<div style="display: flex; justify-content: space-between;"> <div> 1 Steel 2 PVC </div> <div> 3 RMP (SR) 4 ABS </div> <div> 5 Wrought 6 Asbestos-Cement </div> <div> 7 Fiberglass 8 Concrete Tile </div> <div> 9 Other (Specify below) </div> </div>		
Blank casing diameter 6 in. Was casing pulled? Yes X No If yes, how much 3'		
Casing height above or below land surface n/a in.		

6	GROUT PLUG MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other	
Grout Plug Intervals: From 3 ft. to 23 ft., From ft. to ft., From to ft.		
What is the nearest source of possible contamination:		
<div style="display: flex; justify-content: space-between;"> <div> 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 4 Lateral lines 5 Cess pool </div> <div> 6 Seepage pit 7 Pit privy 8 Sewage lagoon 9 Feedyard 10 Livestock pens </div> <div> 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage 14 Abandoned water well 15 Oil well/Gas well </div> <div> 16 Other (specify below) </div> </div>		
Direction from well? W How many feet? 75		

FROM	TO	PLUGGING MATERIALS
0	23	Bentonite (Inside Casing)
0	23	Bentonite (13" Diam. Annulus)
23	69	Sand-chlorinated

Placed gravel inside casing from bottom to 23'. Filled casing with bentonite from 23' to 3' below grade. Overdrilled casing with 8-1/4" ID X 13" OD hollow stem augers to 23'. Grouted annulus with bentonite to 3' below grade. Hydrated bentonite.

7	CONTRACTOR'S OF LANDOWNER'S CERTIFICATION: This water well was plugged under my jurisdiction and was completed on (mo/day/year) 4/1/2005 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 527 This Water Well Record was completed on (mo/day/year) 4/5/2005 under the business name of GeoCore Inc. by (signature) <i>[Signature]</i>	
---	---	--

INSTRUCTIONS: Use typewriter or ball point pen. Please press firmly and print clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone: 785/296-5522. Send one to Water Well Owner and retain one for your records.