

1 LOCATION OF WATER WELL: County: <u>Saline</u>		Fraction <u>SW 1/4 SE 1/4 SW 1/4</u>		Section Number <u>36</u>	Township Number <u>T 14 S</u>	Range Number <u>R 2 E</u>
Distance and direction from nearest town or city street address of well if located within city? <u>2945 Ray</u>						
2 WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code : <u>Dwight Tully</u> <u>2945 Ray</u> <u>Saline, Kansas 67401</u>						
Board of Agriculture, Division of Water Resources Application Number: <u>1244</u>						
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL <u>52</u> ft. ELEVATION: <u>1244</u>				
		Depth(s) Groundwater Encountered 1. <u>20</u> ft. 2. <u>20</u> ft. 3. <u>20</u> ft.				
		WELL'S STATIC WATER LEVEL <u>20</u> ft. below land surface measured on mo/day/yr <u>9-14-97</u>				
		Pump test data: Well water was <u>22</u> ft. after <u>1</u> hours pumping <u>15</u> gpm				
		Est. Yield <u>40</u> gpm Well water was <u>22</u> ft. after <u>1</u> hours pumping <u>15</u> gpm				
		Bore Hole Diameter <u>8 1/2</u> in. to <u>34</u> ft. and <u>5 1/2</u> in. to <u>52</u> ft.				
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well				
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)				
		2 Irrigation 4 Industrial <u>7</u> Lawn and garden only 10 Monitoring well				
Was a chemical/bacteriological sample submitted to Department? Yes <u>No</u> If yes, mo/day/yr sample was submitted						
Water Well Disinfected? Yes <u>X</u> No						
5 TYPE OF BLANK CASING USED:						
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued <u>X</u> Clamped						
<u>2</u> PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded						
7 Fiberglass Threaded						
Blank casing diameter <u>5</u> in. to <u>42</u> ft. Dia <u>5</u> in. to <u>42</u> ft. Dia <u>5</u> in. to <u>42</u> ft.						
Casing height above land surface <u>16</u> in. weight <u>160 LB</u> lbs./ft. Wall thickness or gauge No. <u>SDR 26</u>						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement						
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)						
12 None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)						
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes						
7 Torch cut 10 Other (specify)						
SCREEN-PERFORATED INTERVALS: From <u>42</u> ft. to <u>52</u> ft. From <u>42</u> ft. to <u>52</u> ft.						
GRAVEL PACK INTERVALS: From <u>21</u> ft. to <u>52</u> ft. From <u>21</u> ft. to <u>52</u> ft.						
6 GROUT MATERIAL: <u>1</u> Neat cement 2 Cement grout 3 Bentonite 4 Other						
Grout Intervals: From <u>0</u> ft. to <u>21</u> ft. From <u>0</u> ft. to <u>21</u> ft. From <u>0</u> ft. to <u>21</u> ft.						
What is the nearest source of possible contamination:						
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well						
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well						
<u>3</u> Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)						
13 Insecticide storage						
Direction from well? <u>West</u> How many feet? <u>35</u>						
FROM		TO		LITHOLOGIC LOG		FROM
0'		2'		Silt dirt		TO
2'		4'		Top soil		
4'		34'		Brown clay		
34'		40'		Medium sand		
40'		42'		Brown clay + medium sand mixed		
42'		52'		Coarse sand and gravel		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>1</u> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>9-15-97</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>523</u> This Water Well Record was completed on (mo/day/yr) <u>9-15-97</u> under the business name of <u>Mad well Service</u> by (signature) <u>Matthew Loukup</u>						