1 LOCATION OF WAT	ER WELL:	Fraction	WELL RECORD	Form www.	Section Number		Number	Range	Number
County: Salik		JE14.	SF 45	W ¼ [`	36	1 '-	40	R	Z EW
Distance and direction						<del>' ' '</del>	<u> </u>		2
	290		RAT	ou man on,	•			ć	3
2 WATER WELL OWI		57	ANIET						
	5.00		~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~			0		Nutrice of MA	-to: December
RR#, St. Address, Box	ر تا کشتے						•	DIVISION OF WA	ater Resources
City, State, ZIP Code		ina, X	TANSAS	T 8	6740	Applicat	on Number:		
J LOCATE WELL'S LO			MPLETED WELL.						
N N	De		ater Encountered						
ī !	i W	ELL'S STATIC V	VATER LEVEL	<b>2.0</b> ft	below land su	rface measured	on mo/day/yr	8.71.6	- 47
		Pump t	est data: Well wa	ter was	<b>⊋./</b> ft. a	after	hours pu	mping L	5 gpm
NW	NE    Fs		gpm; , Well wa						
			or. \$./2 in. to						
Mile Mile				_		•			
-	""	ELL WATER TO			ater supply	8 Air conditioni	-	Injection well	
sw	SE	1 Domestic	3 Feedlot		water supply	9 Dewatering		Other (Specif	
14		2 Irrigation	,	$\smile$	•	10 Monitoring w			
	l Wa	as a chemical/ba	cteriological sample	submitted to	Department? Y	′esNo. <b>/</b> .	n; If yes,	mo/day/yr sa	ample was sub-
5	mit	tted			Wa	ater Well Disinfe	cted? Yes 🗡	No.	
5 TYPE OF BLANK C	ASING USED:		Wrought iron	8 Cor	crete tile	CASING J	OINTS: Glued	i 📈 Clai	mped
1 Steel	3 RMP (SR)		Asbestos-Cement	9 Oth	er (specify belo			•	
(2)PVC	4 ABS		7 Fiberglass				Threa	ided	
Blank casing diameter	5 in	to 48	ft Dia	in	to	ft Dia		in to	#
Casing height above la									
	•	•	i., weight ( . 🎾						
TYPE OF SCREEN OF				-	PVC	10 A	sbestos-ceme	nt ·	
1 Steel	3 Stainless st	eel 5	Fiberglass	8	RMP (SR)	11 C	other (specify)		
2 Brass	4 Galvanized	steel 6	Concrete tile	9 .	ABS	12 N	lone used (op	en hole)	
SCREEN OR PERFOR	ATION OPENINGS	ARE:	5 Gau	zed wrapped		8 Saw cut		11 None (o	pen hole)
<ol> <li>Continuous slot</li> </ol>	<b>(</b> 3)Mill s	lot	6 Wire	wrapped		9 Drilled hole	s		
2 Louvered shutte	er 4 Key p	ounched	7 Toro	h cut		10 Other (spec	cify)		
SCREEN-PERFORATE			<b>8.</b> ft. to .	58	ft Fro				
	,		ft. to .						ft.
GRAVEL PAC	K INTERVALS:		) ft. to .						
GRAVEL FAC	A INTERVALS.			<b>5</b> .0.					
1 000100	<u> </u>	From	ft. to		ft., Fro				ft.
6 GROUT MATERIAL:	Neat cem	ient 2	Cement grout	3 Be	ntonite4	Other			
Grout Intervals: From	1 ft.	to 🕰 🖳	ft., From	メア ft	. to <b></b> .	ft., From	<b>.</b>	ft. to	
What is the nearest so	urce of possible con	ntamination:			10 Lives	stock pens	14 A	bandoned wa	ter well
<ol> <li>Septic tank</li> </ol>	4 Lateral li	nes	7 Pit privy		11 Fuel	storage	15 O	il well/Gas w	ell
2 Sewer lines	5 Cess po	ol	8 Sewage lag	goon	12 Ferti	lizer storage	16 O	ther (specify	below)
	er lines 6 Seepage		9 Feedyard			cticide storage			
Direction from well?	Č	Jest	- · · · · · · · · · · · · · · · · · · ·			any feet?	40		
FROM TO		LITHOLOGIC LO	OG	FROM			PLUGGING II	NTERVALS	
	Rill T	DINT		1,101	'~				
2', 3', 4', 35'	TOP	5.1.1							
4/ 50/	Brow	N Cla	2X						
/ / .									
35, 46	fine	SAN					· · · ·		
40' 58'	//lediu	m To	Coarse	-,					
	SAND	AND	Grave	. [ ]					1 1 1 1 1 1 1 1 1
		***************************************							
						ARL ARL - 400 AND - 1			
				-					<u> </u>
7 CONTRACTOR'S O	R LANDOWNER'S	CERTIFICATION	V: This water well is	was 🐧 cons	tructed (2) rec	onetructed or (2	h plugged upd	er my juriedi	ction and was
completed on (mo/day/y		~ 9 7		_					
Mater Mater On (mo/day/)	ear) <b>(</b> ) ( . <b>)</b> .	£ 2 3				ord is true to the	pest of my kno	wiedge and	Deller, Kansas
Water Well Contractor's	^^ -	. <i>5</i> .2-3	This Water \				$\mathcal{P}^{-1}$		1
under the business nam	ne of // HD	well	Servic	<u>و</u>	by (signa	ature) mad	thew.	Jouk	wer -
	ewriter or ball point pen.								Department
of Health and Environme	nt, Bureau of Water, Top	eka, Kansas 66620-0	001. Telephone: 913-296-	-5545. Send one	to WATER WELL O	WNER and retain one	for your records		