


1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: SALINE		NW 1/4 NE 1/4 SW 1/4	12	T 14 S	R 3 E
Distance and direction from nearest town or city street address of well if located within city? WEST SIDE OF N 3RD ST, 1 BLK South of E. NORTH STREET; SALINA					
2 WATER WELL OWNER:		Board of Agriculture, Division of Water Resources			
RR#, St. Address, Box # :		Application Number:			
340 E. FIRST ST.					
City, State, ZIP Code :					
TOPEKA, KS 66601					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 40 ft. ELEVATION: 1227.58			
		Depth(s) Groundwater Encountered 1. 33.20 ft. 2. 33.20 ft. 3. 33.20 ft.			
		WELL'S STATIC WATER LEVEL 44.24 ft. below land surface measured on mo/day/yr 8:25:05			
		Pump test data: Well water was 40 ft. after 8 hours pumping 8 gpm			
		Est. Yield 8 gpm: Well water was 40 ft. after 8 hours pumping 8 gpm			
		Bore Hole Diameter 8 in. to 40 ft., and 40 in. to 40 ft.			
		WELL WATER TO BE USED AS:			
		5 Public water supply 8 Air conditioning 11 Injection well			
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted To be submitted			
		Water Well Disinfected? Yes No			
5 TYPE OF BLANK CASING USED:					
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped					
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded					
Blank casing diameter 2 in. to 25 ft., Dia 25 in. to 25 ft., Dia 25 in. to 25 ft.					
Casing height above land surface 0 in., weight SCH 40 lbs./ft. Wall thickness or gauge No. 40					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement					
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)					
12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)					
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes					
7 Torch cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From 40 ft. to 25 ft., From 25 ft. to 25 ft.					
GRAVEL PACK INTERVALS: From 40 ft. to 23 ft., From 23 ft. to 23 ft.					
6 GROUT MATERIAL:					
1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From 23 ft. to 1 ft., From 1 ft. to 1 ft., From 1 ft. to 1 ft.					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)					
Direction from well? FORMER MGP					
How many feet? 100					
LITHOLOGIC LOG					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	1.4	Gravel/Concrete			
1.4	4	Clay			
4	10	Clay/Silt			
10	15.2	Silt			
15.2	28.8	Clay/Silt			
28.8	33	Clay/Silt wet			
33	40	Sand			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 7-21-05 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 529 This Water Well Record was completed on (mo/day/yr) 7-21-05 under the business name of Creotech, Inc. by (signature) James A. Jones					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.					