MW-5

1 LOCATION OF WATER WEL				Section Number	Township No	umber	Range Nu	umber
County: Saline	SE 1/4	SE :	4 SW 1/4	13	т 14	s	R 3	E Ø
Distance and direction from near	•	address of wel	I if located within	city?				
680 S. Front Street, Salina	a, Kansas							
2 WATER WELL OWNER: K	& F Distributors	3 ·						ļ
RR#, St. Address, Box # : 60	327 E. 13 th Street	t			Board of Agric	ulture. Div	vision of Water F	Resources
014 - 04-4- ZID 0-4 W	lichita Kanese f	マクハQ			Amaliantian Ni			
3 LOCATE WELL'S LOCATON AN "X" IN SECTION BOX: N	WITH .				/ Application 140	iniber.		
AN "X" IN SECTION BOX:	DEPTH OF	COMPLETED	WELL	45.0 ft. ELEV	ATION:			
N	Depth(s) Grour	ndwater Encou	ntered 1	39.0 ft.	2	ft.	3	ft. S
A				ft. below land s				3/05
T								30m
NW NE				ft				
	Est. Yield	A gpm:	Well water was	ft	. after	hours p	oumping	gpm F
§ W	■ E Bore Hole Dian	neter 8.5	in. to	50.0 ater supply	ft. and	ir	n. to	ft.
ī l ! ! !	WELL WATER	TO BE USED	AS: 5 Public w	ater supply	8 Air conditio	ning 1	1 Injection well	
swse	1 Domes	ic 3 Feed io		water supply	9 Dewatering	1.	2 Otner (Speci	ly below)
1 1 1 1 1				d garden (domestic				
▼	Was a chemical	ıl/bacteriologica	al sample submitte	ed to Department?	YesNo	If yes	, mo/day/yr san	nple was
S	submitted			Wate	er Well Disinfecte	d? Yes	No	X
5 TYPE OF BLANK CASING U	SED:	5 Wrough	nt Iron 8 (Concrete tile	CASING JOIN	ITS: Glue	d Clam	ped
	RMP (SR)	6 Ashesto					led	
		7 Fibergla				Thro	adad	Y
Blank casing diameter 2.3	75 in. to 10	tt., Dia	1	in. to	ft., Dia		in. to	π.
Casing height above land surfac TYPE OF SCREEN OR PERFOI 1 Steel 3 2 Brass 4	e Flush Mount	_ in., weight _		lbs./ft.	Wall thickness or	gauge No.	Scheau	ile 40
TYPE OF SCREEN OR PERFOI	RATION MATERIAL:			7) PVC	10 Asbe	stos-ceme	ent	
1 Steel 3	Stainless steel	5 Fibergla	ass	8 RMP (SR)	11 Othe	r (specify)		
2 Brass 4	Galvanized steel	6 Concre	te tile	9 ABS	12 None	used (op	en hole)	
SCREEN OR PERFORATION O			5 Gauzed wrap	pped			11 None (ope	n hole)
1 Continuous slot	Mill slot		6 Wire wrappe	d	9 Drilled holes			
2 Louvered shutter	4 Key punched		/ Torch cut		10 Other (speci	ty)		
SCREEN-PERFORATED INTER	VALS: From	.45. 0 f	t. to1	5.0 ft. F	rom	ft. t	to	ft.
	From	f	t. to	ft. F	rom	ft. t	to	ft. 🗖
GRAVEL PACK INTERV	'ALS: From	45.0 f	t. to 12	2.0 ft. Fi	rom	ft. t	to	ft.
	From	_ f	t to	_ ft F	rom	ft. 1	to	ft.
6 GROUT MATERIAL: 1	Neet coment	Coment area	(3 Pontonito	4 Other			
GROOT WATERIAL.		Ocement grou	" າດ `	220enionile 12 f	4 C			
Grout Intervals From 0.		π. From	2.0					1
What is the nearest source of po		_		7.3	ock pens		andoned water	weii
1 Septic tank	4 Lateral lines	5 7	Pit privy	11) Fuel s	torage (former)		well/ Gas well	
2 Sewer lines	5 Cess pool	8	Sewage lagoon	12 Fertiliz	er storage	16 Oth	ner (specify belo) (wc
3 Watertight sewer lines		. 9	Feedyard	13 Insecti	icide storage			
Direction from well?		NA		How many f	eet?		0	
FROM TO CODE				LITHOLOGIC LOG)			
0.0 0.5	Concrete							
0.5 23.5	Brown-red brov				ightly moist-n	noist		%
23.5 30.0	Brown-red brow	vn very silty	, sandy clay, i	firm, moist				
30.0 38.0	Brown-red brow							
38.0 50.0	Dark brown silt	y, clayey sa	nd, fine-medic	um grained, vei	ry moist-wet, s	stained g	gray blue, oc	lor
								٠
		Flush	-mount well o	ompletion waiv	er existent fo	r site.		
								7
CONTRACTOR'S OR LANDO	WNER'S CERTIFICAT	TION: This wat	er well was (1) co	nstructed, (2) recons	structed, or (3) plu	gged unde	r my jurisdiction	and was
ompleted on (mo/day/yr)				and this record is tru				
Vater Well Contractor's License	No.	692		This Water Well Red				
	Ω	l State Ser	vices Inc			7 Wi	XXX	-7
inder the business name of INSTRUCTIONS: Please fill in	hlanks and circle the con	rect answers Se	and three conies to b	Dy Cansas Denartment of	(signature)		. / 4	kw -
Jackson St., Ste. 420, Topeka,	Kansas 66612-1367. Tel	ephone: 913-296	6-5545. Send one to	WATER WELL OW	NER and retain one	for your rec	cords.	C
The state of the s							1,	