	WATER W	ELL RECORD For	n WWC-5	KSA 82a-1212	ID No	MW - 9
1 LOCATION OF WATER WELL:				on Number	Township Number	
	NW 1/4 P		1/4	23	т 14 s	R 3 E/W
Distance and direction from nearest town	n or city street address	s of well it located wil	min city?			
2 WATER WELL OWNER: Sunset	Plaza Reality P	Partners, Inc.				
RR#, St. Address, Box # : PO Box					Board of Agriculture,	Division of Water Resources
City, State, ZIP Code : Kansas	s City, MO				Application Number:	
3 LOCATE WELL'S LOCATON WITH AN "X" IN SECTION BOX:	4 DEPTH OF COME	PLETED WELL	35	ff FIFVAT	ION·	
	Depth(s) Groundwate	r Encountered 1		ft. 2	ff	t. 3ft.
						l l
NWNE						day/yr
						urs pumping gpm urs pumping gpm
₩ E	Bore Hole Diameter	8 in to	35	ff.	and	in to ft.
	WELL WATER TO BE	E USED AS: 5 Pul	blic water su	pply	8 Air conditioning	in. to ft. 11 Injection well 12 Other (Specify below)
SWSE	1 Domestic 3	Feed lot 6 Oil	field water s	upply	9 Dewatering	12 Other (Specify below)
						vee moldeylyr gemple was
S	submitted	enological sample su	ionnitea to D			yes, mo/day/yr sample was s No X
5 TYPE OF BLANK CASING USED:	······	Wrought Iron	8 Concre		Well Disinfected? Ye	Slued Clamped
		Asbestos-Cement				Velded
2 PVC 4 ABS	•	Eth a sula a a	•	` , ,	י ד	hreaded X
Blank casing diameter 4			in. to	f f		in. to ft.
Casing height above land surface	0 in., v	weight 2	.071	lbs./ft. Wa	II thickness or gauge	No237
TYPE OF SCREEN OR PERFORATION	N MATERIAL:		(7)	PVC.	10 Ashestos-c	ement
1 Steel 3 Stainle	ess steel 5	Fiberglass	8 1	RMP (SR)	11 Other (spec	cify)
2 Brass 4 Galvar	nized steel 6	Concrete tile	9 / dwrannod	ABS (12 None used	(open hole) 11 None (open hole)
2 Brass 4 Galvar SCREEN OR PERFORATION OPENIN 1 Continuous slot 3	Mill slot	6 Wire w	d wrapped rapped		Drilled holes	11 None (opennole)
2 Louvered shutter 4	Key punched	7 Torch	cut			·
SCREEN-PERFORATED INTERVALS:	From 20	ft. to	35	ft. Fron	۱	ft. toft.
	From	ft. to		ft. Fron	۱	ft. to ft.
GRAVEL PACK INTERVALS:	From 18	ft. to	35	ft. Fron	١	ft. toft.
6 CPOUT MATERIAL A Nova	From	ft. to		ft. Fron	1	ft. to ft.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals From 0 ft. to 18 ft. From ft. to ft. From ft. to ft.						
What is the nearest source of possible of	contamination	II. FIORI	II. (C	10 Livestock	nens 14	Abandoned water well
	4 Lateral lines	7 Pit privy		11 Fuel stor		Oil well/ Gas well
2 Sewer lines	5 Cess pool	8 Sewage l		12 Fertilizer	storage (16	Other (specify below)
3 Watertight sewer lines	6 Seepage pit	9 Feedyard		13 Insecticio	le storage	Contaminated Site
Direction from well? FROM TO CODE	LITUOLOGI	0100	FROM	How many fee		O INTERVALO
	LITHOLOGI	C LUG	FROM	ТО	PLUGGIN	G INTERVALS
	ty Lean Clay, Da	ark Brown				The same techniques are a second as a seco
5 15 Sil	ty Lean Clay, Re					
15 20 Sil	ty Lean Clay, M	edium Brown				
	ty Lean Clay, M	edium to Dark				
	own	addich Proves	-			
20 30 311	ty Lean Clay, R	enniali DLOMU	-	 		
		a.uaa	 	ļ		· · · · · · · · · · · · · · · · · · ·
			 			
7 CONTRACTOR'S OR LANDOWNER	R'S CERTIFICATION:	This water well was	(1) constructe	ed, (2) reconstru	icted, or (3) plugged u	nder my jurisdiction and was
completed on (mo/day/yr)	10-18-0	5				wledge and belief. Kansas
Water Well Contractor's License No.		54			d was completed on	
under the business name of		Pump & Well, I		by (s	ignature)	Choto
INSTRUCTIONS: Please fill in blank: Jackson St., Ste. 420, Topeka, Kansa	s and circle the correct a is 66612-1367. Telepho	iriswers. Send three co ne: 913-296-5545. Se	opies to Kansa and one to WA	is Department of TER WELL OWN	Health and Environment IER and retain one for v	nt, Bureau of N ater, 1000 S.W.