WATEI	R WELL	RECORD		Form WW	C <b>-5</b>	Division of	Water Resor	ırces; App. No.	
1 LOC	ATION OF	WATER WEL		Fraction			per Tow	nship Number	
	ty: <b>Sali</b>	ne		NW 1/4 SW 1/4	<b>SE</b> 1/4	36		14 S	R 3 😿/W
				street address of			ning Syste	ms (decimal deg	rees, min. of 4 digits)
located within city? City Limits- 2515 Jack Court						Latitude: Longitude:			
2 WATER WELL OWNER: P.S.I						Longitude:			
Z WA	, St. Addres					Elevation:	****		
	State, ZIP	Codo	6 S. 3rd			Datum:			
		Sa.	lina, Ks		43	Data Collection Method:			
	ATE WEL	L'S   4 DEPTH	OF COMPI	LETED WELL.	4.3	• • • • • • • • • • • • • • • • • • • •	ft.		
	ATION					0 (0)		6 (2)	0
	WITH AN "X" IN Depth(s) Groundwater Encountered (1)								
SEC	SECTION BOX: WELL'S STATIC WATER LEVEL23ft. below land surface measured on mo/day/yr. 41.27.1.0  Pump test data: Well water wasft. afterhours pumping								
	Est. Yield. <b>20.–25</b> pm: Well water was								
w	E 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify 6 Domestic (lawn & garden) 10 Monitoring well								ner (speerly seron)
							5		
] SW	Was a chemical/bacteriological sample submitted to Department? Yes No . <b>X</b> ; If yes, mo/day								If yes, mo/day/yrs
was a chemical bacteriological sample submitted to Department? Yes									
S									
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: GluedX Clamped									
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded									
XPVC4 ABS7 FiberglassThreadedBlank casing diameter5in. to33ft., Diameterin. toft., Diameter									
Casing height above land surface24									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel 3 Stainless Steel 5 Fiberglass X PVC 9 ABS 11 Other (Specify)									
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot <b>X</b> Mill slot 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)									
From ft. to ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From 20									
From									
110111111111111111111111111111111111111									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout $\hat{\mathbf{X}}$ Bentonite 4 Other									
Grout Intervals: From									
What is the nearest source of possible contamination:									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify									
	Sewer lines			Sewage lagoon	11 Fuel s	0		ned water well	below)
Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well  Direction from well? How many feet?									
FROM	TO		THOLOGIC I		FROM			UGGING INT	FRVALS
0		Topsoil	THOLOGIC I	LOG	TROW	1 10	11	COGGING INI	ERVALS
5			/h						
		Clay, sili							
20 27		Clay, tan, Creek gray		/hmarrn					
32		Sand, tan	er, can	/ Drown			·		
- 32	40	Sanu, Lan							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (X) constructed, (2) reconstructed, or (3) plugged									
under my jurisdiction and was completed on (mo/day/year) 4./28/06 and this record is true to the best of my knowledge and belief.  Kansas Water Well Contractor's License No									
under the	e business n	<sub>ame of</sub> Peter	rson Irr	igation, I	nc. b	y (signature)	Illulia.	Ketotan	
					d <u>PRINT</u> clea	rly. Please fill in	blanks, under	line or circle the c	orrect answers. Send top
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone									

http://www.kdhe.state.ks.us/geo/waterwells.