WATER WELL RECORD	Form WWC	5-5	Division of Wat	er Resources; App. No.		
1 LOCATION OF WATER WELL:	Fraction		ection Number		Range Number	
County: Saline	SE145W 141	JW 1/4	27	T 14 S	R 3 E/W	
Distance and direction from nearest town or	city street address of v	ell if Gl		g Systems (decimal deg	rees, min. of 4 digits)	
located within city?	. 7 11 5		atitude:			
S 30'S of 2328 Hein A	ve, Duila 3	L	ongitude:			
2 WATER WELL OWNER: Salina Air RR#, St. Address, Box # : 2227 Aco.	ort, Authority	E	Elevation:	1477		
City Chata ZID Cada JAO M 110	d Ave		Datum:		<u> </u>	
Line Volume			Data Collection Method:			
LOCATION WITH AN "X" IN Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft.						
WITH AN "X" IN SECTION BOX: Depth(s) Groundwat WELL'S STATIC W	er Encountered (1).	/ A h	\mathcal{M} . It. (2)		τ. 1.106	
N Pump test da	WELL'S STATIC WATER LEVEL					
				hours pumping		
WELL WATER TO				conditioning 11 Inj		
W = W	eedlot 6 Oil fiel	d water supp	oly 9 De	watering 12 Ot	her (Specify below)	
2 Irrigation 4 II	ndustrial 7 Domes	tic (lawn & g	garden) (10)Mo	nitoring well		
			_	_		
Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs						
Sample was submitted						
S						
5 TYPE OF CASING USED: 5 Wrough	t Iron 8 Con	crete tile	CASIN	G JOINTS: Glued		
	s-Cement 9 Other					
2PVC 4 ABS 7 Fibergla				Threaded		
Blank casing diameter in. to in. to	ft., Diameter	in.	to ft.	, Diameter	in. tott.	
Casing height above land surface						
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 7PVC 9 ABS 11 Other (Specify)						
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
1 Continuous slot Mill slot 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)						
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)						
SCREEN-PERFORATED INTERVALS: From						
Fron	1 ft. to		ft., From	ft. to	ft.	
GRAVEL PACK INTERVALS: From						
From ft. to ft., From ft. to ft.						
6 GROUT MATERIAL: 1 Neat cement 2 Coment grout 3 Bentonite 4 Other						
Grout Intervals: From ft. to	ft., From					
What is the nearest source of possible contamin				•		
1 Septic tank 4 Lateral lines		10 Livestoc		secticide Storage	16 Other (specify	
2 Sewer lines 5 Cess pool	8 Sewage lagoon	11 Fuel stor	_	bandoned water well	below)	
3 Watertight sewer lines 6 Seepage pit		12 Fertilizer		il well/gas well		
Direction from well?				DI LICODIO DE		
FROM TO LITHOLOG	CLOG	FROM	ТО	PLUGGING INT	ERVALS	
0 2' Coicrete 21 10' Dark gray day on	1 < 11.					
21 10' Dark gray clay on	d Jill					
10' 20' brown chay, stilt						
				1.1 444/451		
				-		
					<u> </u>	
				*** ***		
7 CONTRACTOR'S OR LANDOWNER'S (CERTIFICATION:	his water w	rell was (1) cons	tructed, (2) reconstruct	ted, or (3) plugged	
under my jurisdiction and was completed on (mo/day/year). 1.4.1.4						
Kansas Water Well Contractor's License No. 604 This Water Well Record was completed on (mo/day/year) 6/14/06						
under the business name of CAVITON Ment	Priority Service	. Inc by	(signature) PA	213 ME	· •	
INSTRUCTIONS: Use typewriter or ball point pen. PLI	EASE PRESS'FIRMLY and	<u>PRINI</u> clearly.	. Piease iiii in diani	cs, underline or circle the c	orrect answers. Send top	
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at						
http://www.kdhe.state.ks.us/geo/waterwells.	and retain one i	5. your 1000	100 01 92	ioi cacii <u>constructe</u>	us at	

KSA 82a-1212