LOCATION OF WATER WELL: Fraction NW NE NW 23 T 14 S R 3W E S NW 23 T 14 S R 3W E S NW 23 T 14 S R 3W E S S S E S E S E E
Distance and direction from nearest town or city street address of well if located within city? 2 WATER WELL OWNER: Sunset Plaza Realty Partners, Inc RR#, St. Address, Box # PO Box 34729 City, State, ZIP Code : Kansas City, MO 64116 3 LOCATE WELL'S LOCATON WITH 4 DEPTH OF COMPLETED WELL 39.27 ft. ELEVATION: Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 WELL'S STATIC WATER LEVEL 35.07 ft. below land surface measured on mo/daylyr 10-16-06 Pump test data: Well water was ft. after hours pumping gp Est. Yield gpm: Well water was ft. after hours pumping gpm: Wel
2 WATER WELL OWNER: Sunset Plaza Realty Partners, Inc RR#, St. Address, Box # : PO Box 34729 Board of Agriculture, Division of Water Resource Application Number: Application Number: Application Number: Application Number:
RR#, St. Address, Box # : PO Box 34729 City, State, ZIP Code : Kansas City, MO 64116 Application Number: Application Number: Application Number:
RR#, St. Address, Box # : PO Box 34729 City, State, ZIP Code : Kansas City, MO 64116 Application Number: Application Number: Application Number:
City, State, ZIP Code : Kansas City, MO 64116
3 LOCATE WELL'S LOCATON WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 WELL'S STATIC WATER LEVEL 36.07 ft. below land surface measured on mo/day/yr 10-16-06 Pump test data: Well water was ft. after hours pumping gp Est. Yield gpm: Well water was ft. after hours pumping gp Est. Yield gpm: Well water was ft. after hours pumping gp Bore Hole Diameter 8 in. to 39.27 ft. and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was submitted TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded X Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 WELL'S STATIC WATER LEVEL 36.07 ft. below land surface on in. to 10-16-06 Pump test data: Well water was ft. after hours pumping gp Bow Hole Diameter 8 in. to 39.27 ft. and in. to Well water supply 8 Air conditioning 11 Injection well and pumping 12 Other (Specify below) Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was submitted water well Disinfected? Yes No X Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded Casing diameter 2 in. to 24.27 ft., Dia in. to ft., Dia in. to 10 Asbestos-cement Type OF SCREEN OR PERFORATION MATERIAL: 7/PVC 10 Asbestos-cement
WELL'S STATIC WATER LEVEL 35.07 ft. below land surface measured on mo/day/yr 10-16-06 Pump test data: Well water was ft. after hours pumping gp Est. Yield gpm: Well water was ft. after hours pumping gp Bore Hole Diameter 8 in. to 39.27 ft. and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was submitted Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded PUMP OF SCREEN OR PERFORATION MATERIAL: WELL'S STATIC WATER LEVEL 35.07 ft. below land surface measured on mo/day/yr 10-16-06 Nours pumping gp Pump test data: Well water was ft. after hours pumping gp Rater hours pumping gp Back Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) Water Well Disinfected? Yes No X Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded Threaded X Blank casing diameter 2 in. to 24.27 ft., Dia in. to ft., Dia in. to Casing height above land surface 0 in., weight .716 ibs./ft. Wall thickness or gauge No154 TYPE OF SCREEN OR PERFORATION MATERIAL:
WELL'S STATIC WATER LEVEL 35.07 ft. below land surface measured on mo/day/yr 10-16-06 Pump test data: Well water was ft. after hours pumping gp Est. Yield gpm: Well water was ft. after hours pumping gp Bore Hole Diameter 8 in. to 39.27 ft. and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was submitted Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded PUMP OF SCREEN OR PERFORATION MATERIAL: WELL'S STATIC WATER LEVEL 35.07 ft. below land surface measured on mo/day/yr 10-16-06 Nours pumping gp Pump test data: Well water was ft. after hours pumping gp Rater hours pumping gp Back Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) Water Well Disinfected? Yes No X Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded Threaded X Blank casing diameter 2 in. to 24.27 ft., Dia in. to ft., Dia in. to Casing height above land surface 0 in., weight .716 ibs./ft. Wall thickness or gauge No154 TYPE OF SCREEN OR PERFORATION MATERIAL:
Pump test data: Well water was ft. after hours pumping gp Est. Yield gpm: Well water was ft. after hours pumping gp Bore Hole Diameter 8 in. to 39.27 ft. and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below 2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X if yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No X 5 TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded Type OF SCREEN OR PERFORATION MATERIAL: 7/PVC 10 Asbestos-cement 1 Asbestos-cement
Est. Yield gpm: Well water was ft. after hours pumping gpm: Well water supply ft. and ft.
Bore Hole Diameter 8 in. to 39.27 ft. and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below 2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No X X 5 TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded X Blank casing diameter 2 in. to 24.27 ft., Dia in. to ft., Dia in. to Tripe OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement
2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No X 5 TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 24.27 ft., Dia in. to ft., Dia in. to Casing height above land surface 0 in., weight .716 ibs./ft. Wall thickness or gauge No154 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement
2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No X 5 TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 24.27 ft., Dia in. to ft., Dia in. to Casing height above land surface 0 in., weight .716 ibs./ft. Wall thickness or gauge No154 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement
Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was submitted water Well Disinfected? Yes No X 5 TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 24.27 ft., Dia in. to ft., Dia in. to Casing height above land surface 0 in., weight .716 ibs./ft. Wall thickness or gauge No154 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement
S submitted Water Well Disinfected? Yes No X 5 TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 24.27 ft., Dia in. to ft., Dia in. to Casing height above land surface 0 in., weight .716 ibs./ft. Wall thickness or gauge No154 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement
5 TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 24.27 ft., Dia in. to ft., Dia in. to Casing height above land surface 0 in., weight 7 PVC 10 Asbestos-cement TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement
PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 24.27 ft., Dia in. to ft., Dia in. to Casing height above land surface 0 in., weight .716 ibs./ft. Wall thickness or gauge No154 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement
PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 24.27 ft., Dia in. to ft., Dia in. to Casing height above land surface 0 in., weight .716 lbs./ft. Wall thickness or gauge No154 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-coment
TYPE OF SCREEN OR PERFORATION MATERIAL: 7. PVC 10. Asbestos-cement
TYPE OF SCREEN OR PERFORATION MATERIAL: 7. PVC 10. Asbestos-cement
TYPE OF SCREEN OR PERFORATION MATERIAL:
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)
SCREEN-PERFORATED INTERVALS: From 24.27 ft. to 39.27 ft. From ft. to
From ft. to ft. From ft. to
From ft. to ft. From ft. to GRAVEL PACK INTERVALS: From 22.27 ft. to 39.27 ft. From ft. to
From ft. to ft. From ft. to
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
Grout intervals From 0 ft. to 1 ft. From 1 ft. to 22.27 ft. From ft. to
What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage Contaminated Site
Direction from well? How many feet?
Direction from well? FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS
Direction from well? FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 20 Borwn Silty Lean Clay
Direction from well? FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 20 Borwn Silty Lean Clay 20 29 Reddish Brwn Silty Lean Clay 29 33 Orange Fine Grained Sand
Direction from well? FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 20 Borwn Silty Lean Clay 20 29 Reddish Brwn Silty Lean Clay
Direction from well? FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 20 Borwn Silty Lean Clay 20 29 Reddish Brwn Silty Lean Clay 29 33 Orange Fine Grained Sand
Direction from well? FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 20 Borwn Silty Lean Clay 20 29 Reddish Brwn Silty Lean Clay 29 33 Orange Fine Grained Sand
Direction from well? FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 20 Borwn Silty Lean Clay 20 29 Reddish Brwn Silty Lean Clay 29 33 Orange Fine Grained Sand
Direction from well? FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 20 Borwn Silty Lean Clay 20 29 Reddish Brwn Silty Lean Clay 29 33 Orange Fine Grained Sand
Direction from well? FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 20 Borwn Silty Lean Clay 20 29 Reddish Brwn Silty Lean Clay 29 33 Orange Fine Grained Sand
Direction from well? FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 20 Borwn Silty Lean Clay 20 29 Reddish Brwn Silty Lean Clay 29 33 Orange Fine Grained Sand
Direction from well? FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 20 Borwn Silty Lean Clay 20 29 Reddish Brwn Silty Lean Clay 29 33 Orange Fine Grained Sand
Direction from well? FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 20 Borwn Silty Lean Clay 20 29 Reddish Brwn Silty Lean Clay 29 33 Orange Fine Grained Sand 33 40 Brown Silty Clay w/ Fine Sand
Direction from well? FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 20 Borwn Slity Lean Clay 20 29 Reddish Brwn Slity Lean Clay 29 33 Orange Fine Grained Sand 33 40 Brown Slity Clay w/ Fine Sand 7 ICONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and we
Direction from well? FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 20 Borwn Silty Lean Clay 20 29 Reddish Brwn Silty Lean Clay 29 33 Orange Fine Grained Sand 33 40 Brown Silty Clay w/ Fine Sand
Direction from well? FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 20 Borwn Slity Lean Clay 20 29 Reddish Brwn Slity Lean Clay 29 33 Orange Fine Grained Sand 33 40 Brown Slity Clay w/ Fine Sand 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and we