	WA	TER WELL RE	CORD Form	n WWC-5	K\$A 82a-1	1212 ID	No N	IW 18	}		
1 LOCATION OF WATER WELL:				1	tion Number	1	wnship Nu	mber	Rar	nge Numb	er
County: Saline	NW 1/2	<u> </u>		1/4	23	T	14	S	R	3w	EW
Distance and direction from nearest town	or city street	address of we	ll if located wit	hin city?							
2 WATER WELL OWNER: Sunset Plaza Realty Partners, Inc											
RR#, St. Address, Box# : PO Box		,	,			Boar	d of Agrica	ulture, Divi	ision of W	ater Reso	ources
City City ZID Code Kanese	City MO	64116				A 17					1
3 LOCATE WELL'S LOCATON WITH AN "X" IN SECTION BOX:	4 DEPTH OF	COMPLETE	D WELL	39	62 + FIE	VATION:					
N N N N N N N N N N N N N N N N N N N	Depth(s) Grou	ndwater Enco	untered 1	-34:	f	t. 2		ft.	3		ft
	WELL'S STAT	IC WATER L	EVEL 35	.41 ft	. below land	surface m	easured o	n mo/day/	vr	10-17-0	6
NWNE			Well water v								
9 W E	Est Yield	gom:	Well water v	VAS		ff after		hours r	numnina		anm
W E	Bore Hole Dia	meter 8	in. to DAS: 5 Put lot 6 Oil	39	.62	ft. and		ir	1. to		ft.
	1 Domer	stic 3 Feed	lot 6 Oil	nic water : field water	supply	9 A	r condition ewatering	iing 1	1 Injectio 2 Other (n well (Specify b	elow)
	2 Irrigation	on 4 Indus	trial 7 Lav	vn and gai	den (domest	ic) 🕡 N	Monitoring	well			
	Nas a chemic	al/bacteriologi	ical sample su	bmitted to							was
[8	submitted						Disinfected				
5 TYPE OF BLANK CASING USED:	10 \		ght Iron		rete tile		SING JOIN			Clamped	
Steel 3 RMP (S	R)		stos-Cement			-			led	X	
Rlank casing diameter 2	in to 24	7 Fiber 1.62 + r	Jie Bisss	in.	 to	# Dia		Inre	aded	·····	
Casing height above land surface	0	in weight	,	716	ibs /ft	Wall thic	kness or a	nauge No		.154	".
Blank casing diameter 2 Casing height above land surface TYPE OF SCREEN OR PERFORATION	MATERIAL:	,		G	PVC	vion and	10 Asbe	stos-ceme	ent		
1 Steel 3 Stainles	ss steel	5 Fiber	glass	8	RMP (SR)		11 Other	r (specify)			
2 Brass 4 Galvania SCREEN OR PERFORATION OPENING	zed steel	6 Conc	rete tile 5 Gauzeo	9 I wranned	ABS	(R)Say	12 None w cut	used (op	en ho le) 11 Non	e (onen h	ole)
	VIII slot		6 Wire w	apped		9 Dril	led holes				
I	Key punched		7 Torch o	:ut		10 Oth	ner (speci	fy)			
SCREEN-PERFORATED INTERVALS:	From	24.62	ft. to	39.62	ft.	From		ft. 1	to		ft.
GRAVEL PACK INTERVALS:	From	22.62	. ft. to	39.62	ft.	From			to	• • • • • • • • •	ft.
GRAVEL FACK INTERVALS.	From		ft. to								
6 GPOLIT MATERIAL: 1 Next co		2 Coment a									
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals From 0 ft. to 1 ft. From 1 ft. to 22.62 ft. From ft. to ft.											
What is the nearest source of possible co					10 Lives	stock pens	s	14 Ab			
	4 Lateral line		7 Pit privy								
. .	5 Cess pool		8 Sewage la	goon		lizer stora	_	16 Ot	her (spec	ify below)	•4
3 Watertight sewer lines Direction from well?	6 Seepage p	oit	9 Feedyard			cticide sto	rage	Co	ntamir	nated S	ite
FROM TO CODE	1.1714	01 0010 1 00		F8014	How many	rieer	DIL	ICCINIC II	TED (A)		
1 1 1 1		OLOGIC LOG	<u> </u>	FROM	то		PLU	IGGING II	VIERVAL	.5	
20 28 Red	wn Silty L Idish Brov	wn Silty L	ean Clay	ļ							
	wn Silty L										
				ļ		<u> </u>					
											
				<u> </u>		<u> </u>					
					-	·				·	·
7 CONTRACTOR'S OR LANDOWNER'	'S CEPTIEIO	ATION: This :	vator well was	(1) const-	ded (2) mas	netructor	or (2) pl	nad . wde	r my haria	diction and	Luma
completed on (mo/day/yr)		-17-06	valci well was								
completed on (mo/day/yr) 10-17-05 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 554 This Water Well Record was completed on (mo/day/yr) 11-8-06											
under the business name of Woofter Pump & Well Inc. by (signature)											
INSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Engineering Bureau of Water, 1000 SW Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.											