-				WATE	ER WELL F	RECORD	Form V	NWC-5	KSA 82a-1	212 ID	No.					
									on Number		Township Number			Range Number		
County:			SV				SW		12	т	14	S	R	3	W	
Distance and	direction from St., Salina	n nearest	town or city s	street ad	ldress of w	ell if locate	ed within	n city?								
	WELL OWNE	e Unic	n Pacific	Railr	oad Co	mnany					7					
	dress, Box #									Boar	d of Agrica	ilture Divi	ision of W	ater Res	ources	
City State 7	7IP Code	· Oma	aha. Nebr								cation Nu				24,000	
LOCATE	WELL'S LOC	ATON WI	TH					AE E					1 10 /TC	)C)		
AN X IN	SECTION BO	OX:	☐ DEP	TH OF (	COMPLET	ED WELL		40.0	ft. ELE	VATION:	• • • • • • • • • • • • • • • • • • • •	1224	. 10 (10	ري		
	<u>i</u>								fl							
	NW	- NE	WELLS						elow land s							
≝ w			E Est. Yiel	d d	apm	ı: Wellw	rater wa	s	·	t. after		hours t	oumping		apm	
7			Bore Ho	le Diam	eter 8	.25 in.	to	45.	5	ft. and		i	n. to		ft.	
X.	sw	SE	WELL W	ATER	TO BÉ US	ED AS:	5 Publi	c water su	pply upply	8 Ai	r condition	ning 1	1 Injectio	n well		
<b>↓</b> [	!												2 Other (	specify b	pelow)	
	S		,						en (domesti							
			submitte		/pacteriolo	igicai samį	pie subr	mitted to D	epartment?				s, mo/day/		was	
5 TYPE OF	BLANK CAS	ING USE		.u	5 W	ought Iron		8 Concre	te tile				ed		d	
1 Ste			5. 1P (SR)			•			specify belo			Wek		· Clampe		
2 PV		7 4 AB			7 Fibe					•			ided	Flus	h	
	diameter _			40		•			· · · · · · · · · · · · · · · · · · ·							
Casing heigh	nt above land	surface	Flushme	ount	in., weigh	nt	0.7	03	lbs./ft.	Wall thic	kness or	gauge No		SCH. 4	0	
TYPE OF SC	CREEN OR P	ERFORAT	TION MATER	RIAL:				7	PVC		10 Asbe					
1 Stee	ei	3 Sta	ainless steel		5 Fibe	erglass		8	RMP (SR)		11 Othe	r (specify)	) <u> </u>			
2 Bras			Ivanized stee		6 Cor	ncrete tile		9	ABS		12 None	used (op	en hole)		h a l = \	
	R PERFORAT	_	NINGS ARE: 3 Mill slot					wrapped pped		8 Sav	w cut lled holes		11 Non	e (open l	noie)	
	itinuous siot vered shutter		4 Key pund				vire wra orch cu									
	ERFORATED								ft.	From	or (apeu	fi.	to		ft	
GRA	AVEL PACK II	NTERVAL	S: From	1	38	ft. to		45.5	ft.	From _		ft.	to		ft.	
			From	1		ft. to			ft.	From		ft.	to		ft.	
	MATERIAL:															
Grout Interva	als From	38	ft. to	36	ft. F	rom	36	ft. t								
	nearest source	e of possil							10 Live	•			bandoned		eli	
	otic tank wer lines		4 Late			7 Pit							il well/ Ga		۸	
	ver iines tertight sewer	lines	5 Cess 6 Seep	•		8 Sev 9 Fee	vage lag dvard	Joon		ilizer stora cticide sto		16 O	ther (spec	ary below	")	
Direction fro			0 366	page pil		э гее	uyalu		How man		oi ay <del>e</del>					
FROM	ТО	CODE			LOGIC LO	OG		FROM	ТО		PL	UGGING	INTERVA	LS		
0	2		Silt/Clay,													
2 25	25 45.5		Clay, trac Sand and		/ modilion	m arains	-									
	40.0	-	Janu and	u via	, mealul	iii grained	-			-						
		·			· · ·											
															7740	
7 CONTE	ACTORIC CO	LANDON	INIEDIO OFF	TICIO	TION::			(4)	1 (0)	<u></u>	d /0\	h.e.		d= d) - e)		
<del>-</del>	ACTOR'S OR		MER'S CER			s water we	eli was (									
	on (mo/day/yr)			12/	07/06 531				nis record is			-	-			
	Contractor's L			achn		vices I	nc		Vater Well				no/day/yr)	04/	13/0/	
	usiness name UCTIONS:. Pie							pies to Kan	y (signature sas Departm	ent of Hea	olth and En	vironment.	Bureau of	Water, 10	00 S W	
	on St., Ste. 420,															