4 ILOCATION	LOC WATE	D WELL:		ER WELL REC	ORD Form		KSA 82a-1 on Number		nship Nun	abor	Pan	ao Numbo	-
1 LOCATION		line		SW y	. SW		12	1	14		Ran	ge Number 3	W
County: Distance and			town or city street ac					.1, '		3	IX	<u> </u>	V
				301 W. As			ansas						
WATER W	ELL OWNE	R: Bill	Reimold										
RR#, St. Addr	ess, Box#	: P.O	. Box 1302					Board	of Agricul	lture, Divi	sion of W	ater Resou	ırces
City, State, ZII	P Code	: Sali	na, KS 67402					Applica	ation Num	nber:			
LOCATEV	VELL'S LOC	CATON W	ITHI	OND ETED	14/51	30	4 515	/ATION					
AN "X" IN S	SECTION B	OX:	DEPTH OF	COMPLETED	WELL	39	π. ELE\	VATION:					
			Depth(s) Ground										
	N		WELL'S STATIC										
†	i	į		p test data:									
	- NW+	NE	Est. Yield	Gpm:	Well water v	vas	F	t. atter		Hours	oumping	(Gpm
0	. I	į	Bore Hole Diam	eter 0.043	D In. to	olic water su	nnly	ft. and	conditioni	in na 1	I. to 1. Injection	n well	Ft.
₹ w		- 	E WELL WATER 1 Domesti	c 3 Feed lo	t 6 Oil	field water s	upply	9 Dev	vatering	1:	2 Other (S	Specify be	low)
		į	2 Irrigation	4 Industri	al 7 Lav	vn and gard	en (domesti	c) 10 Mc	onitoring v	vel!	Ň	IW-8	
	-SW	SE	Was a chemical										vas
↓ X_	+		Submitted	bacteriologica	ii sampic su	binitied to E		iter Well Di					ras
TYPE OF	DI ANIK SAG	CINC HEE		5 Wrough	nt Iron	8 Concre							
_				•	os-Cement			CASIN	NG JOHN			Clamped	
1 Stee		_	MP (SR)			9 Other (specify belo	w)		Weld			
2 PVC		4 A	BS	7 Fibergla Ft.,	ass					Thre	aded		
Blank casing (diameter	2	in, to 24	Dia		In. to)	ft., Dia			in. to		ft.
			FLUSH		SC	H 40	Lbs./ft.	Wall thick	ness or o	auge No			
			TION MATERIAL:				PVC						
1 Steel			ainless steel	5 Fibergla	ass	•	RMP (SR)						
2 Brass		4 G	alvanized steel	6 Concre		9	ABS	1	2 None	used (ope	en hole)		
SCREEN OR	PERFORA [*]	TION OPE	NINGS ARE:		5 Gauzeo	wrapped		8 Saw	cut		11 None	e (open ho	le)
1 Conti	nuous slot		3 Mill slot		6 Wire wi	apped		9 Drille					
2 Louve	ered shutter		4 Key punched		7 Torch o			10 Othe	r (specify	()			
SCREEN-PER	RFORATED	INTERV	ALS: From	24 f	t. to	39	ft. f	rom		ft. t	0		ft.
			From		t. to		ft. F	rom		ft. 1	o		Ft.
SAND	PACK INT	ERVALS:		22 f	t. to	39	ft. F	rom		ft. t	0		Ft.
			From		t. to			_					Ft.
6 GROUT M	ATERIAL:	1 N	eat cement 2	Cement grou	ut	3 Bent	onite	4 Other					
		^	a	Ft.	20	Ft.							
			ft. to 20 ble contamination:	From2	20	to		ft.					ft.
vvnat is the ne 1 Septi		e or possi	4 Lateral lines	7	Pit privy			tock pens storage			andoned v		
•			5 Cess pool			nacon		•		_	well/ Gas		
2 Sewe			•		Sewage la	•		izer storage		_	ner (specif		
	rtight sewer	lines	6 Seepage pit	9	Feedyard			ticide stora	ige	Co	ntamin	ated Sit	ιe
Direction from		CODE	LITLIO	0010100		50014	How many	reet?		20110 1			
FROM	ТО	CODE		LOGIC LOG		FROM	ТО		PLUC	GING IN	NTERVAL:	3	
.5	.5 5		Concrete Silty Clay, bro	wn modiu									
5	20		Silty Clay, darl	hrown	1111								
20	25		Clayey Silt, wit		nd br								
25	39		Silty Sand, trac										
39	TD		End of Boreho	le									
										7			
CONTRAC	TOR'S OR	LANDOW	NER'S CERTIFICAT	ION: This wat	ter well was	(x) construc	ted. (2) reco	onstructed	or (3) nlu	aged unc	ler my juri	sdiction ar	nd w
			05/1				s record is t						
Vater Well Co	ontractor's !	icense No). 	585			ater Well Re				-		
nder the bus			Associa	ted Enviro	nmental	. Inc.		By (signatur					
INSTRUC	CTIONS: Ple	ease fill in t	lanks and circle the cor	rect answers. S	Send three co	pies to Kansa	as Departmen	nt of Health a	and Enviro	nmer Bi	reau of W	ater, Toneka	a.
Kansas 6	6620-0001	Telephone	913-296-5545. Send	one to WATER	WELL OWN	ER and retain	one for your		Bur	##*	John		,
	-								wit	(1)	A Such		
										-//			