WATER WELL RECORD Form WWC-5 KSA 82a-1212 ID No.

1 LOCATION OF WATER WELL:			Fraction				Se	ction Number	Town	ship Number	Rang	ge Number	
County:	Sal	line	NW	1/4	SW	½ NE	1/4	13	Т	14 s	R	3	w
Distance and	d direction fror		town or city stre	eet addre	ess of we								
			roximately 1				na						
			h Agricultu			<i>!</i>							
			1 E. 37 th St.		1				Board	of Agriculture, Div	vision of Wa	ater Resour	ces
City, State, 2	ZIP Code	: Wic	hita, KS 67	7220					Applica	ation Number:			
3 LOCATE	WELL'S LOC	ATON W	TH 4 DEDT	. 05 00	MOLETE	D WELL	7	5 4 515	/ATIONI				
JAN X IN	SECTION BO	JX:	DEPTE										ر
T										ft.			. m. j
ļ I	NW 	NE	WELL'S S							asured on mo/day			1 11
₩ W W	×	i I	_							hours			ipm c
± W -		7	Est. Yield		gpm:	Well wate	rwas	<u></u> fi	l. after	hours	pumping	9	
			Bore Hole	Diamete	r 8	in. to		/5	ft. and	conditioning vatering	in. to		ft.
	SW	· SE	1 Do	TER TO	3 Feed	JAS: 5 F Int 6 C	'ublic water)il field wate	suppiy er supply	9 Dev	conditioning vatering	11 Injection 12 Other (S	n well Snecify belo	- ו
↓ L		!											
-	S												
			1	mical/ba	cteriologi	cai sample	submitted to			No X If ye			as
			submitted							sinfected? Yes			
_	F BLANK CAS					ght Iron				NG JOINTS: Glu		Clamped	
1 Ste		_	ИР (SR)		6 Asbes	stos-Cemen	t 9 Othe	er (specify belo	w)		lded		
	С	4 AE			7 Fiber	-							
Blank casing	g diameter	2	in. to	65	ft., C	Dia	in	ı. to	ft., Dia	• • • • • • • • • • • • • • • • • • • •	in. to		_ft.
Casing heig	ht above land	surface	0	in	., weight		0.703	lbs./ft.	Wall thick	ness or gauge No	s. S	CH. 40	
TYPE OF S	CREEN OR P	ERFORA	TION MATERIA	AL:			7	7 PVC		I0 Asbestos-cem			
1 Ste	el	3 Sta	ainless steel		5 Fiber	glass	- 8	RMP (SR)	1	11 Other (specify	')		
2 Bra	iss	4 Ga	alvanized steel		6 Conc	rete tile	;	ADS	Į.	Z None usea (o	pen noie)		İ
SCREEN O	R PERFORAT		NINGS ARE:					d	8 Saw	cut	11 None	e (open hol	e)
1 Cor	ntinuous slot		3 Mill slot			6 Wire	wrapped		9 Drille				
2 Lou	vered shutter		4 Key punch		_	7 Torc			10 Othe	r (specify)			
SCREEN-PI	ERFORATED	INTERVA								ft			
			From			ft. to	<u></u>	ft. F	rom	ft	. to		_ ft.
GR	AVEL PACK II	NTERVAL	.S: From	6	52	ft. to	75		rom	ft	. to		_ ft.
,			From			ft. to		ft. F	rom		. to		ft.
6 GROUT	MATERIAL:	1 N	eat cement	2 (Cement g	rout	3 B	entonite	4 Other	Cement/Bent	onite mi	X	
Grout Interv	als From	1	ft. to	62	ft. Fro	m	ft	. to	ft.	From	ft. to		ft.
			ble contaminati						tock pens		bandoned v		
1 Sep	4 Lateral	lines		7 Pit priv	/	11 Fuel:	storage	15 C	il well/ Gas	well			
			5 Cess p	ool		8 Sewage	e lagoon		•		ther (speci	fy below)	
3 Wa	itertight sewer	lines	6 Seepa	ge pit		9 Feedya	rd	13 Insec	ticide stora	age		. 	
Direction fro								How many	feet?				
FROM	TO	CODE		ITHOLO	GIC LOG	j 	FROM	1 TO		PLUGGING	INTERVAL	.S	
0 2.5	2.5 15		Clay Silt										-
2.5	10	171 1	Sand, fine t	o medii	um grain	ned. some							
15	75	SP	small gravel	o mean	ani gran	ica, some							
75	76		Shale, gray	, weath	ered			-					
							-						
	ļ			· · · · · · · · · · · · · · · · · · ·									
7 CONTE	ACTOR'S OS	LANDO	INIEDIO CEDTI	EICATIO	NI. TL:-	untor well	20 (4) 0===-1	rusted (2) == =	notr::	or /2\ ml	dos muitorio	diation '	
			WER 2 CERTI							or (3) plugged un			
1	on (mo/day/yr)			12/17						best of my knowl			
Water Well	Contractor's L	icense No). <u></u>		531	<u>-</u>			//	completed on (m	io/day/yr)	U1/12/	10
	usiness name					ices Inc.		by (signature)			.		
										and Environment, d retain one for you		ater, 1000 S	, VV