WATER WELL RECORD Form WWC-5 KSA 82a-1212 1 LOCATION OF WATER WELL: Fraction Section Number Township Number Range Number NW 1/4 NW SW 11 Saline 14 3 Distance and direction from nearest town or city street address of well if located within city? 1329 W. North Street, Salina, KS 2 WATER WELL OWNER: D & E Rental, Inc. RR#, St. Address, Box # : 1329 W. North Street Board of Agriculture, Division of Water Resources · Salina, KS 67401 City, State, ZIP Code Application Number: Depth of Completed Well 25 ft. ELEVATION: 1232.26

Depth(s) Groundwater Encountered 11.5 20 ft. 2 LOCATE WELL'S LOCATON WITH AN "X" IN SECTION BOX: **20** ft. 2 ft. 3 Ft. WELL'S STATIC WATER LEVEL 18.23 ft. below land surface measured on mo/day/yr 09/27/11 Pump test data: Well water was Ft. after hours pumping Gpm Est. Yield Gpm: Well water was Ft. after Hours pumping Gpm Bore Hole Diameter 8.625 In. to 25 ft. and WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning in. to Ft. 11 Injection well 6 Oil field water supply 1 Domestic 3 Feed lot 9 Dewatering 12 Other (Specify below) _ SW.. 2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was Water Well Disinfected? Yes No X 5 TYPE OF BLANK CASING USED: CASING JOINTS: Glued Clamped 5 Wrought Iron 8 Concrete tile 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 4 ABS 7 Fiberglass Ft., In. to ______ ft., Dia _____ in. to _____ ft. Blank casing diameter 2 in. to Dia SCH 40 Lbs./ft. Wall thickness or gauge No. Casing height above land surface FLUSH In., weight TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement 11 Other (specify) 1 Steel 8 RMP (SR) 3 Stainless steel 5 Fiberglass 9 ABS 4 Galvanized steel 6 Concrete tile 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 8 Saw cut 5 Gauzed wrapped 11 None (open hole) 3 Mill slot 6 Wire wrapped 9 Drilled holes 1 Continuous stot 2 Louvered shutter 7 Torch cut 10 Other (specify) 4 Key punched From 15 ft. to 25 ft. From ft. to ft. SCREEN-PERFORATED INTERVALS:
 From
 ft. to
 ft. From
 ft. to
 Ft.

 From
 13
 ft. to
 25
 ft. From
 ft. to
 Ft.
 SAND PACK INTERVALS: 6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Ft. Grout Intervals From 2 0.5 ft. to 11 From3 11 to 13 ft. From ft. to What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 13 Insecticide storage 9 Feedyard **Contaminated Site** Direction from well? How many feet? FROM CODE LITHOLOGIC LOG TO PLUGGING INTERVALS 0 1.5 Topsoil æ 1.5 25 Silty Clay 25 TD End of Borehole 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (x) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and w Completed on (mo/day/yr) 09/26/11 And this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. This Water Well Record was completed on (mo/day/yr) 10/11/11 under the business name of Associated Environmental, Inc. By (signature) Bradley J. Johnson

INSTRUCTIONS:. Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau (Water) To

Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.