WATER WELL RECORD	Form WWC-5	Division of Wate	r Resources App. No).	
1 LOCATION OF WATER WELL: County: SALIWE	Fraction SW 1/4 SW 1/4 SE 1/4	Section Number	Township No.	Range Number R (3 □E 2 W	
Street/Rural Address of Well Location;		Global Positioning			
from nearest town or intersection: If at owner's address, check here		Latitude: (in decimal degrees) Longitude: (in decimal degrees) Elevation:			
2 WATER WELL OWNED (OPE V 4) 11. COX		<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
RR#, Street Address, Box #: 2932 JACK CIECLE City, State, ZIP Code : SALIWA, Kr 60401		Collection Method: GPS unit (Make/Model:)			
City, State, ZIP Code : CAL	100A. Kr 102401	Digital Map/Ph		Map, Land Survey	
4 1.6 M /A 1 H A/A/ H. II. II.	-		5 m, [] 5-5 m, []	5-15 m, > 15 m	
WITH AN "X" IN 4 DEPTH OF SECTION BOX: Depth(s) Ground	COMPLETED WELL	ft (2)	ft (3) ft	
N WELL'S STAT	WELL'S STATIC WATER LEVEL. 2.1ft. below land surface measured on mo/day/yr/O.=2//				
DOT TATELD	Pump test data: Well water wasft. after				
w NW NE EST. YIELD Bore Hole Dian	Bore Hole Diameterft., and				
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well				
□ Domestic □ Feedlot □ Oil field water supply □ Dewatering □ Other (Specify below) □ Irrigation □ Industrial □ Domestic-lawn & garden □ Monitoring well					
Was a chemical/bacteriological sample submitted to Department? Yes No					
S If yes, mo/day/yr sample was submitted					
5 TYPE OF CASING USED: Steel YPVC Other					
CASING JOINTS: ☑ Glued ☐ Clamped ☐ Welded ☐ Threaded					
Casing diameter					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
☐ Continuous slot ★ Mill slot **O**3* ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify) SCREEN-PERFORATED INTERVALS: From ft. ft. from ft. to					
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From 22 ft. to 52 ft., From ft. to ft.					
From					
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other					
What is the nearest source of possible contamination:					
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below) Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well					
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well Direction from well FAST Distance from well					
FROM TO LITHOLO				JGGING INTERVALS	
O 3 FILL DILT					
26 52 SAND FINE TO	7 11(120: 7410				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, reconstructed, or plugged					
under my jurisdiction and was completed on (mo/day/year) 2					
under the business name of PESTINGEN PUMP. SELVICE by (signature)					
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.					
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at					
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212					