k, sins		WATE	R WELL RECORD	Form WWC-	5 KSA 82a	ı-1212		
LOCATION OF WA	TER WELL:	Fraction			ction Number	Township Number	1	ge Number
ounty: Saline		NE 1/4	SE 1/4	SE 1/4	11	<u>јт 14 </u> §	3 R	3 X €/W
istance and direction		•		ated within city?				
In City 1	imits - 300	West Ash,	Salina, KS				·	
WATER WELL OV	VNER: Saline	County/ci	ty Building					
IR#, St. Address, Bo	×#: 300 W.	Ash				Board of Agricul	ture, Division of	Water Resource
city, State, ZIP Code								
LOCATE WELL'S L						TION:		
AN "X" IN SECTIO	N D					2		
	1 N	/ELL'S STATIC	WATER LEVEL	$\cdot 23 \cdots \cdot \text{ft.}$	below land su	rface measured on mo/d	lay/yr6 /.2 6	5/98
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	NE	Pump	test data: Well w	ater was	ft. a	ifter hou	rs pumping	gpm
1 1 1 A A = =	E					ifter hou		
<u> </u>	B	ore Hole Diame	eter 1.2 in.	to 59		and	in. to	
W BOXONO CONTROL OF THE PROPERTY OF THE PROPER	ı v	VELL WATER T	O BE USED AS:	5 Public wa	ter supply	8 Air conditioning	11 Injection w	ell
- SW	SE	1 Domestic	3 Feedlot	6 Oil field w		9 Dewatering		
344 == =	1 1 1	2 Irrigation	4 Industrial			10 Monitoring well		
<u>l</u>	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	/as a chemical/l	bacteriological samp	le submitted to	Department? Y	esNoX;	If yes, mo/day/yr	sample was sul
Was continued to the co	S m	nitted				ater Well Disinfected? Y		lo
TYPE OF BLANK	CASING USED:		5 Wrought iron	8 Cond	rete tile	CASING JOINTS:		
1 Steel	3 RMP (SR)		6 Asbestos-Ceme	nt 9 Othe	r (specify belo	••,	Welded	
½ PVC	4 ABS	20	7 Fiberglass				Threaded	
3lank casing diameter	ر <mark>گ</mark> in	. to 39	ft., Dia <u>.</u>	in. 1	0	ft., Dia	in. to	ft
Casing height above I	and surface12	2	.in., weight 5			/ft. Wall thickness or ga	uge No • . • . • . • . • . • . • . • . •	4
TYPE OF SCREEN C	R PERFORATION	MATERIAL:		X 7 P		10 Asbestos	-cement	
1 Steel	3 Stainless s	steel	5 Fiberglass		MP (SR)		pecify)	
2 Brass	4 Galvanized	d steel	6 Concrete tile	9 A	BS		ed (open hole)	
SCREEN OR PERFO				auzed wrapped		8 Saw cut	11 None	(open hole)
1 Continuous sl				re wrapped		9 Drilled holes		
2 Louvered shu	•	punched		rch cut		10 Other (specify)		
SCREEN-PERFORAT	ED INTERVALS:					om		
						om		
GRAVEL PA	ACK INTERVALS:					om		
T OPOLIT MATERIA	L: 1 Neat ce	From	ft. to 2 Cement grout		ft., Fro	om Other		<u>†</u>
GROUT MATERIA			•	X Ben		ft., From		
Grout Intervals: Fro What is the nearest s			It., FIOH				14 Abandoned	
	d Lateral		7 Pit privy			storage	15 Oil well/Gas	
1 Septic tank 2 Sewer lines	5 Cess p		8 Sewage	lagoon		•	16 Other (spec	
	wer lines 6 Seepag		9 Feedyard	_		cticide storage	To Other (spee	ing bolott)
		de bir	3 Teedyaic	4		any feet? 300		
Direction from well? FROM TO	East	LITHOLOGIC	LOG	FROM	TO		ING INTERVAL	S
0 2	Top Soil							
	Brown Clay							
2 33 33 59	Fine to M		Sand					
	FINE CO M	earum ran	_ Sara					
		PANTA A						
1								
			and the second s					
						All 25		
		The second secon						
					00.00 hanner			
	PA.							
CONTRACTORIO	OD I ANDOWNED	Q CEDTIEICAT	ION: This water	L was /% cons	ructed (a) rec	constructed, or (3) plugg	ed under my iui	isdiction and we
7 CONTRACTOR'S	UM LANDUWINER	o CENTIFICAT	ion, ilis water we	was (M CONS	and this roo	ord is true to the best of	my knowledge «	and helief Kane
Water Well Contracts	y/year) 6/2 or's License No	120 120	This Moto	or Well Becard	anu uno 180 completec	on (mo/day/yr)	/9/98/	and polici. Narisi
				a vven mecora		ot be i A	0 //1	70 A
under the business n			gation Inc.	DI (***)			JANA.	100
INSTRUCTIONS: Use of Health and Enviror	typewriter or ball point pe iment, Bureau of Water, T	en. <i>PLEASE PRESS</i> opeka, Kansas 666	<u>FIHMLY</u> and <u>PRINT</u> clearly 20-0001. Telephone: 913-2	y. Please fill in blank 296-5545. Send one	s, underline or circ to WATER WELL (cle the correct answers. Send to DWNER and retain one for you	p three copies to Ka r records.	arisas Department