

WATER WELL RECORD

Form WWC-5

Division of Water Resources; App. No.

1 LOCATION OF WATER WELL: County: <u>Saline</u> Distance and direction from nearest town or city street address of well if located within city? <u>250 ft SE of the corner of Hein Ave & Crompton Rd, Salina</u>		Fraction <u>NW 1/4 SW 1/4 SE 1/4</u> Section Number <u>27</u>		Township Number <u>T 14 S</u> Range Number <u>R 3 E</u>																																																													
2 WATER WELL OWNER: <u>US Army Corp of Eng</u> RR#, St. Address, Box # <u>661 E 12th St</u> City, State, ZIP Code <u>KANSAS CITY, MO 64106</u>		Global Positioning Systems (decimal degrees, min. of 4 digits) Latitude: _____ Longitude: _____ Elevation: _____ Datum: _____ Data Collection Method: _____																																																															
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: <div style="text-align: center;"> <div style="display: flex; justify-content: space-between; width: 100%;"> N </div> <table border="1" style="margin: auto; text-align: center; width: 100px;"> <tr> <td style="width: 25px;">NW</td> <td style="width: 25px;">NE</td> </tr> <tr> <td style="width: 25px;">SW</td> <td style="width: 25px;">SE</td> </tr> </table> <div style="display: flex; justify-content: space-between; width: 100%;"> W E </div> <div style="text-align: center; margin-top: 5px;"> <div style="display: flex; justify-content: space-between; width: 100%;"> S </div> </div> </div>		NW	NE	SW	SE	4 DEPTH OF COMPLETED WELL <u>29.78</u> ft. Depth(s) Groundwater Encountered (1) <u>20</u> ft. (2) ft. (3) ft. WELL'S STATIC WATER LEVEL <u>9.64</u> ft. below land surface measured on mo/day/yr. <u>10/11/06</u> Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 8 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (land & garden) 8 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No <u>X</u> If yes, mo/day/yr Sample was submitted Water well disinfected? Yes No <u>X</u>																																																											
NW	NE																																																																
SW	SE																																																																
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded <u>PVC</u> 4 ABS 7 Fiberglass Threaded <u>X</u> Blank casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in., Weight lbs./ft. Wall thickness or gauge No. <u>sch 40</u> TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass <u>PVC</u> 9 ABS 11 Other (Specify) 2 Brass 4 Galvanized Steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From <u>24.73</u> ft. to <u>29.73</u> ft., From ft. to ft. From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From <u>22.73</u> ft. to <u>24.73</u> ft., From ft. to ft. From ft. to ft., From ft. to ft.																																																																	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout <u>3 Bentonite</u> 4 Other Grout Intervals: From <u>1</u> ft. to <u>22.73</u> ft., From ft. to ft., From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify below) 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well Direction from well? How many feet?																																																																	
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;">FROM</th> <th style="width: 10%;">TO</th> <th style="width: 40%;">LITHOLOGIC LOG</th> <th style="width: 10%;">FROM</th> <th style="width: 10%;">TO</th> <th style="width: 20%;">PLUGGING INTERVALS</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>0.8</td> <td>Silty Loam, Dk Brn</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.8</td> <td>1.1</td> <td>LS Gravel</td> <td></td> <td></td> <td></td> </tr> <tr> <td>1.1</td> <td>2.0</td> <td>Clay, Dk Gray, Dry, SL Plstc</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>5</td> <td>No Recovery</td> <td></td> <td></td> <td></td> </tr> <tr> <td>5</td> <td>5.7</td> <td>Clay, Dk Gray</td> <td></td> <td></td> <td></td> </tr> <tr> <td>5.7</td> <td>10.5</td> <td>Clay, Lt Gray, Silty, Dry (Plstc + Moist at 9)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>10.5</td> <td>20</td> <td>Clay, Orange/Brn, Silty, F. Sand</td> <td></td> <td></td> <td></td> </tr> <tr> <td>20</td> <td>25</td> <td>Clay, Lt Gray, Silty, Moist-Wet V. Plstc</td> <td></td> <td></td> <td></td> </tr> <tr> <td>25</td> <td>TD</td> <td>Clay, Orange/Brn, Sandy, wet</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>						FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS	0	0.8	Silty Loam, Dk Brn				0.8	1.1	LS Gravel				1.1	2.0	Clay, Dk Gray, Dry, SL Plstc				2	5	No Recovery				5	5.7	Clay, Dk Gray				5.7	10.5	Clay, Lt Gray, Silty, Dry (Plstc + Moist at 9)				10.5	20	Clay, Orange/Brn, Silty, F. Sand				20	25	Clay, Lt Gray, Silty, Moist-Wet V. Plstc				25	TD	Clay, Orange/Brn, Sandy, wet			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS																																																												
0	0.8	Silty Loam, Dk Brn																																																															
0.8	1.1	LS Gravel																																																															
1.1	2.0	Clay, Dk Gray, Dry, SL Plstc																																																															
2	5	No Recovery																																																															
5	5.7	Clay, Dk Gray																																																															
5.7	10.5	Clay, Lt Gray, Silty, Dry (Plstc + Moist at 9)																																																															
10.5	20	Clay, Orange/Brn, Silty, F. Sand																																																															
20	25	Clay, Lt Gray, Silty, Moist-Wet V. Plstc																																																															
25	TD	Clay, Orange/Brn, Sandy, wet																																																															
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>10/5/06</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>604</u> This Water Well Record was completed on (mo/day/year) <u>11/27/06</u> under the business name of <u>Env. remedia/ Priority Service Inc</u> by (signature) <u>Pete Smith</u> INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdhe.state.ks.us/geo/waterwells.																																																																	