MW-4 Bldg 626 WATER WELL RECORD Form WWC-5 Division of Water Resources; App. No. 1 1 LOCATION OF WATER WELL: Fraction Section Number | Township Number Range Number SU 1/4 SU 1/4 NE 1/4 County: Saline T 14 R 3 S Global Positioning Systems (decimal degrees, min. of 4 digits) Distance and direction from nearest town or city street address of well if 10cated within city?

50'NW of the corner of low Ave. and Ganey Rd.

2 WATER WELL OWNER: United States Army Corps of Engineer Elevation:

RR#, St. Address, Box # : 601 E. 12th St.

City State 7IP Code : Kansus City, MO 64106 City, State, ZIP Code Data Collection Method: 3 LOCATE WELL'S LOCATION Depth(s) Groundwater Encountered (1) Not Encourt to (2) ft. (3) ft. WELL'S STATIC WATER LEVEL 12.8.7. ft. below land surface measured on mo/day/yr.10/1.2/06. WITH AN "X" IN **SECTION BOX:** Pump test data: Well water was.......ft. after...... hours pumping....... gpm Est. Yield......gpm: Well water was......ft. after......hours pumping.......gpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well - NW - ---NE--9 Dewatering 12 Other (Specify below) 3 Feedlot 6 Oil field water supply 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) (1) Monitoring well --SE--- SW - -Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs S 5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued...... Clamped...... 6 Asbestos-Cement 9 Other (specify below) Welded..... 1 Steel 3 RMP (SR) Threaded....X 7 Fiberglass (2)PVC 4 ABS TYPE OF SCREEN OR PERFORATION MATERIAL: PVC. 9 ABS 11 Other (Specify) 1 Steel 3 Stainless Steel 5 Fiberglass 2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 17.67 ft. to 12.87 ft., From ft. to ft. From. ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From. 1.7:5.7... ft. to 10.57... ft., From ft. to ft. 1 Neat cement 2 Cement grout Bentonite 4 Other 6 GROUT MATERIAL: What is the nearest source of possible contamination: 10 Livestock pens 13 Insecticide Storage 16 Other (specify 1 Septic tank 4 Lateral lines 7 Pit privy 14 Abandoned water well below) 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 12 Fertilizer Storage 15 Oil well/gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard How many feet? Direction from well? LITHOLOGIC LOG FROM PLUGGING INTERVALS FROM TO TO 0 Sity Locan Dk Bon Grul Clay Dk Brn 3 3.5 Sand, Yellow / Bon No Recovery 3.5 7 Clay, Lt Gray 5 Clay DE Brn. Dry (No Recovery 7.5-10) 7 10 Clay, Orange Brn, Dry 17.8 10 Shale, Gray & led 17.8 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged

http://www.kdhe.state.ks.us/geo/waterwells.