

1 LOCATION OF WATER WELL:		Fraction		Section Number	Township Number	Range Number
County: Saline		SW ¼	SW ¼	SE ¼	15	T 14 S R 3 EW
Distance and direction from nearest town or city street address of well if located within city? 676 Westport Blvd., Salina, Kansas						
2 WATER WELL OWNER: David Maxwell						
RR#, St. Address, Box # : 2330 Glen Circle				Board of Agriculture, Division of Water Resources		
City, State, ZIP Code : Salina, Kansas 67401				Application Number:		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 28 ft ELEVATION: 1240.24				
		Depth(s) Groundwater Encountered 1. ft 2. ft 3. ft				
		WELL'S STATIC WATER LEVEL 20.69 ft below land surface measured on mo/day/yr 3/16/98				
		Pump test data: Well water was NA ft after hours pumping gpm				
		Est. Yield NA gpm: Well water was ft after hours pumping gpm				
		Bore Hole Diameter 8 in. to 28 ft, and in. to ft				
WELL WATER TO BE USED AS:		5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well				
		Was a chemical/bacteriological sample submitted to Department? Yes.....No <input checked="" type="checkbox"/> ; If yes, mo/day/yr sample was submitted				
		Water Well Disinfected? Yes No <input checked="" type="checkbox"/>				
5 TYPE OF BLANK CASING USED:						
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded 7 Fiberglass Threaded <input checked="" type="checkbox"/>						
Blank casing diameter 2 in. to 18 ft, Dia. in. to ft, Dia. in. to ft						
Casing height above land surface -6.12 in., weight Sch 40 lbs./ft. Wall thickness or gauge No.						
TYPE OF SCREEN OR PERFORATION MATERIAL						
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) 12 None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify)						
SCREEN-PERFORATED INTERVALS: From 18 ft to 28 ft, From ft to ft						
GRAVEL PACK INTERVALS: From 16 ft to 28 ft, From ft to ft						
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other						
Grout intervals: From 0 ft to 14 ft, From 14 ft to 16 ft, From ft to ft						
What is the nearest source of possible contamination:						
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) Former Tank Basin						
Direction from well? West How many feet? 150						
LITHOLOGIC LOG						
FROM	TO					
0	11	Clay, Dark Brown/Grey				
11	16	Clay, Brown/Grey				
16	28	Clay, Brown				
PLUGGING INTERVALS						
FROM	TO					
MW7, Tag # 00262709, Flushmount						
Project Name: West Crawford Amoco						
GeoCore # 576, KDHE # U5 085 11215						
7 CONTRACTOR'S OR LANDOWNERS CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3/13/98 and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor's License No. 527 This Water Well Record was completed on (mo/day/yr) 3/30/98						
under the business name of GeoCore Services, Inc. by (signature) <i>Shelley Bell</i>						
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 68620-0001. Telephone: 913-298-5545. Send one to WATER WELL OWNER and retain one for your records.						

OFFICE USE ONLY

T

R

EW

SEC.

1/4

1/4

1/4