	WATER	WELL RECORD F	orm WWC-5	KSA 82a	-1212	
1 LOCATION OF WATER WELL:	Fraction	~- 07	Sec	tion Number	Township Number	Range Number
County: Salina	SW 1/4	SW 1/4 SE	1/4	15	T 14 S	R S E(W)
Distance and direction from nearest tow		ress of well if located	within city?			
546 West Port Boulevard, Sa			, ,,,		A CONTRACTOR OF THE CONTRACTOR	
2 WATER WELL OWNER: Ryder Ti						
RR#, St. Address, Box # : 546 West	: Port Boulevar	rd.			Board of Agricult	ure, Division of Water Resources
City, State, ZIP Code : Salina,	Kansas				Application Number	oer:
3 LOCATE WELL'S LOCATION WITH	4 DEPTH OF CO	MPLETED WELL	. 15	. ft. ELEVA	TION:	
AN "X" IN SECTION BOX:	Depth(s) Groundwa	ater Encountered 1.	<i></i>	ft. 2	2	ft. 3
ī	WELL'S STATIC V	VATER LEVEL9	99 ft. b	elow land sur	face measured on mo/da	ay/yr
	Pump t	est data: Well water	was	ft. a	fter hour	s pumping gpm
NW  NE	Est. Yield	gpm: Well water	was	ft. a	fter hour	s pumping gpm
	Bore Hole Diamete	erin. to .			and	in. to
¥ W 1 1 E	WELL WATER TO	BE USED AS: 5	Public wate	r supply	8 Air conditioning	11 Injection well
	1 Domestic	3 Feedlot 6	Oil field was	er supply	9 Dewatering	12 Other (Specify below)
SW SE	2 Irrigation	4 Industrial 7	Lawn and g	arden only	Monitoring well	
	Was a chemical/ba	cteriological sample su	ubmitted to De	epartment? Ye	es; I	f yes, mo/day/yr sample was sub-
<u> </u>	mitted			Wa	ter Well Disinfected? Ye	es No
5 TYPE OF BLANK CASING USED:		5 Wrought iron	8 Concre	ete tile	CASING JOINTS:	Glued Clamped
1 Steel 3 RMP (SF	٦) (٦	6 Asbestos-Cement	9 Other	(specify below	v)	Welded
2 PVC 4 ABS	7	7 Fiberglass				Threaded
Blank casing diameter2	.in. to	ft., Dia	in. to		ft., Dia	in. to ft.
Casing height above land surface						
TYPE OF SCREEN OR PERFORATION			<b>∂</b> PV		10 Asbestos-	
1 Steel 3 Stainless	steel	5 Fiberglass	8 RM	P (SR)	11 Other (spe	ecify) . N.A
2 Brass 4 Galvanize	ed steel	6 Concrete tile	9 AB	S	12 None use	d (open hole)
SCREEN OR PERFORATION OPENING	GS ARE:	5 Gauze	d wrapped		8 Saw cut	11 None (open hole)
1 Continuous slot (3)Mi		6 Wire w	rapped		9 Drilled holes	` ' '
•	ev punched	_ 7 Torch o	cut		10 Other (specify)	
	_ 4.	5	14.5			
SCREEN-PERFORATED INTERVALS:	From	ft. to		ft., Froi	m <i></i>	ft. toft.
SCHEEN-PEHFOHATED INTERVALS:	From	ft. to				ft. toft. ft. toft.
GRAVEL PACK INTERVALS:	From	ft. to ft. to		ft., Froi	m	
	From	ft. to ft. to		ft., From	m	ft. to
GRAVEL PACK INTERVALS:	From	ft. to ft. to ft. to ft. to ft. to	3 Bento	ft., From	m Dother COMPAC	ft. to
GRAVEL PACK INTERVALS:	From	ft. to ft. to ft. to ft. to ft. to	3 Bento	ft., From	m Dother COMPAC	ft. to
GRAVEL PACK INTERVALS:	From From Prom Prom Prom Prom Prom Prom Prom P	ft. to ft. to ft. to ft. to ft. to	3 Bento	ft., From tt., From tt., From tt., From tt., From tt., From tt.	m Dother COMPAC	ft. to
GRAVEL PACK INTERVALS:  6 GROUT MATERIAL: 1 Neat of Grout Intervals: From . 0	From From Perment 2 ft. to 2 contamination:	ft. to ft. to ft. to ft. to ft. to	3 Bento	ft., From tt., From tt., From tt., From tt., From tt., From tt.	m  Dother Compact  ft., From  tock pens	ft. to
GRAVEL PACK INTERVALS:  6 GROUT MATERIAL: 1 Neat of Grout Intervals: From . 0.  What is the nearest source of possible of the source of possible of the source of the sour	From From Perment 2 ft. to 2 contamination:	ft. to  ft. to  ft. to  ft. to  Cement grout  ft., From . 2	③Bento	ft., Froi ft., Froi nite to	m  Dother Compact  ft., From tock pens  storage	ft. to
GRAVEL PACK INTERVALS:  6 GROUT MATERIAL: 1 Neat of Grout Intervals: From . 0.  What is the nearest source of possible of 1 Septic tank 4 Latera	From From 2 ft. to 2 contamination: al lines pool	ft. to	③Bento	ft., Froi ft., Froi nite to	m  Dother Compact  ft., From tock pens  storage	ft. to
GRAVEL PACK INTERVALS:  6 GROUT MATERIAL: 1 Neat of Grout Intervals: From . 0.  What is the nearest source of possible of 1 Septic tank 4 Laters 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seepa	From From 2 ft. to 2 contamination: al lines pool	ft. to  ft. to  ft. to  ft. to  Cement grout  ft., From	③Bento	ft., Froi ft., Froi nite to	m  Dother CMPCC  ft., From tock pens storage izer storage ticide storage	ft. to
GRAVEL PACK INTERVALS:  6 GROUT MATERIAL: 1 Neat of Grout Intervals: From . 0	From From 2 ft. to 2 contamination: al lines pool	ft. to  ft. to  ft. to  ft. to  Cement grout  ft., From . 2  7 Pit privy  8 Sewage lagor  9 Feedyard	③Bento		m  Other CMPCC  ft., From tock pens storage izer storage ticide storage ny feet?	ft. to
GRAVEL PACK INTERVALS:  6 GROUT MATERIAL: 1 Neat of Grout Intervals: From . 0.  What is the nearest source of possible of 1 Septic tank 4 Laters 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seeps Direction from well?	From From 2 ft. to 2 contamination: al lines pool age pit	ft. to  ft. to  ft. to  ft. to  Cement grout  ft., From . 2  7 Pit privy  8 Sewage lagor  9 Feedyard	③Bento ft. on	tt., From tt., F	m  Other CMPCC  ft., From tock pens storage izer storage ticide storage ny feet?	ft. to
GRAVEL PACK INTERVALS:  6 GROUT MATERIAL: 1 Neat of Grout Intervals: From . 0.  What is the nearest source of possible of 1 Septic tank 4 Laters 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seeps Direction from well?	From From 2 ft. to 2 contamination: al lines pool age pit	ft. to  ft. to  ft. to  ft. to  Cement grout  ft., From . 2  7 Pit privy  8 Sewage lagor  9 Feedyard	③Bento ft.	tt., From tt., From tt., From tt., From 15 15 15 17 Fuel 12 Fertili 13 Insect How mainstrance in the triangle in triangle in the triangle in trian	m  Dother CMPCC  ft., From tock pens storage izer storage ticide storage ny feet?  PLUGGI	ft. to
GRAVEL PACK INTERVALS:  6 GROUT MATERIAL: 1 Neat of Grout Intervals: From . 0.  What is the nearest source of possible of 1 Septic tank 4 Laters 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seeps Direction from well?	From From 2 ft. to 2 contamination: al lines pool age pit	ft. to  ft. to  ft. to  ft. to  Cement grout  ft., From . 2  7 Pit privy  8 Sewage lagor  9 Feedyard	③Bento ft.	ft., Froi ft., Froi nite to	tt., From tock pens (storage izer storage itcide storage in feet?	ft. to
GRAVEL PACK INTERVALS:  6 GROUT MATERIAL: 1 Neat of Grout Intervals: From . 0.  What is the nearest source of possible of 1 Septic tank 4 Laters 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seeps Direction from well?	From From 2 ft. to 2 contamination: al lines pool age pit	ft. to  ft. to  ft. to  ft. to  Cement grout  ft., From . 2  7 Pit privy  8 Sewage lagor  9 Feedyard	③Bento ft.	ft., Froi ft., Froi nite to	tt., From tock pens (storage izer storage itcide storage in feet?	ft. to ft. ft. o
GRAVEL PACK INTERVALS:  6 GROUT MATERIAL: 1 Neat of Grout Intervals: From . 0.  What is the nearest source of possible of 1 Septic tank 4 Laters 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seeps Direction from well?	From From 2 ft. to 2 contamination: al lines pool age pit	ft. to  ft. to  ft. to  ft. to  Cement grout  ft., From . 2  7 Pit privy  8 Sewage lagor  9 Feedyard	③Bento ft.	ft., Froi ft., Froi nite to	tt., From tock pens (storage izer storage itcide storage in feet?	ft. to ft. ft. o
GRAVEL PACK INTERVALS:  6 GROUT MATERIAL: 1 Neat of Grout Intervals: From . 0.  What is the nearest source of possible of 1 Septic tank 4 Laters 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seeps Direction from well?	From From 2 ft. to 2 contamination: al lines pool age pit	ft. to  ft. to  ft. to  ft. to  Cement grout  ft., From . 2  7 Pit privy  8 Sewage lagor  9 Feedyard	③Bento ft.	ft., Froi ft., Froi nite to	tt., From tock pens (storage izer storage itcide storage in feet?	ft. to ft. ft. o
GRAVEL PACK INTERVALS:  6 GROUT MATERIAL: 1 Neat of Grout Intervals: From . 0.  What is the nearest source of possible of 1 Septic tank 4 Laters 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seeps Direction from well?	From From 2 ft. to 2 contamination: al lines pool age pit	ft. to  ft. to  ft. to  ft. to  Cement grout  ft., From . 2  7 Pit privy  8 Sewage lagor  9 Feedyard	③Bento ft.	ft., Froi ft., Froi nite to	tt., From tock pens (storage izer storage itcide storage in feet?	ft. to ft. ft. o
GRAVEL PACK INTERVALS:  6 GROUT MATERIAL: 1 Neat of Grout Intervals: From . 0.  What is the nearest source of possible of 1 Septic tank 4 Laters 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seeps Direction from well?	From From 2 ft. to 2 contamination: al lines pool age pit	ft. to  ft. to  ft. to  ft. to  Cement grout  ft., From . 2  7 Pit privy  8 Sewage lagor  9 Feedyard	③Bento ft.	ft., Froi ft., Froi nite to	tt., From tock pens (storage izer storage itcide storage in feet?	ft. to ft. ft. o
GRAVEL PACK INTERVALS:  6 GROUT MATERIAL: 1 Neat of Grout Intervals: From . 0.  What is the nearest source of possible of 1 Septic tank 4 Laters 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seeps Direction from well?	From From 2 ft. to 2 contamination: al lines pool age pit	ft. to  ft. to  ft. to  ft. to  Cement grout  ft., From . 2  7 Pit privy  8 Sewage lagor  9 Feedyard	③Bento ft.	ft., Froi ft., Froi nite to	tt., From tock pens (storage izer storage itcide storage in feet?	ft. to ft. ft. o
GRAVEL PACK INTERVALS:  6 GROUT MATERIAL: 1 Neat of Grout Intervals: From . 0.  What is the nearest source of possible of 1 Septic tank 4 Laters 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seeps Direction from well?	From From 2 ft. to 2 contamination: al lines pool age pit	ft. to  ft. to  ft. to  ft. to  Cement grout  ft., From . 2  7 Pit privy  8 Sewage lagor  9 Feedyard	③Bento ft.	ft., Froi ft., Froi nite to	tt., From tock pens (storage izer storage itcide storage in feet?	ft. to ft. ft. o
GRAVEL PACK INTERVALS:  6 GROUT MATERIAL: 1 Neat of Grout Intervals: From . 0.  What is the nearest source of possible of 1 Septic tank 4 Laters 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seeps Direction from well?	From From 2 ft. to 2 contamination: al lines pool age pit	ft. to  ft. to  ft. to  ft. to  Cement grout  ft., From . 2  7 Pit privy  8 Sewage lagor  9 Feedyard	③Bento ft.	ft., Froi ft., Froi nite to	tt., From tock pens (storage izer storage itcide storage in feet?	ft. to ft. ft. o
GRAVEL PACK INTERVALS:  6 GROUT MATERIAL: 1 Neat of Grout Intervals: From . 0.  What is the nearest source of possible of 1 Septic tank 4 Laters 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seeps Direction from well?	From From 2 ft. to 2 contamination: al lines pool age pit	ft. to  ft. to  ft. to  ft. to  Cement grout  ft., From . 2  7 Pit privy  8 Sewage lagor  9 Feedyard	③Bento ft.	ft., Froi ft., Froi nite to	m Dother COMPOCO ft., From tock pens storage izer storage ticide storage ny feet? PLUGGI Compacted Clay Bentonite	ft. to ft. ft. o
GRAVEL PACK INTERVALS:  6 GROUT MATERIAL: 1 Neat of Grout Intervals: From . 0.  What is the nearest source of possible of 1 Septic tank 4 Laters 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seeps Direction from well?	From From 2 ft. to 2 contamination: al lines pool age pit	ft. to  ft. to  ft. to  ft. to  Cement grout  ft., From . 2  7 Pit privy  8 Sewage lagor  9 Feedyard	③Bento ft.	ft., Froi ft., Froi nite to	tt., From tock pens (storage izer storage itcide storage in feet?	ft. to ft. ft. o
GRAVEL PACK INTERVALS:  6 GROUT MATERIAL: 1 Neat of Grout Intervals: From . 0.  What is the nearest source of possible of 1 Septic tank 4 Laters 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seeps Direction from well?	From From 2 ft. to 2 contamination: al lines pool age pit	ft. to  ft. to  ft. to  ft. to  Cement grout  ft., From . 2  7 Pit privy  8 Sewage lagor  9 Feedyard	③Bento ft.	ft., Froi ft., Froi nite to	m Dother COMPOCO ft., From tock pens storage izer storage ticide storage ny feet? PLUGGI Compacted Clay Bentonite	ft. to ft. ft. o
GRAVEL PACK INTERVALS:  6 GROUT MATERIAL: 1 Neat of Grout Intervals: From . 0.  What is the nearest source of possible of 1 Septic tank 4 Laters 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seeps Direction from well?	From From 2 ft. to 2 contamination: al lines pool age pit	ft. to  ft. to  ft. to  ft. to  Cement grout  ft., From . 2  7 Pit privy  8 Sewage lagor  9 Feedyard	③Bento ft.	ft., Froi ft., Froi nite to	m Dother COMPOCO ft., From tock pens storage izer storage ticide storage ny feet? PLUGGI Compacted Clay Bentonite	ft. to ft. ft. o
GRAVEL PACK INTERVALS:  6 GROUT MATERIAL: 1 Neat of Grout Intervals: From. 0.  What is the nearest source of possible of 1 Septic tank 4 Laters 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seeps Direction from well?  FROM TO	From. From. From. Exement 2 ft. to 2 contamination: al lines pool age pit	ft. to  ft. to  ft. to  ft. to  Cement grout  ft., From 2  7 Pit privy  8 Sewage lagor  9 Feedyard  DG	③Bento ft.	ft., Froift., Froi ft., Froi nite to	m Dother COMPOCO ft., From tock pens storage izer storage ticide storage ny feet? PLUGGI Compacted Clay Bentonite	ft. to ft. 14) Abandoned water well 15 Oil well/Gas well 16 Other (specify below)  NG INTERVALS
GRAVEL PACK INTERVALS:  GROUT MATERIAL:  Grout Intervals: From. 0.  What is the nearest source of possible 1 Septic tank 4 Laters 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seeps Direction from well?  FROM TO	From From Prometer 2 ft. to 2 contamination: al lines pool age pit LITHOLOGIC LC	tt. to	③Bento ft.	ft., Froift., Froi ft., Froi nite to	m Dother COMPOCO ft., From tock pens storage izer storage ticide storage ny feet? PLUGGI Compacted Clay Bentonite	ft. to ft. 14) Abandoned water well 15 Oil well/Gas well 16 Other (specify below)  NG INTERVALS  d under my jurisdiction and was
GRAVEL PACK INTERVALS:  GROUT MATERIAL:  Grout Intervals: From. 0	From From Prom Prom Prom Prom Prom Prom Prom P	ft. to  ft. to  ft. to  ft. to  Cement grout  ft., From 2  7 Pit privy  8 Sewage lagor  9 Feedyard  DG	③Bento ft.	tt., From tt., F	m Dother COMPOCS  ft., From tock pens storage izer storage ticide storage my feet?  PLUGGI Compacted Clay Bentonite  MW4-Plugging	ft. to ft.  14) Abandoned water well 15 Oil well/Gas well 16 Other (specify below)  NG INTERVALS  d under my jurisdiction and was my knowledge and belief. Kansas
GRAVEL PACK INTERVALS:  GROUT MATERIAL:  Grout Intervals: From. 0  What is the nearest source of possible 1 Septic tank 4 Latera 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seepa Direction from well?  FROM TO  TO  CONTRACTOR'S OR LANDOWNER completed on (mo/day/year)	From From Prom Prom Prom Prom Prom Prom Prom P	ft. to  ft. to  ft. to  ft. to  Cement grout  ft., From	③Bento ft.	tt., From tt., F	Dother COMPOCO  ft., From tock pens storage izer storage ticide storage ny feet?  PLUGGI Compacted Clay Bentonite  MW4-Plugging  onstructed, or (3) plugged and is true to the best of mon (mo/day/yr)	ft. to ft. 14) Abandoned water well 15 Oil well/Gas well 16 Other (specify below)  NG INTERVALS
GRAVEL PACK INTERVALS:  GROUT MATERIAL:  Grout Intervals: From. 0.  What is the nearest source of possible 1 Septic tank 4 Latera 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seepa Direction from well?  FROM TO  CONTRACTOR'S OR LANDOWNER completed on (mo/day/year) 2 Water Well Contractor's License No.	From From From Sement 2 ft. to 2 contamination: al lines pool age pit  LITHOLOGIC LO 2/13/98 527 ore Services, I	ft. to  ft. to  ft. to  ft. to  Cement grout  ft., From . 2  7 Pit privy  8 Sewage lagor  9 Feedyard  OG	3Bento ft.  On  FROM  0  2  s (1) constru	tt., From tt., F	m Dother COMPOCC  ft., From tock pens storage izer storage ticide storage ny feet?  PLUGGI Compacted Clay Bentonite  MW4-Plugging  onstructed, or (3) plugged and is true to the best of mon (mo/day/yr) ture)	ft. to ft.  14) Abandoned water well 15 Oil well/Gas well 16 Other (specify below)  NG INTERVALS  d under my jurisdiction and was my knowledge and belief. Kansas .2/22/98