

1 LOCATION OF WATER WELL: County: SALINE		Fraction SE 1/4 SW 1/4 NE 1/4		Section Number 24	Township Number T 14 S	Range Number R 3 E
Distance and direction from nearest town or city street address of well if located within city? 908 MANOR RD.						
2 WATER WELL OWNER: LINNEA TROMBLE						
RR#, St. Address, Box # : 908 MANOR RD.				Board of Agriculture, Division of Water Resources		
City, State, ZIP Code : SALINA, KS. 67401				Application Number:		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 56.6 ft. ELEVATION: 1250				
		Depth(s) Groundwater Encountered 1. 32.9 ft. 2. ft. 3. ft.				
		WELL'S STATIC WATER LEVEL 32.9 ft. below land surface measured on mo/day/yr 7-8-98				
		Pump test data: Well water was 33.10 ft. after 1 hours pumping 30 gpm				
		Est. Yield 75+ gpm: Well water was ft. after hours pumping gpm				
		Bore Hole Diameter 9 in. to 58 ft. and in. to ft.				
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well				
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)				
		2 Irrigation 4 Industrial <u>7 Lawn and garden only</u> 10 Monitoring well				
		Was a chemical/bacteriological sample submitted to Department? Yes.....No..... X If yes, mo/day/yr sample was submitted				
		Water Well Disinfected? Yes X No				
5 TYPE OF BLANK CASING USED:						
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped						
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded						
Blank casing diameter 5 in. to 50 ft. Dia. in. to ft. Dia. in. to ft.						
Casing height above land surface 17 in. weight 160 lbs./ft. Wall thickness or gauge No. SDR 26						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement						
2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify)						
9 ABS 12 None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
1 Continuous slot 3 Mill slot .035 5 Gauzed wrapped 8 Saw cut 11 None (open hole)						
2 Louvered shutter 4 Key punched 7 Torch cut 9 Drilled holes 10 Other (specify)						
SCREEN-PERFORATED INTERVALS: From 50 ft. to 56.6 ft. From ft. to ft.						
GRAVEL PACK INTERVALS: From 40 ft. to 56.6 ft. From ft. to ft.						
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other						
Grout Intervals: From 0 ft. to 23 ft. From ft. to ft. From ft. to ft.						
What is the nearest source of possible contamination:						
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well						
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well						
3 <u>Watertight sewer lines</u> 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)						
13 Insecticide storage						
Direction from well? WEST How many feet? 40						
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS	
0	3	FILL DIRT				
3	27	CLAY TAN SILTY				
27	58	SAND MED. TAN CLEAN				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 7-8-98 and this report is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 388 This Water Well Record was completed on (mo/day/yr) 7-8-98 under the business name of PESTINGER PUMP SERVICE by (signature) <i>Paul Kestly</i>						
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.						