.1		WA	TER WELL RECORD F	orm WWC-		-1212			
	ON OF WAT				ction Number	Township Number	Range Number 4		
	SALINE of direction	from pogreet town or eith street		1/4	24	T 14 s	R 3 E/W)'		
DISIANCE 8	ura direction	from nearest town or city street 908 E. BELOIT	audress of well if located	within city?			U		
al									
		NER: TERRY ELSASSER							
		# : 908 E. BELOIT	•			Board of Agricultu	ure, Division of Water Resources		
	City, State, ZIP Code : SALINA, KS. 67401					Application Number: 59.5 ft. ELEVATION: 1231			
AN "X"	E WELL'S LO IN SECTION	DCATION WITH DEPTH OF Depth(s) Grou	COMPLETED WELL	59.5 25.4	ft. ELEVA	TION:	ft. 3		
ī	ı	WELL'S STAT	IC WATER LEVEL . 25	4 ft. t	elow land surf	ace measured on mo/da	9-14-98		
I i	1) ft af	ter 1 hours	s pumping 15 gpm		
1 F	NM	NE Fst Yield 6	O gom: Well water	was	ft af	ter hours	s pumping gpm		
<u> </u>	1	Bore Hole Dia	meter 9 in to	** 360		ter	in toft.		
w -	<u> </u>	E WELL WATER				8 Air conditioning			
-	i	1 Domest				_	11 Injection well		
-	- SW	2 Irrigation					12 Other (Specify below)		
	!	• , , •					yes, mo/day/yr sample was sub-		
į L		mitted	arbacteriological sample su	Diffilled to D					
E TYPE	OF DI ANIK C		E Manual inco	0.0		er Well Disinfected? Yes			
		ASING USED:	5 Wrought iron				Glued 🗶 Clamped		
1 St		3 RMP (SR)	6 Asbestos-Cement		(specify below	•	Velded		
		4 ABS	7 Fiberglass				hreaded		
Blank casi	ng diameter	5in. to53	• 2 ft., Dia	in. to		ft., Dia	in. to ft.		
		ind surface18	in., weight			t. Wall thickness or gaug	je No		
TYPE OF	SCREEN O	R PERFORATION MATERIAL:	,	7_PV		10 Asbestos-c	ement		
1 Ste	el	3 Stainless steel	5 Fiberglass	8 RN	MP (SR)	11 Other (spe	cify)		
2 Br	ass	4 Galvanized steel	6 Concrete tile	9 AB	S	12 None used	(open hole)		
SCREEN	OR PERFOR	RATION OPENINGS ARE:	5 Gauzeo	l wrapped		8 Saw cut	11 None (open hole)		
1 Cc	ntinuous slo	3 Mill slot •035	6 Wire w	apped		9 Drilled holes			
2 Lo	uvered shutt	er 4 Key punched	7 Torch o	ut	•	10 Other (specify)			
SCREEN-	PERFORATE	DINTERVALS: From 5	ヺ• <i>う</i> ft. to	59•3	ft., Fron	n	ft. toft.		
		From	ft. to		ft., Fron	n	ft. toft.		
(GRAVEL PA	CK INTERVALS: From	5 tt. to	59 • 5	ft., Fron	n	ft. toft.		
		From	ft. to		ft., Fron	n	ft. to ft.		
	MATERIAL		2 Cement grout						
Grout Inte	rvals: From	n0	ft., From	ft.	to	ft., From	ft. to		
		urce of possible contamination:			10 Livest		4 Abandoned water well		
1 Se	ptic tank	4 Lateral lines	7 Pit privy		11 Fuel storage 15 Oil well/Gas well		5 Oil well/Gas well		
	wer lines	5 Cess pool	8 Sewage lagoon		12 Fertilizer storage 16 Other (specify below)		6 Other (specify below)		
3 Watertight sewer lines 6 Seepage pit			9 Feedyard		13 Insecticide storage				
Direction f		EAST	•		How man	F			
FROM	ТО	LITHOLOGI	CLOG	FROM	то		IG INTERVALS		
0	2	FILL DIRT							
2	33	CLAY TAN SILTY	•						
33	60	SAND FINE TO MED	TAN						
		AV 80-1448-1-1-1-1							
					 -				
					tt-				
				†	 				
					 		The state of the s		
					 				
				 	 				
					 				
			The burney of the state of the	-	 				
				<u> </u>	 				
	L			L	LL				
7 CONTR	RACTOR'S	OR LANDOWNER'S CERTIFICA	TION: This water well was	(1) constru	cted_(2) recor	nstructed, or (3) plugged	under my jurisdiction and was		
completed	on (mo/day/	_{year)} 9-14-98					knowledge and belief. Kansas		
Water Wel	Contractor	s License No 388	This Water We				(4-9°)		
		ne of PESTINGER PUMP S			by (signati		Holy m		
		pewriter or ball point pen. PLEASE PRESS		e fill in blanke		\ 	three copies to Kansas Department		
INSTITU	b and Friden	ent, Bureau of Water, Topeka, Kansas 66	620-0001 Telephone: 913-296-554	5 Send one to	WATER WELL OW	NER and retain one for your re	cords		