


1 LOCATION OF WATER WELL: County: <u>Saline</u>		Fraction <u>SW ¼ NW ¼ SW ¼</u>	Township Number <u>24</u>	Range Number <u>14 S R 3 E</u>																														
Distance and direction from nearest town or city street address of well if located within city? <u>Intersection of Highhand + Ellsworth Rds Salina</u>																																		
2 WATER WELL OWNER: <u>KDHE</u> RR#, St. Address, Box #: <u>Forbes Field Bldg. 740</u> City, State, ZIP Code : <u>Topeka, Ks. 66620</u> Board of Agriculture, Division of Water Resources Application Number:																																		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 		4 DEPTH OF COMPLETED WELL: <u>37</u> ft. ELEVATION: <u>MW-18 - 1234.62</u> Depth(s) Groundwater Encountered 1.....ft. 2.....ft. 3.....ft. WELL'S STATIC WATER LEVEL <u>24.46</u> ft. below land surface measured on mo/day/yr Pump test data: Well water was .....ft. after ..... hours pumping ..... gpm Est. Yield ..... gpm; Well water was .....ft. after ..... hours pumping ..... gpm Bore Hole Diameter... <u>8</u> ....in. to ... <u>37</u> ....ft., and ....in. to .....ft. WELL WATER TO BE USED AS:   5 Public water supply     8 Air conditioning     11 Injection well 1 Domestic       3 Feedlot      6 Oil field water supply   9 Dewatering       12 Other (Specify below) 2 Irrigation     4 Industrial   7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes..X>No..... If yes, mo/day/yr sample was submitted N.A.																																
5 TYPE OF BLANK CASING USED: 1 Steel                   3 RMP (SR)                   5 Wrought iron                   8 Concrete tile                   CASING JOINTS: Glued ..... Clamped .... <u>2 PVC</u> 4 ABS                   6 Asbestos-Cement               9 Other (specify below)           Welded ..... Blank casing diameter... <u>2"</u> ....in. to ... <u>17</u> ....ft., Dia.....in. to .....ft., Dia.....in. to .....ft. Casing height above land surface... <u>0</u> ....in., weight... <u>.716</u> ....lbs./ft. Wall thickness or gauge No. <u>Sch 40 .154</u> TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel                   3 Stainless steel               5 Fiberglass <u>7 PVC</u> 10 Asbestos-cement 2 Brass                   4 Galvanized steel             6 Concrete tile               8 RMP (SR)                   11 Other (specify) ..... SCREEN OR PERFORATION OPENINGS ARE:                   9 ABS                   12 None used (open hole)																																		
SCREEN OR PERFORATION INTERVALS ARE: 1 Continuous slot           3 Mill slot                   5 Gauzed wrapped <u>8 Saw cut</u> 11 None (open hole) 2 Louvered shutter         4 Key punched               6 Wire wrapped               9 Drilled holes																																		
GRAVEL PACK INTERVALS: From... <u>37</u> ....ft. to ... <u>17</u> ....ft., From.....ft. to .....ft. From.....ft. to .....ft., From.....ft. to .....ft.																																		
GROUT MATERIAL:   1 Neat cement           2 Cement grout <u>3 Bentonite</u> 4 Other ..... Grout Intervals: From... <u>17</u> ....ft. to ... <u>2</u> ....ft., From.....ft. to .....ft., From.....ft. to .....ft.																																		
What is the nearest source of possible contamination: 1 Septic tank           4 Lateral lines           7 Pit privy                   10 Livestock pens           14 Abandoned water well 2 Sewer lines           5 Cess pool               8 Sewage lagoon           11 Fuel storage           15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit           9 Feedyard               12 Fertilizer storage       16 Other (specify below) <u>Old underground store</u> Direction from well? How many feet? <u>50'</u>																																		
LITHOLOGIC LOG FROM TO PLUGGING INTERVALS <table border="1"><tr><td>FROM</td><td>TO</td><td>LITHOLOGIC LOG</td><td>FROM</td><td>TO</td><td>PLUGGING INTERVALS</td></tr><tr><td>0</td><td>16</td><td>silt-yellowish brown-sand trace</td><td></td><td></td><td></td></tr><tr><td>16</td><td>23</td><td>Fine sand-yellowish Brown</td><td></td><td></td><td></td></tr><tr><td>23</td><td>31</td><td>Clay yellowish Brown-silt</td><td></td><td></td><td></td></tr><tr><td>31</td><td>37</td><td>Fine Sand-yellowish Brown</td><td></td><td></td><td></td></tr></table>					FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS	0	16	silt-yellowish brown-sand trace				16	23	Fine sand-yellowish Brown				23	31	Clay yellowish Brown-silt				31	37	Fine Sand-yellowish Brown			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS																													
0	16	silt-yellowish brown-sand trace																																
16	23	Fine sand-yellowish Brown																																
23	31	Clay yellowish Brown-silt																																
31	37	Fine Sand-yellowish Brown																																
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>6-28-98</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>554</u> This Water Well Record was completed on (mo/day/yr) <u>8-3-98</u> under the business name of <u>Woofler Pump &amp; Well, Inc</u> by signature <u>Jane G. Woofler</u>																																		
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY AND PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.																																		