11.00:-				H WELL HECOHD	Form WWC			N		1
	ION OF WAT		Fraction 1/4	Sial S.	1 -	ection Number 24	Township	,		Number
	SALIN and direction			SW 14 SW			T 14	S	R 3	E/W)
			. 4 .	ddress of well if located		- 4	. <i>L</i> .			
45	n Str	eet sou	u of	Jewell >1	reet	591,00	L, KS.			
2 WATE	R WELL OW	NER: KDHE	E 11	RIda. 140						
RR#, St.	Address, Bo	(# : For be	5 Fiela	Bldg. 140			Board o	of Agriculture, D	Division of W	ater Resources
City, State	e, ZIP Code	: IOPE	Ka NSI	666 20				tion Number:		
J LOCAT	E WELL'S L	OCATION WITH	DEPTH OF C	OMPLETED WELL					m.ω.	•
- r				WATER LEVEL . 24						
†	i									I .
-	NW	NE		test data: Well wate						
1 1	1	, E	st. Yield . P.	A gpm: Well wate	r was	ft. af	er	hours pu	mping	gpm
i≝ w ⊦	<u> </u>	[]		eter \dots $m{\mathcal{Z}}$ \dots . in. to .	. 4 . 0.				to	
<u> </u>	!	!	VELL WATER 1	O BE USED AS:	5 Public wa	ter supply	3 Air condition	ing 11	Injection wel	
ī l	sw	%	1 Domestic				9 Dewatering		Other (Speci	
	× '''	;	2 Irrigation	4 Industrial	7 Lawn and	garden only	Monitoring v			
1 1	i	ı	Vas a chemical/	bacteriological sample s	ubmitted to	Department? Ye	sNo	; If yes,	mo/day/yr s	ample was sub-
ī		n	nitted N .	A.		Wat	er Well Disinfe	cted? Yes	No	
5 TYPE	OF BLANK (ASING USED:		5 Wrought iron	8 Cond	rete tile	CASING	JOINTS: Glued	I Cla	mped
1 St	teel	3 RMP (SR)		6 Asbestos-Cement	9 Othe	r (specify below)	Welde	∍d	
2 P\		4 ABS		7 Fiberglass			•	Threa	ded 🔏	
		•	to 80	ft., Dia						
Casing be	sight shove i	and surface		in., weight 71.6	6	lhe /f	Wall thickne	se or gauge N	SCH. 4	0 .154
_	-	R PERFORATION		· · · · · · · · · · · · · · · · · · ·	(7 F			Asbestos-ceme		
				5 5th annian						
1 St		3 Stainless s		5 Fiberglass		MP (SR)		Other (specify)		
2 Br		4 Galvanized		6 Concrete tile	9 A			None used (op	•	
		RATION OPENING			ed wrapped	(8 Saw cut		11 None (d	ppen hole)
1 C	ontinuous slo	t 3 Mill	slot	6 Wire	wrapped		9 Drilled hole			
2 Lo	ouvered shut	er 4 Key	punched	7 Torch				cify)		
SCREEN-	-PERFORAT	ED INTERVALS:	From 4 .	<u> Ο ft. to</u>	20	ft., Fron	١	ft. to)	
				ft. to						
	GRAVEL PA	CK INTERVALS:	From 4.	O ft. to	. 1. 8	ft., Fron	1	ft. to	o	
			From	ft. to		ft., Fron		ft. to		ft.
6 GROU	T MATERIAL	: 1 Neat ce	ment (2 Cement grout	3 Ber	tonite 4	Other			
Grout Inte	ervals: Fro	m <i>j. 🎖</i> ft	_	ft., From	Z ft.	to6	ft From		. ft. to	
What is th	he nearest so	ource of possible co				10 Livest			bandoned w	1
What is the nearest source of possible contamination 1 Septic tank 4 Lateral lines				7 Pit privy			(11 Fuel storage) 15 Oil well/Gas well			
2 Sewer lines 5 Cess pool				8 Sewage lagoon			12 Fertilizer storage 16 Other (specify below)			1
		er lines 6 Seepag		9 Feedyard	,		cide storage	N.T		DCIOW)
l .	_	er lines o Seepa	ge bit	9 Feedyard					•	
	from well?		LITHOLOGIC	106	FROM	How man	у теет?	PLUGGING II	UTERVALS	
FROM	TO	5.1L	Brow M		FROM	то		. Lodding ii	TITTYALS	
0	5	01.15				+				
30	30	Slay -	DWMn -	some silt						
30	40	FINE-1	ned. San	d-yellow Brow	Ν	 				
						1				
								U = 1.0V/0.0		
							MA hart			
7 CONT	RACTOR'S	DR LANDOWNER'S	S.CERTIFICAT	ION: This water wall w	as (1) const	ructed (2) reco	nstructed or (3) pluaged und	er my juried	
_				ION: This water well w						iction and was
completed	d on (mo/day	/year)	S CERTIFICATI] }		and this recor	d is true to the			iction and was belief. Kansas
completed Water We	d on (mo/day ell Contractor	year)s License No] }		and this recor	d is true to the n (mo/day/yr)			iction and was
completed Water We under the	d on (mo/day ell Contractor business na	year)	6-29-55 Noofte] }	ell Record v	and this recorvas completed of by (signate	d is true to the in (mo/day/yr) ure)	best of my knows & 398	owledge and	iction and was belief. Kansas