WATER WELL REC		Form W		Divis	sion of Water	Resources App. No).		
1 LOCATION OF WA County: SALIM	TER WELL: う <i>げ</i> っ	Fraction NC 1/4 NK 1/4 NK	0 1/4 SE 1/4	Section	Number &	Township No. T S	Range Number R (2)	, N	
Street/Rural Address o	f Well Location; i	f unknown, distance &	& direction	Global I		System (GPS) in	formation:		
from nearest town or intersection: If at owner's address, check here					Latitude: (in decimal degrees)				
2000				Longitude: (in decimal degrees) Elevation:					
2033 LEWIS				<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27					
RR# Street Address. Box #: RVSTY DICKSON				Collection Method: GPS unit (Make/Model:)					
2 WATER WELL OWNER: RUSTY DICKSON RR#, Street Address, Box #: City, State, ZIP Code : 3033 LEWOIS CHANNEL COMMENTAL COMMENTS				Digital Map/Photo, Topographic Map, Land Survey					
A TOO ALDERS NATION T	JAL	INA, KS G	2.1401	Est. Acc	uracy: $\square < 3$	3 m, 3-5 m, 3	5-15 m, \square >15 m		
3 LOCATE WELL WITH AN "X" IN	4 DEPTH OF G	COMPLETED WEL	ر الله الله الله الله الله الله الله الل	О	ft.				
SECTION BOX: Depth(s) Groundwater Encountered (1)								.,,	
SECTION BOX: N Depth(s) Groundwater Encountered (1)								12	
TOTE VIETE D XX-114					ft. after				
W NW NE EST. YIELD					t., andft.				
WELL WATER TO BE USED AS: Public water					er supply Geothermal Injection well				
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below									
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well									
S If yes, mo/day/yr sample was submitted									
mile		fected? Yes	No						
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in. to ft., Diameter in. to ft. Casing height above land surface									
Casing diameter									
TYPE OF SCREEN OR PERFORATION MATERIAL: .									
Steel Stainless Steel PVC Other (Specify)									
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot 1935 Gauze wrapped Torch cut Drilled holes None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft.									
From. ft. to ft. From ft. to ft.									
From									
From ft to ft From ft to ft									
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft. to ft., From ft. to ft.									
What is the nearest source				10. 00 111111	,	110111	. 10. 00		
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)									
Sewer lines Cesspool Sewage lagoon Fuel storage Watertight sewer lines Seepage pit Feedyard Fertilizer st									
Direction from well	NORTH		Distance	from well	.G.O		• • • • • • • • • • • • • • • • • • • •		
FROM TO	LITHOLOG	IC LOG	FROM	ТО	LITHO. LC	OG (cont.) <u>or</u> PLU	GGING INTERVAL	_S	
0 3 FIN		34					And the second of the second o		
21 31 SAIS									
31 36 Ch							4,444,4		
36 49 SAF	OD GRAY F	INE TO MED.							
49 50 34	ALE GRA;	·							
							Private		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 309 This Water Well Record was completed on (mo/day/wear)									
Kansas Water Well Contractor's License No. 309 This Water Well Record was completed on (mo/day/year)									
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.									
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212									
INDA 020"1212									