WATER WELL RE	CORD	Form	WWC-5	Division o	f Water Resources App. N	vo.	
1 LOCATION OF WA	TER WELL:	Fraction SW1/4 NE1/4	SE 1/45W 1/4	Section Num	ber Township No.	Range Number R (3 □E X W	
Street/Rural Address	of Well Location;	if unknown, distar	nce & direction	Global Posit	ioning System (GPS) i	information:	
from nearest town or intersection: If at owner's address, check here				Latitude:			
2932 RAY AUE				Elevation:			
2 WATER WELL OWNER: BICK WALTERS RR#, Street Address, Box #: PO. Box & 4				Datum: WGS 84, NAD 83, NAD 27 Collection Method:			
City, State, ZIP Code : SALLING				☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, State, ZIP Code : SALIWA, KS, 47403-0084 Digital Map/Photo, Topographic Map, Land Survey Est. Accuracy: 3 m, 3-5 m, 5-15 m, >15 m							
WITH AN "X" IN	4 DEPTH OF	COMPLETED V	VELL	y! 	ft.	(0)	
SECTION BOX:	Depth(s) Groundwater Encountered (1)						
Pump test data: Well water was \$\mathcal{G}\$ft. after\tag{Pumping\tag{Q}}							
W				ft. after t., and	in. to	nping gpm ft.	
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
SWSE ☐ Domestic ☐ Feedlot ☐ Oil field water supply ☐ Dewatering ☐ Other (Specify below) ☐ Irrigation ☐ Industrial ☑ Domestic-lawn & garden ☐ Monitoring well							
Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted							
1 mile Water well disinfected? Yes \[\subseteq \ No							
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter ft., Diameter in. to ft., Diameter in. to ft.							
Casing diameter 5 in to 5 ft., Diameter in to ft. Diameter in to ft. Casing height above land surface in, Weight 6 lbs./ft., Wall thickness or gauge No. 5.2.							
TYPE OF SCREEN OR PERFORATION MATERIAL: . Steel Stainless Steel PVC Other (Specify)							
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot Mill slot Pas C Gauze wrapped C Torch cut D Drilled holes D None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.							
From							
From ft. to ft., From ft. to ft.							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other. Grout Intervals: From O. ft. to ft., From ft. to ft., From ft. to ft.							
What is the nearest source of possible contamination:							
☐ Septic tank☐ Sewer lines	☐ Lateral li☐ Cesspool	nes Pit privy Sewage lage	☐ Livestock poon ☐ Fuel storage		ecticide storage On ndoned water well	ther (specify below)	
Watertight sewer Direction from well.	lines	pit 🔲 Feedyard	Fertilizer st	orage 🗆 Oil	1,1,1,1,1		
FROM TO	LITHOLOG		FROM			UGGING INTERVALS	
3 18 CLA 18 20 SA 20 34 CLA 36 59 SAN	LDIRT	0), 4					
3 18 CLA 18 20 SA	NOY LOOI						
20 36 Chi	AY DACK	TAN FIR					
36 59 SAN 59 HEA		TO MED T	410				
	V y Gario						
	PRODUCTION OF THE PRODUCTION O					MACHINE DIE RECORDE DE LA CONTRACTION DE LA CONT	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) 0229 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo/day/yea)							
under the business name of Pr. S. TINGLE. PUMP. SIERVICE by (signature) Comparison of the State of the correct answers. Send three copies INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and sheek the correct answers. Send three copies							
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each <u>constructed</u> well. Visit us at http://www.kdheks.gov/waterwell/index.html .							
KSA 82a-1212		Uriginal	Returned to 8	lender			