WATER WELL RECORD	Form W	WC-5	Division of Wate	r Resources App. N	Io.	
1 LOCATION OF WATER WELL:	Fraction SW4SW4SE	1/ 1/ 1/V	Section Number	Township No.	Range Number R <b>3</b> □E <b>V</b> W	
Street/Rural Address of Well Location	o if unknown distance	direction	Global Positioning			
from nearest town or intersection: If					(in decimal degrees)	
			Longitude: (in decimal degrees)			
804 Post CA	LLANE		Elevation:			
-		,	Datum: WGS 8	4, 🔲 NAD 83, 🗀	] NAD 27	
2 WATER WELL OWNER: BRAW DOW GRAY  RR#, Street Address, Box #: JOL POST DAY LANK  Girl State 7/10 Collection Method:  GPS unit (Make/Model:						
City, State, ZIP Code : O			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
SAL	INA, KO 6	1901	Est. Accuracy:			
			0			
WITH AN "X" IN 4 DEPTH O	F COMPLETED WEL		ft.	6	(2)	
SECTION BOX: Depth(s) Grou	Depth(s) Groundwater Encountered (1)24ft. (2)					
Pump test data: Well water was						
EST. YIELDgpm Well water wasft. after						
W NW NE E ST. YIELDgpm Well water wasft. after						
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well						
Domestic						
Irrigation						
Was a chemical/bacteriological sample submitted to Department? Yes No						
S If yes, mo/day/yr sample was submitted						
water went distincted: [25 1cs ] 100						
5 TYPE OF CASING USED: Steel PVC Other						
CASING JOINTS: Clued Clamped Welded Threaded Casing diameter in. to Significant fit. Diameter in. to fit. Diameter in. to fit. Casing height above land surface in., Weight 160 lbs./ft., Wall thickness or gauge No. 100 lbs./ft.						
Casing height above land surface 12 in Weight 1100 lbs/ft Wall thickness or gauge No 100 266						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)						
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot Mill slot. 025 Gauze wrapped Torch cut Drilled holes None (open hole)						
Continuous stot   Mint stot   Gauze wrapped   Torch cut   Drifted notes   None (open note)						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.						
From						
GRAVEL PACK INTERVALS: From						
From						
6 GROUT MATERIAL: Neat ce	ment Cement grout	Bento	ite Uther		Α 40 Α	
Grout Intervals: From						
Septic tank    Lateral lines    Pit privy    Livestock pens    Insecticide storage    Other (specify below)						
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well						
Watertight sewer lines    Seepage pit    Feedyard    Fertilizer storage    Oil well/gas well  Direction from well    SOUTHWEST    Distance from well						
	OGIC LOG	FROM			JGGING INTERVALS	
	OGIC LOG	FROM	10 LITHO. LC	od (colit.) ol FLC	OUTINO INTERVALS	
3 18 CLAY BROWN	O SILTY					
18 26 SANDY LOOP	~					
26 36 CLAY TAN	FIEM .					
36 60 SAND FINE	TO MED. TAN					
Z CONTRACTORIS OR LANDOWN	EDIS CEDTIFICATIO	No. This west	un unall rung Diagnatu	voted 🗆 management	nusted on Dulyand	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION; This water well was Sconstructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor's License No. 31.1 This Water Well Record was completed on (mo/day/pear) O						
under the business name of PESTINGER. PUMP. JERVICODY (signature)						
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topela, Kansas 66612-1367.						
(white, blue, pink) to Kansas Department of Hea	lth and Environment, Bureau	of Water, Geol	ogy Section, 1000 SW Ja-	ckson St., Suite 420,	Topela, Kansas 66612-1367.	
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.						
KSA 82a-1212						