WATER WELL RE	CORD	Form W	WC-5	Divisio	on of Water	Resources App. No	o. L	AN THE WINE SECTION AND AND AND AND AND AND AND AND AND AN	
1 LOCATION OF WATER WELL: County: (ALINE)		Fraction NE1/4SW/4N/	E1/45 E1/4		Number	Township No. T - S	Range N	Jumber □E M W	
Street/Rural Address of Well Location; if unknown, distance & direction				Global Positioning System (GPS) information:					
from nearest town or intersection: If at owner's address, check here					Latitude:				
804 MIKE DE					Elevation:				
2 WATER WELLOWNER: STEUR HENOCH					Datum: WGS 84, NAD 83, NAD 27 Collection Method:				
RR#, Street Address, Box #: 804 MIKE DE.				GPS unit (Make/Model:)					
City, State, ZIP Code : SALIBA KS				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m					
3 LOCATE WELL		•		<i>I</i> ~		2 111, Land 2 2 111, Land	<u> </u>		
WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1)					£tt.				
N N	Depth(s) Groundwater Encountered (1)								
Pump test data: Well water wasft. after hours pumping								(4) gpm	
EST. YIELDgpm Well water was					ft. after hours pumping gpm				
WELL WATER TO BE USED AS: Public water supply Geo							niection w	vell	
Domestic Feedlot Oil field water supply Dewatering Other (Specify below the control of the contr								ecify below)	
Irrigation Industrial Domestic-lawn & garden Monitoring well								•••••	
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No If yes, mo/day/yr sample was submitted									
1 mile Water well disinfected? Yes \[\] No									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot, p.25 Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft.									
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.									
From									
GRAVEL PACK INTERVALS: From									
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
	1 ft. to	o 2 ft., Fror	n	ft. to	ft.,	From	. ft. to	ft.	
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)									
Sewer lines Cesspool Sewage lagoon Fuel storage					Abandoned water well				
Watertight sewer lines Seepage pit Feedyard Fertilizer st Direction from well Post					Oil well/ga			•••••	
FROM TO	LITHOLOG	GIC LOG	FROM			DG (cont.) or PLU			
03, FILL	LDIET								
	Y BROWN								
18 32 CLA 32 48 PAN		TAN			dani, 4242-444 (476 (476 (476 (476 (476 (476 (476 (
48 60 SAM	DO FINE TO			-					
60 SHA									

PROS					encountries of the tribble of tribble of the tribble of tribble of the tribble of tribble of the tribble of t				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) and this record is true to the best of my knowledge and belief.									
under my jurisdiction and was completed on (mo/day/year) (1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.									
under the business name of ALSTINGLE PUMP OLRVICK by (signature) Decelled									
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.									
Telephone 785-296-5524. Ser	nd one copy to WA								
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212									