WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.
1 LOCATION OF WATER WELL:	Fraction	Section Number Township No. Range Number
County: Saline	1/4 SW 1/4 SW 1/4 SV	
Street/Rural Address of Well Location;		
from nearest town or intersection: If at owner's address, check here Bunge Salina Elevator		Longitude: 97.658291 (in decimal degrees)
1112 North Halstead Rd., Salina, KS 67401		Elevation: 1233.11
2 WATER WELL OWNER: Bunge North America, Inc.		Datum: ☐ WGS 84, ☑ NAD 83, ☐ NAD 27
RR#, Street Address, Box #: PO Box 28500		Collection Method: GPS unit (Make/Model:)
City, State, ZIP Code : St. Louis, MO 63146		☐ Digital Map/Photo, ☐ Topographic Map, ☑ Land Survey
3 LOCATE WELL	With All high till didd in the transfer mention and american as a consection for mention as following consecutive colors in the highlight	Est. Accuracy:
	COMPLETED WELL 46,	, ft.
WITH AN "X" IN SECTION BOX: Note: The second of the secon		
WELL'S STATIC WATER LEVEL\(\(\text{\General}\)\(\text{\Oealign}\) Well water was. \(\text{NA}\)		
EST. YIELD. N/Agpm. Well water was. N/A		
W E Bore Hole Diameter 8.25		
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well		
-SWSE - Domestic		
Was a chemical/bacteriological sample submitted to Department? Yes V No		
s If yes, mo/day/yr sample was submitted.N/A		
	nfected? Tyes 📝 No	
5 TYPE OF CASING USED: Steel V PVC Other		
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 2. in. to 46. ft., Diameter NA. in. to NA. ft., Diameter NA. ft.		
Casing height above land surface 30 in., Weight N/A lbs./ft., Wall thickness or gauge No. Schedule 40		
TYPE OF SCREEN OR PERFORATION MATERIAL:		
☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify)		
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:		
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)		
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From 36 ft. to 46 ft., From N/A ft. to .N/A ft. to .N/A ft. to .N/A		
From N/A ft to N/A ft From N/A ft to N/A ft to		
GRAVEL PACK INTERVALS: From		
From N/A ft. to N/A ft., From N/A ft. to N/A ft.		
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other 0-2 feet concrete Grout Intervals: From .2		
What is the nearest source of possible contamination:		
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)		
Sewer lines □ Cesspool □ Sewage lagoon □ Fuel storage □ Abandoned water well □ Watertight sewer lines □ Seepage pit □ Feedyard ✓ Fertilizer storage □ Oil well/gas well		
Direction from well Northwest		tance from well . <500-feet
FROM TO LITHOLOG		
0 46 well-was blind-drilled	39	8 46.6 Yery soupy
O 1 Topsoil, Trace or	Janics , ory	46.0 Shale / bedrock
1 2 Silty clay 10 YR	412 Samp Bork	6.0 311
	ighty plastic	
21 becomes moist		
21 38 clayer sand 5	yr 5/3 reddish	
brown sotroates	(soft fine glowned	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged		
under my jurisdiction and was completed on (mo/day/year) .12-5-2012 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No7.59 This Water Well Record was completed on (mo/day/year) .1-18-2013		
under the business name of RAZEK Environmental LLC by (signature)		
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies		
(white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at		
http://www.kdheks.gov/waterwell/index.html.		
KSA 82a-1212		Check: White Copy, Blue Copy, Pink Copy