WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.	
1 LOCATION OF WATER WELL: County: Saline	Fraction 1/4 SW 1/4 SW 1/4 SW 1/4	Section Number Township No. Range Number	
Street/Rural Address of Well Location		Global Positioning System (GPS) information:	
from nearest town or intersection: It		Latitude: .38,856006 (in decimal degrees)	
Bunge Salina Elevator		Longitude: 97.665275 (in decimal degrees)	
1112 North Halstead Rd., Salina	, KS 67401	Elevation: 1242.54	
A WY 7 A SWINNING WWYNNING W AN AND THE WAY		Datum: WGS 84, NAD 83, NAD 27	
Duit	ge North America, Inc. Box 28500	Collection Method: GPS unit (Make/Model:)	
attended from a 1	ouis, MO 63146	☐ Digital Map/Photo, ☐ Topographic Map, ☑ Land Survey	
Ot. E		Est. Accuracy:	
3 LOCATE WELL	20		
WITH AN "X" IN 4 DEPTH (OF COMPLETED WELL 30	tt.	
SECTION BOX: Depth(s) Gro	TION BOX: Depth(s) Groundwater Encountered (1). \(\)\(\)\(\)\(\)\(\)\(\)\(\)\(
WELL 551	Pump test data: Well water was N/A		
per vierr	N/A gpm Well water was N/A	ft. after N/A hours pumping N/A gpm	
W - NW NE - E Bore Hole D	iameter 8.25 in to 30 f	t., and .NAin. to .NAft.	
	ER TO BE USED AS: Public water	er supply Geothermal Injection well	
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)			
☐ Irrigation	☐ Industrial ☐ Domestic-law	n & garden Monitoring well PZ-13	
Was a chemi	cal/bacteriological sample submitted to	Department? Yes No	
S If yes, mo/day/yr sample was submitted. N/A			
Water well d			
5 TYPE OF CASING USED: Steel PVC Other			
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 1			
Casing diameter 1 in. to .30 ft., Diameter .N/A in. to .N/A ft., Diameter .N/A in. to .N/A ft.			
Casing height above land surface. 0 in., Weight N/A lbs./ft., Wall thickness or gauge No. Schedule 40 TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify)			
TYPE OF SCREEN OR PERFORATION MATERIAL:			
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:			
☐ Continuous slot			
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)			
SCREEN-PERFORATED INTERVALS: From .20 ft. to .30 ft., From .N/A ft. to .N/A ft. From .N/A ft. to .N/A ft. ft.			
GRAVEL PACK INTERVALS: From .17			
From N/A ft. to N/A ft., From N/A ft. to N/A ft.			
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other 0-2 feet concrete			
Grout Intervals: From 2 ft. to 17 ft., From N/A ft. to N/A ft., From N/A ft. to N/A ft.			
What is the nearest source of possible contamination:			
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)			
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Secpage pit ☐ Feedyard ☑ Fertilizer storage ☐ Oil well/gas well			
Direction from well Northwest Distance from well .<200-feet.			
	OGIC LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS	
0 30 well was blind drille			
Ton was smid diffic			
TOONING A CONTRACTOR OF THE CO	Amana Character Crances as .	was 7 constructed 1 constructed on 1 shaped	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed on (mo/day/year) .12-12-2012 and this record is true to the best of my knowledge and belief.			
Kansas Water Well Contractor's License No759 This Water Well Record was completed on (mo/day/year) 1-18-2013			
under the business name of RAZEK Environmental, LLC by (signature)			
INSTRUCTIONS: Use ty pewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies			
(white blue pink) to Kansas Depar tment of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367.			
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at http://www.kdheks.gov/waterwell/index.html.			
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy			